


**HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER**  
Fort Andres Bonifacio, Metro Manila

**VISUAL INSPECTION CHECKLIST**

**LOUSY HAT, PHILARPAT**  
**QM SPEC NR IC-21LHP dtd 22 February 2010**  
**With Amendment 1 dated 11 February 2019**

DESCRIPTION OF DEFECTS	CLASSIFICATION OF DEFECTS
1. Packaging and Packing	
a. Contents of the carton label is not as specified	Minor
b. Lousy hat actual size differs from carton label.	Minor
c. Each Lousy hat shall be placed in a transparent (cellophane) bag and closed with a transparent tape.	Major
d. Two hundred (200) pcs of lousy hat of the same sizes shall be packed one on top of the other in a corrugated carton.	Major
e. The top cover shall be sealed with a binding tape and finally secured with nylon strap.	Minor
2. Not PHILARPAT in color	Major
3. Any component part missing:	
a. Slide keeper, Olive Drab in color	Major
b. Chin strap, Olive drab in color	Major
c. Belt strap, Olive drab in color	Major
d. Brim	Major
4. Loose stitching/ untrimmed thread ends	Minor
5. Contractor's label	
a. Imprinted on the inside top portion of the hat	Minor
b. Using white paint or ink	Minor
c. Contents of the label not as specified	Minor
6. Presence of dirt, stains and other defects	
a. Affecting appearance	Major
b. Does not affect appearance	Minor

  
**EDMUNDO S. SUFICIENCIA**  
Colonel GSC (QMS) RA  
Chief

*By 2028, a world-class Army that is a source of national pride.*

HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER  
Fort Andres Bonifacio, Metro Manila

LOUSY HAT, PHILARPAT  
QM SPEC NR IC-21LHP dtd 22 February 2010  
With Amendment 1 dated 11 February 2019

**TEST CRITERIA**

**FOR POST-QUALIFICATION TEST:**

Destructive Testing Criteria based on Logistic Letter Directive Number SC-07-04 dtd 25 October 2007 para 5f.

TOTAL MINOR TEST POINTS	NO. OF ALLOWABLE DEFECTS	
	MAJOR	MINOR
24	0	2

1. No major defect allowed.
2. Maximum allowable minor defect is nine & 9/10 percent (9.9%) of total minor test points  
**“CONDUCTED”**

**FOR ACCEPTANCE TEST:**


- I. Visual Inspection Criteria based on Mil Std 105E dtd 10 May 1989
  - All defects noted in 1<sup>st</sup> and 2<sup>nd</sup> sampling are cumulative.
  - In case of rejection, destructive testing will not be conducted

Classification of Defects	TABLE III-A General Inspection Level I Code Letter K Double Sampling Plan for Normal Inspection				
	Lot size 10,001 – 35,000 pcs Sample Size: 80 pcs + 80 pcs	Number of Defects		2 <sup>nd</sup> Sampling	
		1 <sup>st</sup> Sampling	2 <sup>nd</sup> Sampling		
MAJOR	AQL 6.5	Accept 7	Reject 11	Accept 18	Reject 19
MINOR	25	11	16	26	27

- II. Destructive Testing Criteria based on Logistic Letter Directive Number SC-07-04 dtd 25 October 2007 para 5f.

TOTAL MINOR TEST POINTS	NO. OF ALLOWABLE DEFECTS	
	MAJOR	MINOR
24	0	2

1. No major defect allowed.
2. Maximum allowable minor defect is nine & 9/10 percent (9.9%) of total minor test points  
**“CONDUCTED”**

  
EDMUNDO S SUFICIENCIA  
Colonel, QMS (GSC) PA  
Chief

HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER  
Fort Andres Bonifacio, Metro Manila

LOUSY HAT, PHILARPAT

QM SPEC NR IC-21LHP dtd 22 February 2010  
With Amendment 1 dated 11 February 2019

**LIST OF REQUIRED PROTOTYPE SAMPLES AND SWATCH MATERIALS FOR TESTING**

**1. FOR POST QUALIFICATION TEST**

**PROTOTYPE SAMPLES**


Four (4) pcs of Lousy Hat

**SWATCH MATERIALS (Minimum requirement)**

Basic Material - 2m (full width)  
Thread Sewing - 10 meters (minimum)

**2. FOR ACCEPTANCE TEST**

Four (4) pcs of Lousy Hat, picked at random from delivery

  
**EDMUNDO S. SUFICIENCIA**  
Colonel GSC (QMS) PA  
Chief