

# HEADQUARTERS PHILIPPINE ARMY

OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 2
Fort Andres Bonifacio, Metro Manila

# Procurement of Rifle, 7.62mm Designated Marksman Rifle (DMR) System

# ORD PABAC2 046-09-22

Description	Qty (units)	ABC (Pesos)
Rifle, 7.62mm: DMR System	100	39,338,000.00

BIDDING DATE: October 10, 2022

**TIME: 1:30 PM** 

# **TABLE OF CONTENTS**

GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS	3
SECTION I. INVITATION TO BID	6
SECTION II. INSTRUCTIONS TO BIDDERS	9
SECTION III. BID DATA SHEET	16
SECTION IV. GENERAL CONDITIONS OF CONTRACT	19
SECTION V. SPECIAL CONDITIONS OF CONTRACT	21
SECTION VI. SCHEDULE OF REQUIREMENTS	29
SECTION VII. TECHNICAL SPECIFICATIONS	30
SECTION VIII. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS	61

# **GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS**

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI –** Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid." **DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC –** Securities and Exchange Commission.

**SLCC –** Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

# **SECTION I. INVITATION TO BID**

# Procurement of Rifle, 7.62mm Designated Marksman Rifle (DMR) System BID REF ORD PABAC2 046-09-22

1. The Philippine Army, through its Appropriation based on the **General Appropriations Act, Fiscal Year 2022 (GAA FY 2022) - RA 11639** in the quantity and amount as indicated below:

Advice of Sub-Allotment (ASA) Number 2200-2022-0363 dated 31 March 2022 in the total amount of Thirty-Nine Million Three Hundred Thirty-Eight Thousand Pesos (PhP39,338,000.00) duly signed by COL RAMON ANTONIO E BELLO GSC (CAV) PA, Assistant Chief of Staff for Financial Management, G10, PA intends to apply the following sum being the Approved Budget for the Contract (ABCs) to payments under the contract for each item. Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

Description	Qty (units)	ABC (Pesos)
Rifle, 7.62mm Designated Marksman Rifle (DMR) System	100	39,338,000.00

2. The Philippine Army now invites Bids from eligible **Local or Foreign Manufacturers** for the above Procurement Project (hereafter referred to as GOODS); Foreign manufacturers must be represented by a duly registered Philippine-based company. Required delivery period and delivery place shall be as follows:

Delivery Period	Delivery Place
Within One Hundred Eighty (180) calendar days after Receipt of Notice to Proceed.	Armaments Company, AABn, 1 <sup>st</sup> Logistics Support Group, Army Support Command, Philippine Army, Camp Aguinaldo, Quezon City

Bidders should have completed within **five (5) years** from the date of Submission and Receipt of Bids a Contract similar to the project.

The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184 otherwise known as the "Government Procurement Reform Act".

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

4. Prospective Bidders may obtain further information from PABAC2 Secretariat and inspect the Bidding Documents at the address given below during office hours from 8:00 am to 4:00 pm.

- 5. The complete set of Bidding Documents may be acquired/purchased by interested Bidders on **September 19, 2022** during office hours (8:00 am 4:00 pm) from the given address and websites below in the amount of **PhP25,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person, by facsimile, or through electronic means.
- 6. The Philippine Army through PABAC2 will hold a Pre-Bid Conference on the time and date as specified below at the Office of the PABAC2, Fort Andres Bonifacio, Taguig, M.M. and/or through video conferencing or webcasting, which shall be open to prospective bidders.
- 7. Bids must be duly received by the PABAC2 Secretariat through manual submission at the office address indicated below on or before the date of submission of bids as specified below. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on the date as specified below and at the given address below through in person (face to face) and/or through video conferencing or webcasting. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

The schedule of the bidding activities shall be as follows:

ACTIVITIES	TIME	VENUE
Sale and Issuance of Bidding     Documents	8:00 am to 4:00 pm only Mondays - Fridays starting Date: September 19, 2022	Office of the PABAC2, Fort Andres Bonifacio, Taguig, M.M
2. Pre-Bid Conference	Date: September 26, 2022 at 3:30 PM	BGEN ALVIN V FLORES PA PABAC2 Chairperson Contact Nr. 845-9555 local 4084/
3. Submission and Opening of Bids	Date and Time: October 10, 2022 at 1:30 PM	+63945-705-0675 or at its email address at pabacsec2@gmail.com

- 10. The Philippine Army reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

# Office of the PA Bids and Awards Committee 2

Fort Andres Bonifacio, Metro Manila

# BGEN ALVIN V FLORES PA PABAC2 Chairperson

Contact Nr. 845-9555 local 4084/ +63945-705-0675 or at its email address at <a href="mailto:pabacsec2@gmail.com">pabacsec2@gmail.com</a>

12. You may visit the following websites:

For downloading of Bidding Documents: (philgeps.gov.ph and army.mil.ph)

Date of Issue: September 19, 2022

Signed

ALVIN V FLORES
BGEN PA
PABAC2 Chairperson

# **SECTION II. INSTRUCTION TO BIDDERS**

# 1. Scope of Bid

The Procuring Entity, Philippine Army wishes to receive Bids from the eligible Local/Foreign Manufacturer duly represented by a local registered company for the *Procurement of Rifle, 7.62mm Designated Marksman Rifle (DMR) System* under ORD PABAC2 046-09-22.

The Procurement Project (referred to herein as "Project") is composed **of one** (1) lot, the details of which are described in Section VII (Technical Specifications).

# 2. Funding Information

- 2.1. The GOP through the **(ASA) Number 2200-2022-0363** dated 31 March 2022 in the total amount of **Thirty-Nine Million Three Hundred Thirty-Eight Thousand Pesos (PhP39,338,000.00)**.
- 2.1. The source of funding is **General Appropriations Act, Fiscal Year 2022** (GAA FY 2022) RA 11639.

# 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

# 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of (a) will likely result to failure of bidding that will defeat the purpose of public bidding: The Bidder should comply with the following requirements:
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies of the ABC for this Project; and
    - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

# 6. Origin of Goods

There is no restriction on the origin of **goods** other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

However, the Procuring Entity has prescribed that **Subcontracting is not allowed.** 

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address indicated herein and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

# 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the last five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

# 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

# 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

# 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in **Philippine Pesos**.

# 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **one hundred twenty (120)** calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

# 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

# 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

- In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.
- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

# 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as **one contract.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

# 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

# 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

ITB			
Clause 3	Non-compliance and/or non-conformance with the prescribed forms as provided in the Annexes of this Bidding Documents will be a ground for disqualification.		
5.2	Foreign Bidders must be represented by a duly registered Philippine-based company.		
5.3	For this purpose, contracts similar to the Project shall mean "Supply and Delivery of Firearms" which must be completed within five (5) years prior to the deadline of the submission and receipt of bids.		
7.1	Subcontracting is not allowed.		
12	The price of the Goods shall be quoted <b>Delivered-Duty-Paid (DDP)</b> Armaments Company, AABn, 1 <sup>st</sup> Logistics Support Group, Army Support Command, Philippine Army, Camp Aguinaldo, Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.  For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR.		
13.1	Bid Price shall be quoted in Philippine Pesos.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:  a. The amount of not less than the equivalent of <b>two percent (2%)</b> of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; <b>OR</b> b. The amount of not less than the equivalent to <b>five percent (5%)</b> of ABC, if bid security is in Surety Bond.		
15	Each Bidder shall submit <b>One (1) original copy</b> and <b>two (2) photocopies</b> of the first and second components of its bid. Each component of the bid must be sealed in two (2) separate envelopes duly labeled. Likewise, the two (2) separate envelopes shall be sealed in one (1) big envelope or carton box duly labeled.		
19.3	The Project shall be awarded as one contract.		

Description	Qty (Units)	ABC (Pesos)
Rifle, 7.62mm Designated Marksman Rifle (DMR) System	100	39,338,000.00
<b>POST-QUALIFICATION</b> : Within a non-extendit days from receipt by the bidder of the Notice f has the Lowest/Single Calculated Bid (L/SC	rom the B/	AC that the bidder

**POST-QUALIFICATION**: Within a non-extendible period of five (5) calendar days from receipt by the bidder of the Notice from the BAC that the bidder has the Lowest/Single Calculated Bid (L/SCB), the bidder shall submit and/or present original of the following requirements for post qualification: and foreign manufacturers), both partners must present/submit above documents.

	TAB Additional Post Qualification Requirements				
	A	Valid and updated PhilGEPS Registration Certificate (Platinum Membership) in accordance with Section 8.5.2 of the revised IRR of RA No. 9184 (updated 30 June 2022) and GPPB Resolution 15-2021 dated 14 October 2021.			
20.1	В	Registration Certificate from Securities and Exchange Commission (SEC) for Corporations, Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document      Valid and Current Business/Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located OR the equivalent document for Exclusive Economic Zones or Areas. In case of recently expired Mayor's/Business permits, said permit shall be submitted together with the official receipt as proof that the bidder has applied for renewal within the period prescribed by the concerned local government unit, provided that the renewed permit shall be submitted as a post-qualification requirement      Valid and Current Tax Clearance per Executive Order 398, Series of 2005 and Revenue Memorandum Order No. 46-2018, as finally reviewed and approved by BIR      Latest Audited Financial Statement (stamped received by the BIR or its duly accredited and authorized institution) showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" if manually filed or "attachment of system generated Transaction Reference Number and email to the system user" if electronically filed issued by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; Provided that original copies of the digitally submitted documents will be presented upon request.			
	С	Latest Income and Business Tax Returns per Revenue regulation 3-2005, Bidders have option to submit manually filed through the Electronic Filing and Payments System (EFPS). The			

and the Procuring Entity

	latest income and business tax returns are those within the last six		
	months preceding the date of bid submission		
		Supporting documents for the On-going Government / Private	
		Contract/s	
		Oomi dogs	
		1 Notice of Award or Notice to Present Contract	
	D	1. Notice of Award or Notice to Proceed, Contract,	
		Purchase Order or its equivalent issued by the end-user	
		2. Notice of Extension/Suspension <b>if</b> the project is overdue.	
		Supporting documents for Single Largest Completed Contract	
		(SLCC).	
		Notice of Award or Notice to Proceed, Contract, Purchase	
		Order or its equivalent issued by the end-user; or	
		, , , , , , , , , , , , , , , , , , , ,	
		2. Certificate of Completion and/or Technical Inspection and	
	E	Acceptance Committee (TIAC) Report, Sales Invoices with	
		Official Receipts, End-User's Acceptance or its equivalent	
		provided that the same expressly states that the goods were	
		received in good condition; or	
		received in good condition, or	
		2 Cartificate of Parformance Evaluation of Single Largest	
		Certificate of Performance Evaluation of Single Largest     Completed Contract	
		Completed Contract	
		Certificate of Notarial Commission/Oath of Office/Appointment	
	_	of the lawyer who notarized the documents submitted by the bidder	
	F	or Certificate from the Office of the Executive Judge/Office of	
		the Clerk of Court certifying that the notary public is	
		appointed/commissioned for a specific period.	
		Current and valid ISO (9001:2015) or AQAP Certificate under the	
		name of the manufacturer issued by an independent certifying	
	G	agency in the name of the Manufacturer of the item.	
		The validity or scope of the ISO or other certificate must cover the	
		production, design, manufacturing, and inspection of the items	
		subject of the bidding	
	Н	Company Profile (Organization, Affiliated Companies, Production	
		Capability)	
	<u> </u>	Vicinity map/location of the business	
		Certificate from Armed Forces of the Philippines Procurement	
	J	Service (AFPPS) that the Bidder is Not Blacklisted and has No	
	Overdue Delivery, if not submitted during the bid opening		
	Note 1: In case of JV, each JV Partner shall submit said Certificate.		
	Note 2: In case of Joint Venture, both partners must present/submit above documents.		
	<b>Note 3: Failure to submit any of the post-qualification requirements on time</b> , or a finding against the veracity thereof, shall disqualify the bidder for award. Should there be a finding against the veracity		
	of any of the documents submitted, the Bid Security shall be forfeited in accordance with Sec. 69 of		
	the 2016 Revised IRR of RA 9184.		
		to submission of documents that may be required by existing laws	
20.2	-	Drocuring Entity	

Page **17** of **84** 

# **Section IV. General Conditions of Contract**

# 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

# 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

# 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

# 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

# 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

# 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

# **SECTION V. SPECIAL CONDITIONS OF CONTRACT**

Delivery and Documents –			
Delivery and Documents –			
For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
The delivery terms applicable to the Contract "Delivered-Duty-Paid" (DPP) at Armament Company, AABn, Logistics Support Group, Army Support Command, Philippine Army, Camp Gen Emilio Aguinaldo, Quezon City, Philippines. In accordance with INCOTERMS."			
Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in <b>Section VI. Schedule of Requirements</b> .			
Deliveries for "safekeeping" is not allowed.			
The details of shipping and/or other documents to be furnished by the Supplier are as follows:			
For Goods supplied from within the Philippines: Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:			
<ul> <li>Original and four copies delivery receipt/note, railway receipt, or truck receipt;</li> </ul>			
<ul> <li>Original Supplier's factory inspection report;</li> <li>Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;</li> </ul>			
<ul> <li>Original and four copies of the certificate of origin (for imported Goods);</li> <li>Delivery receipt detailing number and description of items received signed by the authorized receiving personnel; and</li> </ul>			

 Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.

# For Goods supplied from abroad:

Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

- Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- Original and four copies of the negotiable, clean shipped on-board bill of lading marked "freight pre-paid" and five copies of the nonnegotiable bill of lading;
- Original Supplier's factory inspection report;
- Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- Original and four copies of the certificate of origin (for imported Goods);
- Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site; and
- Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is: PA TIAC, APAO, OG10.

## Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- Performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- Furnishing of tools required for assembly and/or disassembly during delivery of the supplied Goods;
- Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods:
- Performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- Training of the Procuring Entity's personnel on the operation, maintenance, and/or repair of the supplied Goods.
- The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

# Packaging – (Annex 4-C)

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation shall be in accordance with the manufacturer's standard.

## Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

# Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract. shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP. Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available, but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure in accordance with GCC Clause 22.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

# Patent Rights -

The Supplier shall identify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the prescribed delivery schedule of this Contract and have been duly inspected and accepted.

Payment shall be made by check for Local supplier/manufacturer or

through Letter of Credit in case of foreign supplier/manufacturer.

In case payment shall be made by L/C, the PROCURING ENTITY shall open the irrevocable L/C in favor of the Supplier in accordance with the terms provided below in an Authorized Government Depository Bank after the approval of the Contract by the HOPE and cash transfer from the PA to the Authorized Government Depository Bank, to wit:

2.2

- (a) Mode of Transmission: Full cable telex/S.W.I.F. T;
- (b) <u>Advising and/or Confirmation</u>: L/C may be advised and/or confirmed by any bank to be identified by the Supplier, at the latter's sole expense;
- (c) Payee Bank: The L/C draft (if any) shall be drawn on the confirming bank:
- (d) **Beneficiary**: [Insert name and address of Supplier with Point of Contact;
- (e) <u>Currency and Amount of L/C</u>: L/C shall be in Philippine Peso, in an amount equivalent to the Total Contract Price. The **95%** of the amount of L/C shall be released upon completion of all the required documents enumerated in **SCC Clause 2.2(g)** of the bidding documents and the **5%** shall be released upon expiration of the warranty period provided in the bidding documents;
- (f) Expiration Date: Two Hundred Ten (210) calendar days from issue date of the L/C:
- (g) <u>Payment Scheme Documentary Requirements</u>: Payment will be "One Time Payment" and shall be made to the Supplier at the time of the final acceptance of the GOODS by the PROCURING ENTITY in accordance with Section VI. Schedule of Requirements, and the submission or presentation of the following documents:
  - i. Supplier's invoice showing GOODS' description, quantity, unit price, and total amount;
  - **ii.** Negotiable, clean shipped on-board Bill of Lading marked "Freight Pre-Paid" and/or "Non-Negotiable Bill of Lading" or "Airway Bill";
  - **iii.** Original Supplier's factory inspection report or certificate of predelivery test and inspection report by PA TIAC (as applicable);
  - iv. Manufacturer's and/or Supplier's warranty certificate; Original Manufacturers/Product Warranty/Guaranty Certificate/s issued in the name of the Philippine Army minimum of one (1) year from the date of final acceptance (full replacement for defective items); <u>Warranty</u> should indicate the Lot Number of the goods;
  - v. Certificate of Origin (for imported GOODS);
  - vi. Delivery Receipt detailing number and description of items received signed by the Procuring Entity's representative at the Delivery Site;
  - vii. Certificate of Acceptance by the PA Technical Inspection and Acceptance Committee (PA TIAC); and
  - viii. Original Manufacturers Certificate re: Date of Manufacture of the product should be not **more than one (1) year** from the date of delivery (brand new/freshly manufactured);
- (h) <u>Description of Goods:</u> As stated in the Technical Specifications with additional requirements as indicated in SECTION VI Schedule of Requirements.
- (i) <u>Delivery Period:</u> Complete Delivery within **One Hundred Eighty (180)** calendar days from receipt of the NTP by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP: should the supplier fail to comply, the delivery period shall commence.
- (j) **Shipment:** One-time shipment; transshipment is acceptable. Negotiability: The L/C shall be irrevocable;

- (k) <u>Liquidated Damages</u>: Liquidated damages shall be imposed in accordance with Section 68 of Republic Act (RA) Nr 9184 and its Revised Implementing Rules and Regulations.
- (I) Other Instructions:
- i. The cost of the opening, as well as advising, confirmation, extension, and/or amendment, if any, of the L/C, and other bank charges shall be for the account of the Supplier;
- ii. The L/C must be in English; and No boycott or restrictive language.

The inspections and tests that will be conducted are:

A. POST-QUALIFICATION involving documents validation and plant/office visit, and inspection/testing of sample goods shall be conducted by the Procuring Entity or its designated representatives (PQ Team designated by the BAC) to determine the compliance to the requirements of the end-user as required in the bidding documents. Manufacturer's plant inspection will be conducted, subject to the approval of the Head of the Procuring Entity (HOPE). The Manufacturer/Supplier shall be made to provide pieces of evidence of the compliance of items offered to the specifications as stated in Section VII of the bidding documents and his capability to manufacture/supply the goods/items being required.

Conduct of Reliability Test per PA TAP NR: ORDF02(AR15-00)07-22 to one (1) sample rifle during Post Qualification.

# Moreover, the PQ Team will conduct validation to other government agencies if the supplier/manufacturer has no overdue delivery.

**Note:** Alternative Post-Qualification may be conducted in accordance with the HPA Letter Directive Nr 12 with Subject: Alternative Procedures for PQI and PDI during COVID-19 Pandemic dated 11 August 2020. This directive states that the physical visit of the inspectors at the manufacturer's site or place of business is no longer feasible due to the COVID-19 pandemic and the issued memorandum of the Department of National Defense. This directive prescribes that Post-qualification shall be conducted through Video Teleconference and other electronic means, adoption of previous PQ reports with Independent referencing and through the assistance of the Philippine Defense Armed Forces Attaché (PhilDAFA).

#### B. PRE-DELIVERY INSPECTION AND TEST:

All items shall be subjected to Pre-Delivery Inspection (PDI) by the Philippine Army.

# 1. For Foreign Manufacturers:

**a.** All Items shall be subjected to pre-delivery inspection and the test (PDI) by the Philippine Army representatives. The PDI shall be conducted not later than sixty (60) days prior to the expiry of the required delivery period at the goods' country of origin OR at the RDC, ASCOM, OR as the PA TIAC recommends.

4

- b. The Inspection Team that may attend the pre-delivery test at the country of origin at supplier's expenses shall be composed of five (5) to seven (7) members from designated PA TIAC who have technical knowledge relevant to the item being procured.
- **c.** The Manufacturer shall ensure that the Inspection Team will be allowed to jointly participate in the conduct of the testing procedures.
- d. Supplier shall shoulder all the costs and expense of travel (via/IATA member airlines in case of international travel) and accommodation and securing visas as necessary and travel insurance of all the Inspection Team Members. In this regard, supplier is required to ISSUE the required written invitations to the Inspection team through Philippine Army relative to the PDI within seven (7) calendar days from receipt of NTP.
- **e.** Supplier shall conduct product/inspection and pre-departure briefing to orient the members of the Inspection team at least one (1) week prior to departure date. Supplier shall ensure that a full time/on-board interpreter is available for non-English speaking country of manufacturer/plant site. Travel documents including insurance must be submitted to the inspection team during the pre-departure briefing.
- **f.** Failure to provide such invitation per paragraph *d* above may result in delays in release of required travel orders for the inspection team and may subject the supplier to applicable sanctions including liquidated damages due to late delivery.

The PDI shall be conducted in accordance with the prescribed PA Test and Acceptance Procedures or if "Manufacturer's Standard" is reflected as to the requirement in the PA TS/TAP, the Manufacturer's TS and TAP must be in accordance to NATO or equivalent standard.

Cost of testing including the cost of sample shall be for the account of the supplier. The samples shall be over and above the quantity to be delivered.

**Note:** Alternative Pre-Delivery Inspection (PDI) may be conducted in accordance with the HPA Letter Directive Nr 12 with Subject: Alternative Procedures for PQI and PDI during COVID-19 Pandemic dated 11 August 2020. This directive states that the physical visit of the inspectors at the manufacturer's site or place of business is no longer feasible due to the COVID-19 pandemic and the issued memorandum of the Department of National Defense. This directive prescribes that PDI Team shall conduct the alternative PDI through VTC and/or submission of Video recordings provided that certified tests results from the supplier or a third-party entity shall be required to ensure transparency and through the utilization of Philippine Defense Armed Forces Attaché (PhilDAFA).

## 2. For Local Manufacturers:

**a.** Pre-delivery inspection of the items to be conducted by the designated **PA TIAC** who have technical knowledge relevant to the item being procured at Research and Development Center (RDC), ASCOM, PA;

- **OR** Government Arsenal Facilities; **OR** at the Local Manufacturer's facilities; **OR** at an authorized third-party testing facility.
- **b.** All incidental and related expenses relative to inspection shall be for the account of the manufacturer.
- c. Acceptance Tests to be conducted as per prescribed Test and Acceptance Procedures. Cost of samples to be used for testing shall be for the account of the manufacturer. The samples shall be over and above the quantity to be delivered.

## SPECIFICATIONS:

Lot	Description	Technical Specifications	Test and Acceptance Procedure
1	Rifle, 7.62mm Designated Marksman Rifle (DMR)	PA TS NR: ORDF02(AR15-00)07-22 dtd 28 July 2022	PA TAP NR: ORDF02(AR15-00)07-22 dtd 28 July 2022

Designated Marksman Rifle must come from one (1) source and manufacturer only.

Date of Manufacture of Item: All rifles must have a manufacturing date which should not be more than one (1) year from date of delivery (brand new/freshly manufactured);

Supplied the same goods to at least two (2) Armed Forces as basic military weapon.

- **C.** Final Inspection and Acceptance will be at the Delivery Site. Completeness and appropriateness of the delivered goods shall be inspected by the Procuring Entity's representative at the delivery site at the soonest time possible. After completion of the inspection, the inspection team shall furnish the following reports;
  - 1. Final Inspection and Acceptance Report by the TIAC:
  - 2. OG10 Inspection Report;
  - 3. SAO/APAO Acceptance Report;

# **Corrections of defects:**

- **a. During Pre-Delivery Inspection.** Any defects noted during pre-delivery inspection shall be corrected prior to shipment/delivery of the goods subject for another test and inspection.
- b. **During TIAC Inspection:**
- b.1. For items delivered within the delivery period, the Supplier shall be allowed to correct defects within 30 calendar days upon receipt of written Notice from the PAPC or within the remaining days of the delivery period, whichever comes later. (Note: This provision is not applicable to items delivered beyond the delivery period).

	b.2. For items delivered after the lapse of the delivery period, the Supplier shall be allowed to correct defects, subject to the imposition of		
	liquidated damages.		
	TIAC Non- Acceptance of Items:		
	In case items are rejected, the PA TIAC shall issue Certificate of Non-Acceptance on the cause of non-compliance of the goods. A corresponding Notice of Non-Acceptance shall then be issued by Philippine Army Procurement Center (PAPC) to the supplier.		
	In case of rejection, the Supplier shall immediately withdraw the items from the Project/Delivery site. Any loss or damage thereto after such declaration shall be the sole responsibility of the Supplier		
	Supplier shall be <b>subjected to blacklisting</b> due to termination by default.		
	The warranty shall be covered by, either retention money in an amount equivalent to <b>five percent (5%)</b> , or a special bank guarantee equivalent to <b>five percent (5%)</b> of the Contract Price in favor of the Armed Forces of the Philippines.		
5.1	The warranty period shall be <b>one (1) year</b> after acceptance by the Procuring Entity of the Delivered Goods. The manufacturer shall issue a Warranty Certificate that shall cover a minimum of one (1) year after the acceptance by the Procuring Entity of the Delivered Goods.		
	The Obligation for the warranty shall only be released after the lapse of the warranty period.		
	The period for repair or replacement for the defective goods or parts thereof shall be within Ninety (90) Calendar Days (maximum) upon receipt of the Notice of Defects.		
6	The PROCURING ENTITY through the TIAC may invoke for warranty claims for the GOODS or any part thereof that fail to conform to the specifications within the warranty period. The Supplier shall either rectify or replace such defective GOODS or parts thereof or make alterations necessary to meet the specifications at no cost to the PROCURING ENTITY, and shall inspect the rectified/replaced goods, at no cost to the PROCURING ENTITY, upon giving a notice pursuant to GCC Clause 5.2.		
	When the supplier fails to satisfactorily deliver the goods or services under the contract within the specified delivery schedule or project implementation schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the Procuring Entity liquidated damages, not by way of penalty, for every day of delay until such goods or services are finally delivered or performed and accepted by the Procuring Entity concerned.		
	The amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten		

percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.

# **SECTION VI. SCHEDULE OF REQUIREMENTS**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Description	Qty	Unit	Delivery Period
Rifle, 7.62mm DMR Sytem	100	Units	
Magazine	400	Each	
Tactical Carry Bag	100	Pcs	
Hard Case	100	Pcs	
Sound Suppressor	100	Each	
Ballistic Testing	100	Each	
Technical Manual with Illustrated Parts List	10	Pcs	
Cut-Away	2	Each	
Operator and Maintenance Training	10	Personnel	One Hundred Eighty (180)
-		set	Calendar Days upon receipt of NTP by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP; should the supplier fail to comply, the delivery period shall commence.

Name Of Company (In Print)
Signature Of Company Representative
Name and Designation (In Print)
Date

# SECTION VII. TECHNICAL SPECIFICATIONS



By 2028, a world-class Army that is a source of national pride

Technical Specifications for Rifle, 7.62/51mm (DMR)

TS NR: ORDF02(AR15-00)07-22

## HEADQUARTERS PHILIPPINE ARMY Fort Andres Bonifacio, Metro Manila

Fort Andres Borniacio, Inetro Inali

TS NR: ORDF02(AR15-00)07-22

'JUL 2 8 2022

# TECHNICAL SPECIFICATIONS FOR Rifle, 7.62mm: DMR

Description	A light weight, gas-operated and semi- automatic, shoulder-fired weapon used to supply rapid accurate fire on enemy targets at ranges up to a maximum of 800m SPECIFICATIONS					
TECHNICAL DATA						
PHYSICAL CHARACTERISTICS	9					
1. Platform	AR-15					
2. Caliber	7.62mm					
3. Ammunition	Ctg, 7.62x51mm					
4. Barrel:						
4.1. Type	Heavy Profile					
radio. Selection and recommend	High Carbon Alloy or Stainless Steel					
4.2. Material Composition	Chrome-lined chamber and bore					
4.3. Rifling Twist	1:10 - 11in, RH					
4.4. Finish/Color	Corrosion resistant, matte dark gray/black					
	Detachable					
4.5. Compensator	Muzzle brake type					
5. Upper Receiver:	mazze orane type					
5.1. Material Composition	7075-T6 Aluminum Alloy					
5.2. Finish	Corrosion and Wear-Resistant					
5.3. Top rail	MIL STD 1913					
5.4. Case Deflector	Required, right side					
	Quad rail or detachable rail					
5.5. Handguard	MIL STD 1913					
5.6. Mechanical Sight	Back-up Iron Sight (BUIS)					
5.6.1. Front	Adjustable for elevation					
5.6.2. Rear	Adjustable for windage (min)					
6. Lower Receiver:	regulation for windage (illin)					
6.1. Material composition	7075-T6 Aluminum alloy					
6.2. Finish	Corrosion, wear-resistant					
6.3. Butt Stock Assembly	Retractable to 4 positions (min) with adjustable comb height					
6.4. Buffer Assembly	Manufacturer's Standard					
6.5. Pistol Grip	The second of the second					
6.5.1. Design	Provision for compartment with cover					
7. Operational Characteristics:	Anti-slip					
7.1. Operational Characteristics:	Con Distan Time					
7.1. Operating System 7.2. Firing Modes	Gas Piston Type Safe, Semi Auto					
7.3. Magazine Release						
	Ambidextrous					
7.4. Bolt Catch and Release	Manufacturer's Standard					
7.5. Fire Mode Selector	Ambidextrous					



Honor. Patriotism. Duty.

74

Page 1 of 4



# By 2028, a world-class Army that is a source of national pride Technical Specifications for Rifle, 7.62x51mm (DMR)

			TS NR: ORDF02(AR15-00)07-22					
	7.6.	Cocking Handle	Ambidextrous					
	7.7.	Trigger	Manufacturer's Standard					
8.	Acce	ssories:						
	8.1. Sling		Black Nylon 2-point quick-detached tactical sling type					
			Detachable					
	8.2.	Forward Grip	Black					
			Non-slip design					
			Made of heat-treated steel with hard alloys					
	8.3.	Bipod	Detachable swivel type					
			Legs independently extendable from 6 to 9in					
	8.4.	Optic Sight						
		8.4.1. Material	Forged Aluminum					
		8.4.2. Magnification	Manually adjustable to 6x (min) with parallal adjustment					
		8.4.3. Bullet Drop Compensator	Adjustment equivalent to ½ MOA					
		8.4.4. Power Source	Lithium or Alkaline Battery					
		8.4.5. Reticle Pattern	Crosshair					
		8.4.6. Mounting	Quick release MIL STD 1913 mount system					
		8.4.7. Anti-Reflective Device	Detachable					
	8.5.	Magazine	At least two (2) 20-round capacity (aluminus					
	8.6.	Cleaning Paraphernalia	One (1) set per rifle and shall include the following:					
			• Gun oil (10-15ml)					
			Cleaning rod					
			Chamber brush					
			Bore brush					
			Parts brush					
			Cleaning cloth					
	0.7	^	Pouch (for Cleaning Paraphernalia)					
_	8.7.	Operator/User's Manual	One (1) manual per rifle					
9.	Pack	aging:	0 (0 5:0 1:11:11:11:11:11:11:11:11:11:11:11:11:1					
	9.1.	Inner	One (1) Rifle per airtight, watertight ethylene bag					
	9.2. Intermediate		One (1) Rifle per watertight hard plastic cas with foam cut-out for parts					
	9.3.	Outer	Wooden or Plastic Box					
10	. Mark	ings						
	10.1.	Barrel	The letters "AFP" and the manufacturer's sequential number shall be engraved on the visible part of the barrel					
	10.2.	Lower Receiver	The words "AFP Property" shall be engraved on the lower receiver as addition to standard manufacturer's markings and serial numbering system					
10.3. Intermediate Packaging		Intermediate Packaging	Nomenclature Serial number/s Packing list sticked on top (outside) of the					
	10.4.	Outer Packaging	hard plastic case  Nomenclature  Weight of contents					



Honor. Patriotism. Duty.



By 2028, a world-class Army that is a source of national pride

Technical Specifications for Rifle, 7.62x51mm (DMR)

TS NR: ORDF02(AR15-00)07-22

	TS NR: ORDF02(AR15-00)07-22					
	Dimension (LxWxH)					
11. Weight and Dimensions:	Manufacturer and Country of Origin					
11.1. Length (buttstock fully extended)	1,000mm (max)					
11.2. Length (buttstock fully retracted)	508 – 915mm					
11.3. Overall Weight (w/o mag)	5kgs (max)					
11.4. Barrel Length	396 - 416mm					
11.5. Headspace	396 - 416mm 41.275 – 41.7957mm					
11.6. Bipod Weight						
11.7. Optic Sight	0.5kg (max)					
11.7.1. Length	260mm (max)					
	260mm (max)					
11.7.2. Width	70mm (max)					
11.7.3. Height	76mm (max)					
11.7.4. Weight	680g (max)					
11.7.5. Objective Lens Size	24 – 32mm					
PERFORMANCE CHARACTERISTICS						
12. Trigger Pull Test	Trigger pull shall be free from creep					
	4 to 5.5 pounds pull weight					
13. Functional Test	Weapon shall be free from functional defects					
14. Accuracy	The average mean radius of all shot groups shall not be greater than 0.68in at 100yds					
15. Maximum Effective Range	Evidence of at least five (5) perforation at					
15. Maximum Enecuve Kange	800-meter distance from the weapon					
	Barrel assembly and bolt shall be free from					
	injurious defects after firing one (1) Ctg,					
16. High Pressure Resistance	7.62x51mm: High Pressure Test, M60 with a					
16. High Fressure Resistance	minimum pressure of 67,500 psi as evidenced					
	by Magnetic Particle Inspection					
	Headspace shall be according to specification					
	Weapon shall be free from functional defects					
17. Dust Exposure Test	when fired after being exposed to dust for 2					
	minutes					
	Weapon shall be free from functional defects					
18. Mud Immersion Test	when fired after being immersed into mud for					
	15 seconds					
	Weapon shall be free from functional defects					
19. Water Immersion Test	when fired after being immersed into water for					
	5 minutes					
	Weapon shall not fire upon impact on a hard					
	ground after being dropped from a height of					
20. Drop Safety	1.3 meter					
	Weapon shall be free from damage and					
	functional defects					
	Parts shall be interchangeable					
21. Interchangeability	Headspace, Trigger Pull, Function and					
· ·	Accuracy shall be according to specification					
	The weapon shall be free from failures and					
	unserviceable parts after being fired with a					
AA B !! ! !!!! # .	total of 5,000 rounds at a rate of 100 rounds					
22. Reliability Test	per hour					
	Barrel assembly and bolt shall be free from					
	injurious defects as evidenced by visual and					
Honor Potri						

PGS O

Honor. Patriotism. Duty

AH

Page 3 of 4



# By 2028, a world-class Army that is a source of national pride Technical Specifications for Rifle, 7.62x51mm (DMR) TS NR: ORDF02(AR15-00)07-22

	70 111. 01.07 02/11/10 00/07-22					
	magnetic particle inspection  The maximum change of the optic sight, afte zeroing, between the point of aim and the center of impact exceeds 0.5 MOA within 100 rounds					
*						
23. Cook Off Test	The weapon shall not cook-off within 30 minutes after firing a total of 500 rounds in 10 minutes					
24. Other Requirements						
24.1. Technical Manual with Illustrated Parts List	As specified in the Contract					
24.2. Armorer's tool kit						
24.3. Cut-away	3					
24.4. Packing lists	Placed and attached in every outer packaging visible for verification					
24.5. Technical Data Sheet	Placed inside every intermediate packaging (see Annex)					

# PREPARED BY:

LEONORA Major (OS)

Acting Chief, PRB

Major Chief, FB

PA

RECOMMENDED BY:

Colonel MNSA (OS)

Chief

APPROVED BY:

Lieutenant General Commanding General





By 2028, a world-class Army that is a source of national pride.

Test and Acceptance Procedure for Rifle, 7.62mm, DMR TAP NR: ORDF02(AR15-00)07-22

TAP NR: ORDF02(AR15-00)07-2

# HEADQUARTERS PHILIPPINE ARMY

# OFFICE OF THE ARMY CHIEF ORDNANCE AND CHEMICAL SERVICE

Fort Andres Bonifacio, Metro Manila

TAP NR: ORDF02(AR15-00)07-22

JUL 2 8 2022

# TEST AND ACCEPTANCE PROCEDURE FOR Rifle, 7.62mm: DMR

4	D		_		n		AI	~	_	C.
1.	ĸ	ᆮ	г	ᆮ	к	ᆮ	N	С	ᆮ	3

- 1.1. Technical Specifications for Rifle, 7.62mm (DMR) dated \_\_\_\_ \* -
- 1.2. ANSI/ASQ Z1.4-2003: Sampling Procedures and Tables for Inspection by Attributes.

## 2. OBJECTIVES:

- 2.1. To ascertain compliance to standards and specifications.
- **2.2.** To determine the functional reliability and stability of the weapon when subjected to adverse field conditions.
- 2.3. To determine user safety when the weapon is fired in various environmental conditions.

#### GUIDELINES:

- 3.1. The Technical Inspection and Acceptance Committee (TIAC) for Ordnance-Firepower shall ensure the conduct of test and inspection according to the prescribed procedures. Any clarification on the procedures shall be consulted to the TIAC.
- 3.2. Inspection of the item shall be conducted by the personnel who have technical knowledge relevant to the item to be inspected.
- 3.3. The manufacturer/supplier shall ensure that the complete quantity stated in the contract is packed/palletized prior to the inspection (If the result is incomplete delivery, do not proceed to the next step and terminate inspection).
- **3.4.** The samples to be used during the series of inspections and tests shall be over and above to the quantity to be delivered.
- 3.5. Technical inspection and test shall be conducted on the representative samples of the lot through visual/physical, weight and dimensional measurements to determine the over-all workmanship, markings, color and appropriate packaging of the items.
- 3.6. All measuring instruments shall be calibrated within 1-year prior the date of test and shall be supported with certification.
- 3.7. All manufacturer's standard specifications shall be provided with certification or engineering design/description and be given to the inspection team prior the conduct of test/inspection.
- 3.8. Functional Test will be done to determine the functional performance of the weapon.



Honor Patriotism Duty

4

Page 1 of 14



By 2028, a world-class Army that is a source of national pride.

Test and Acceptance Procedure for Rifle, 7.62mm, DMR
TAP NR: ORDF02(AR15-00)07-22

- 3.9. Results obtained shall be recorded and evaluated to determine the compliance of the items to technical specifications and as basis for acceptance or rejection of the lot or lots.
- 3.10. During the test, the proponent is allowed to clean the weapon after each test/functional firing in preparation for the next test. However, cleaning shall be done in the presence of test team members. Proponents are not allowed to change any part of the weapon unless authorized by the test team.
- **3.11.** Ctg, 7.62x51mm: NATO shall be used for all firing except for High Pressure and Accuracy Tests.

#### METHODOLOGY:

- **4.1.** The Test and Acceptance Procedure (TAP) is divided into four (4) phases:
- 4.1.1.1. Completeness Inspection and Random Sampling Phase This phase shall cover the completeness inspection of items to be delivered.
- 4.1.1.2. Physical, Weight and Dimensional Inspection Phase -This phase shall cover the inspection of the weapon to include its parts in terms of completeness, workmanship and gauging.
- **4.1.1.3. Performance Phase** This phase shall be conducted to determine the capability of the weapon and its compliance to the standard.
- 4.1.1.4. Validation and Evaluation of Documents Phase This phase shall cover the review and validation of the provided and submitted test certificates, test results and manufacturer's standard specifications to determine compliance of the weapon to the specifications and standards.

#### 5. PROCEDURES:

# 5.1. COMPLETENESS INSPECTION AND RANDOM SAMPLING:

**5.1.1. Purpose:** The Technical Inspection and Acceptance Committee (TIAC) for Ordnance shall check the completeness of delivered items to be delivered.

#### 5.1.2. Procedures:

- **5.1.2.1.** The Technical Inspection and Acceptance Committee (TIAC) for Ordnance-Firepower shall check the completeness of the weapon and conduct random sampling from the lot or lots.
- 5.1.2.2. Randomly draw the sample and allocate sampling for test and inspection. (See Para 6 - Allocation of Representative Samples).
- **5.1.2.3.** The samples shall be properly segregated, packed, marked and secured by the members.
- **5.1.2.4.** Pallets where the samples were taken shall be replenished, properly packed and sealed by the manufacturer and shall be marked by the TIAC.
  - 5.1.2.5. Record observation/s

5.1.3. Standard: The weapons to be delivered are complete.

PGS OF DESCRIPTION OF

Honor. Patriotism. Duty.

Page 2 of 14



# 5.2. PHYSICAL, WEIGHT AND DIMENSIONAL INSPECTION:

### 5.2.1. PHYSICAL INSPECTION:

#### 5.2.1.1. FOR THE PACKAGING:

**5.2.1.1.1. Purpose:** This non-destructive test shall be performed to determine the overall workmanship, conformity to technical specifications of the packaging and its markings to ensure that the inspected item shall be free from defects and meet the requirements of the Philippine Army.

## 5.2.1.1.2. Procedures:

5.2.1.1.2.1. Visually check the inner, intermediate and

outer packaging.

5.2.1.1.2.2. Inspect the presence and appropriateness

of the markings.

5.2.1.1.2.3. Inspect for signs of deterioration, and

damage.

5.2.1.1.2.4. Visually inspect the packaging material

and secure certification

5.2.1.1.2.5. Observations shall be recorded

5.2.1.1.3. Standard: The packaging shall be free from defects as stated in the Types and Classifications of Defects- Visual Inspection – Packaging.

# 5.2.1.2. FOR THE RIFLES:

**5.2.1.2.1. Purpose:** This non-destructive test shall be performed to determine the overall workmanship, conformity to technical specifications of the weapon and to ensure that it is free from defect and parts are complete.

#### 5.2.1.2.2. Procedures:

**5.2.1.2.2.1.** The sample weapon, its parts or components shall be visually inspected for its completeness and compliance on the physical/material technical data requirement.

5.2.1.2.2. Inspect for the presence and

appropriateness of markings.

5.2.1.2.2.3. Visually inspect the barrel, upper receiver and lower receiver to include accessories. Secure certification.

**5.2.1.2.2.4.** Each sample shall be examined for presence/evidence of defect on workmanship.

5.2.1.2.2.5. Physically inspect for the compliance in the operational characteristics.

5.2.1.2.2.6. Observations shall be recorded

5.2.1.2.3. Standard: The weapon shall be free from defects as stated in the Types and Classifications of Defects- Visual Inspection-Weapons.

PGS OF DES

Honor. Patriotism. Duty.

Page 3 of 14



# 5.2.2. WEIGHT AND DIMENSIONAL INSPECTION:

**5.2.2.1. Purpose:** This test shall be performed to determine compliance of the weapon to the specified weight and dimensional requirement in the technical specifications of the Philippine Army.

5.2.2.2. Procedure: The sample weapon shall be measured using a weighing scale, go and no-go gages, vernier caliper, micrometer caliper or other appropriate measuring instruments.

# 5.2.2.3. Standards:

**5.2.2.3.1.** The weight and dimensions of the weapon and accessories shall be according to specifications.

5.2.2.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Weight and Dimensional Inspection.

# 5.3. PERFORMANCE TESTS:

A series of tests shall be performed to ensure that the weapon will efficiently function and perform accordingly based on the established standards and specifications when subjected to various methods of actuation simulating field usage and storage conditions.

### 5.3.1. TRIGGER PULL TEST:

**5.3.1.1. Purpose:** This test shall be performed to determine conformity of the trigger pull of the weapon as required in the technical specifications.

# 5.3.1.2. Procedures:

**5.3.1.2.1.** Measure the trigger pull using trigger pull force gauge or any equivalent.

**5.3.1.2.2.** Observe for creep or any irregular trigger behavior by manually pulling the trigger.

5.3.1.2.3. Observations shall be recorded.

**5.3.1.3. Standard:** Trigger pull shall be according to specification.

# 5.3.2. FUNCTIONAL TEST:

5.3.2.1. Purpose: To determine the functional efficiency of the weapon when fired in different firing modes.

### 5.3.2.2. Procedures:

**5.3.2.2.1.** Testing shall be performed from a bench rested, shoulder fired position or a test firing fixture (hard stand).

**5.3.2.2.2.** Set the fire selector to Safe position then pull the trigger to check whether the weapon will fire or not.

5.3.2.2.3. Set the fire selector to Fire position and continuously fire 20 rounds each from the weapon. Perform three (3) trials.



Honor. Patriotism. Duty.

1

Page 4 of 14



**5.3.2.2.4.** Observe for any malfunction/stoppage and any damages on the spent cartridge cases.

5.3.2.2.5. Observations shall be recorded.

5.3.2.3. Standard: The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# 5.3.3. ACCURACY TEST:

**5.3.3.1. Purpose:** This test shall be performed to determine conformity of the accuracy of the weapon when fired in semi-automatic mode as required in the specifications.

# 5.3.3.2. Procedures:

5.3.3.2.1. This test shall be conducted using <sup>®</sup>Ctg, 7.62mm, M118 or its equivalent.

**5.3.3.2.2.** Firing of not more than three (3) warm-up shots off the test target shall be allowed before the weapons are tested for accuracy. Thereafter, weapon shall be zeroed with its optic sight using not more than nine (9) rounds ammunition.

**5.3.3.2.3.** The weapon may be placed in a machine rest for a more stable aim and the firing sights shall be aligned at the point of aim. Five (5) rounds shall be fired to the target at 100-yard distance. Perform three (3) trials.

**5.3.3.2.4.** The target shall then be checked to determine that the accuracy requirements have been met.

**5.3.3.2.5.** Targets with evidence of a flyer or keyholing shall be a cause to repeat the test by firing a five-round complement.

# 5.3.3.3. Standards:

**5.3.3.3.1.** Accuracy of the weapon shall be according to the specification.

5.3.3.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# 5.3.4. MAXIMUM EFFECTIVE RANGE TEST:

5.3.4.1. Purpose: This test shall be performed to determine conformity of the maximum effective range of the weapon as required in the specifications.

### 5.3.4.2. Procedures:

**5.3.4.2.1.** The weapon with optic sight shall be zeroed using nine (9) rounds prior to start of test.

**5.3.4.2.2.** 20 rounds shall be fired from the weapon aimed at a target at 800-meter distance.

**5.3.4.2.3.** The target shall be inspected after firing the

20 rounds.

5.3.4.2.4. Observations shall be recorded.

# 5.3.4.3. Standards:

5.3.4.3.1. Maximum effective range of the weapon shall be according to specification.



Honor. Patriotism. Duty.

Page 5 of 14



5.3.4.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

#### 5.3.5. HIGH PRESSURE RESISTANCE TEST:

**5.3.5.1. Purpose:** To determine if the weapon can withstand the firing of one (1) Ctg, 7.62mm: High Pressure Test, M60.

# 5.3.5.2. Procedures:

**5.3.5.2.1.** One (1) Ctg, 7.62mm: High Pressure Test, M60 shall be fired from the weapon.

5.3.5.2.2. Subject weapon to headspace test to determine compliance of the weapon to the applicable requirement after the proof firing test.

**5.3.5.2.3.** Subject the barrel assembly and boilt to Magnetic Particle Test to determine integrity of the said parts.

5.3.5.2.4. Observations shall be recorded.

### 5.3.5.3. Standards:

**5.3.5.3.1.** Performance of the sample weapon shall be

according to specification.

5.3.5.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# 5.3.6. DUST EXPOSURE TEST:

**5.3.6.1. Purpose:** To determine whether the weapon will be able to fire without malfunction and stoppage even when exposed to dust.

### 5.3.6.2. Procedures:

**5.3.6.2.1.** The weapon will be cleaned and lightly

oiled.

5.3.6.2.2. Prepare three (3) magazines loaded with 20

rounds each.

5.3.6.2.3. The weapon, with one magazine loaded with 20 rounds of which one (1) round shall be chambered, and the safety lever placed on safe position, will be placed in a dust box and exposed to the dust for one (1) minute on top side and one (1) minute upside down. The dust mixture will be made by mixing nine (9) lbs of grade 0 sand with one (1) lb of clean silica core sand which passed through fine mesh sieve.

**5.3.6.2.4.** The mixing will be poured at a rate of five (5) lbs per minute through the pour hole while the blower is turned-on (50-60 Hz speed).

5.3.6.2.5. The firer will clean the weapon by wiping with bare hands and blowing sharply on the weapon with dust/deposits for up to 30 seconds.

**5.3.6.2.6.** After which, 20 rounds shall be fired and subsequently the remaining 40 rounds.

5.3.6.3. Standard: The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.



Honor Patriotism Duty

A

Page 6 of 14



# 5.3.7. MUD IMMERSION TEST:

**5.3.7.1. Purpose:** To determine whether the weapon shall be able to fire without malfunction and stoppage even when exposed to mud.

# 5.3.7.2. Procedures:

5.3.7.2.1. The weapon will be cleaned and lightly

oiled.

**5.3.7.2.2.** The muzzle of the weapon will be taped to exclude the mud from the bore.

5.3.7.2.3. Prepare three (3) magazines loaded with 20

rounds each.

**5.3.7.2.4.** The weapon, with one (1) magazine loaded with 20 rounds of which one (1) round shall be chambered and the safety lever placed on safe position, will be immersed in the mud for 15 seconds. The mud mixture shall be made by mixing 20 lbs of red clay/garden soil, four (4) lbs of clean river sand and 16 quarts of water.

**5.3.7.2.5.** The tape will be removed from the muzzle and the firer will clean the weapon by wiping with bare hands and blowing sharply on the area of the weapon with mud deposits for up to 30 seconds.

**5.3.7.2.6.** After which, 20 rounds shall be fired and subsequently the remaining 40 rounds.

5.3.7.3. Standard: The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# 5.3.8. WATER IMMERSION TEST:

5.3.8.1. Purpose: To determine whether the weapon will be able to fire without malfunction and stoppage even when immersed in water.

## 5.3.8.2. Procedures:

5.3.8.2.1. The weapon will be cleaned and lightly oiled.

5.3.8.2.2. Prepare three (3) magazines loaded with 20

rounds each.

5.3.8.2.3. The empty rifle shall be immersed in water

for five (5) minutes.

**5.3.8.2.4.** The firer shall hold the weapon muzzle down, unlock the bolt slightly and allow water deposits to drain from the weapon bore for 30 seconds.

**5.3.8.2.5.** A 20-round magazine will then be inserted.

5.3.8.2.6. After which, 20 rounds shall be fired and

subsequently the remaining 40 rounds.

5.3.8.2.7. Inspect the barrel for damage or any

injurious defect.

5.3.8.3. Standard: The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.



Honor Patriotism Duty

A

15

Page 7 of 14



# 5.3.9. DROP SAFETY TEST:

**5.3.9.1. Purpose:** To determine compliance of the weapon with the drop safety requirement in the technical specifications.

# 5.3.9.2. Procedures:

**5.3.9.2.1.** The weapon shall be loaded with blank ammunition and the selector lever is placed on safe position. The weapon shall be dropped on a paved surface on a horizontal position (normal firing position) from a height of 1.3 meters.

**5.3.9.2.2.** After which, 60 rounds of Ctg, 7.62x51mm:

Ball shall be fired.

#### 5.3.9.3. Standards:

5.3.9.3.1. Performance of the weapon shall be

according to specification.

5.3.9.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# 5.3.10. INTERCHANGEABILITY TEST:

**5.3.10.1. Purpose:** To determine compliance of the weapon with the interchangeability requirement in the technical specifications.

# 5.3.10.2. Procedures:

**5.3.10.2.1.** Weapons shall be tested for interchangeability of parts by disassembling and reassembling the weapon and interchanging the parts based on prearranged system specified.

5.3.10.2.2. Weapons shall be grouped into pairs.

**5.3.10.2.3.** Interchanging of parts shall be done by

dividing the parts of each weapon into 16 non-mating parts as shown in table below.

**5.3.10.2.4.** Interchange parts 2, 4, 6, 8, 10, 12, 14, with same parts from weapon number 2

and 16 from weapon number 1 with same parts from weapon number 2.

**5.3.10.2.5.** The weapons shall be re-assembled and shall be tested for Headspace, Trigger Pull, Functional and Accuracy Tests.

Table 1. Grouping of Parts

1	Buttstock
2	Lower Receiver
3	Bolt Carrier
4	Bolt
5	Extractor w/ Extractor Spring
6	Extractor Pin
7	Cam Pin
8	Firing Pin
9	Firing Pin Retaining Pin
10	Action/Buffer Spring
11	Buffer Assembly
12	Handguard Assembly
13	Upper Receiver with Barrel Assembly
14	Recoil Compensator
15	Magazine Catch
16	Magazine Release Button



Honor, Patriotism, Duty.

A

To p.

Page 8 of 14



Test and Acceptance Procedure for Rifle, 7.62mm, DMR TAP NR: ORDF02(AR15-00)07-22

### 5.3.10.3. Standards:

5.3.10.3.1. Headspace and performance of the weapon shall be according to specification.

5.3.10.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects-Functional Defects.

# 5.3.11. RELIABILITY TEST:

5.3.11.1. Purpose: To determine if the weapon can withstand firing of 5,000 rounds with no failures and unserviceable parts.

# 5.3.11.2. Procedures:

5.3.11.2.1. Testing shall be performed preferably from a test firing fixture (hard stand) with the 20-round magazine accessory of the weapon.

5.3.11.2.2. The weapon shall be zeroed with its optic sight using not more than nine (9) rounds ammunition.

5.3.11.2.3. Firing shall be performed at a maximum

rate of 100 shots per hour.

5.3.11.2.4. The barrel and firing mechanism shall be cleaned every 100 rounds and lubricated every 250 rounds fired.

5.3.11.2.5. After every 100-round series, check the deviation between the point of aim and center of impact by firing five (5) rounds into a target placed at 100yds. (Every five (5) rounds fired for checking the deviation of optic sight shall form part of the succeeding 100-round series)

5.3.11.2.6. The entire weapon shall be disassembled. cleaned, and lubricated at approximately 500 round intervals.

5.3.11.2.7. The barrel, receiver and bolt shall be subjected to magnetic particle inspection after firing 5,000 rounds to determine integrity of said parts.

5.3.11.2.8. Observations shall be recorded.

### 5.3.11.3. Standards:

5.3.11.3.1. The performance of the weapon shall be

according to specification.

5.3.11.3.2. Failures referring in the specifications include but are not limited to the following:

5.3.11.3.2.1. Any stoppage that cannot be corrected by the operator within 10 seconds.

5.3.11.3.2.2. Any stoppage due to unserviceable

parts.

5.3.11.3.2.3. Visually observed crack in the bolt,

barrel extension, or barrel.

5.3.11.3.2.4. Inadvertent firing of more than one

round at a time.

# 5.3.12. COOK OFF TEST:

5.3.12.1. Purpose: To determine compliance of the weapon with the cook off requirement in the technical specification.

# 5.3.12.2. Procedures:

5.3.12.2.1. The weapon shall be set first on a rifle

rest



Honor, Patriotism, Duty.



Test and Acceptance Procedure for Rifle, 7.62mm, DMR

TAP NR: ORDF02(AR15-00)07-22

A total of 500 rounds shall be fired at 5.3.12.2.2. a regular cadence of approximately one shot per second for the test.

5.3.12.2.3. Reloading and magazine changes should be done at a pace that can be comfortably maintained throughout the firings.

> 5.3.12.2.4. The firing shall be completed within

ten (10) minutes.

5.3.12.2.5. Immediately, after completion of firing, one (1) loaded magazine shall be inserted in the weapon and a round shall be chambered.

5.3.12.2.6. Observe the weapon for 30 minutes

whether it cooks-off.

5.3.12.3. Standards:

> 5.3.12.3.1. Performance of the weapon shall be

according to specification.

5.3.12.3.2. The weapon shall be free from defects as stated in the Types and Classifications of Defects- Functional Defects.

# CERTIFICATES AND OTHER DOCUMENTATIONS:

The manufacturer/supplier shall provide copy of certificate covering, but not limited to the following tests that were conducted to the items to be delivered, to wit:

- 5.4.1. Barrel Material Composition
- 5.4.2. Barrel Finish
- 5.4.3. Upper Receiver Material Composition
- 5.4.4. Upper Receiver Finish
- 5.4.5. Lower Receiver Material Composition
- 5.4.6. Lower Receiver Finish
- **5.4.7.** All manufacturer's standard specifications

# ALLOCATION AND CRITERIA FOR REPRESENTATIVE SAMPLES: (Based on the attached Sampling Plans for weapon).

TYPE OF INSPECTION/ TEST		NR OF SAMPLES	CRITERIA		
A. Phy	ysical Inspection:		*		
1.	For the Packaging	100% of the Quantity of samples indicated in Table 1 corresponding to the total number of packaging for lot size.	Sampling Plan for Test and Acceptance of Firearms - Small Arms - Cal .22 up to 30mm (Attached)		
2.	For the Rifles	100% of the Quantity of samples indicated in Table 1 corresponding to the lot size.	Sampling Plan for Test and Acceptance of Firearms - Small Arms - Cal .22 up to 30mm (Attached)		
We	eight and Dimensional Insp	ection:	Annah panananananan Ka		
1.	Length (Buttstock fully extended)				
2.	Length (Buttstock fully retracted)	100% of the quantity of samples indicated in Table 1	Sampling Plan for Test and Acceptance of Firearms - Small		
3.	Overall Weight (w/o mag)	corresponding to the total	Arms - Cal .22 up to 30mm		
4.	Barrel Length	number of lot size.	(Attached)		
5.	Headspace				

Honor. Patriotism. Duty.

Page 10 of 14



Test and Acceptance Procedure for Rifle, 7.62mm, DMR TAP NR: ORDF02(AR15-00)07-22

6. 7.			
8.			
9.			
	. Objective Lens (Optics)		
	erformance Tests: (Samples ed the Physical Inspection)	s to undergo the test shall be taken	from the representative samples that
1.	-Trigger Pull Test -Functional Test - Accuracy Test - Maximum Effective Range Test - High Pressure Resistance Test	100% of the quantity of samples indicated in Table 2 corresponding to the total number of lot size.	Sampling Plan for Test and Acceptance of Firearms - Small Arms - Cal .22 up to 30mm (Attached)
2.	Dust Exposure Test	1 Rifle	Note 2
3.	Mud Immersion Test	1 Rifle	Note 2
4.	Water Immersion Test	1 Rifle	Note 2
5.	Drop Safety Test	1 Rifle	Note 2
6.	Interchangeability Test	6 Rifles	Note 2
7.	Reliability Test	1 Rifle	Note 1 & 3
8.	Cook Off Test	2 Rifles	Note 2

### Notes:

- 1 Failure of sample to comply with the applicable requirement/s shall cause for the failure of test and rejection of the lot.
- 2 Failure of any sample to comply with the applicable requirement/s shall cause for the failure of test subject to testing of a second sample. If any sample fails from the second test, the lot shall be rejected.
- 3 Duration of tests shall depend on the available technology and test equipment in the manufacturer's test facility.

# TYPES AND CLASSIFICATIONS OF DEFECTS:

	TYPES OF DEFECTS	CLASSIFICATION OF DEFECTS			
		CRIT	MAJ	MIN	
7.1. Physica	I Inspection:				
7.1.1. For	the Packaging:				
7.1.1.1.	Type or material not according to specifications		X		
7.1.1.2.	Number of item/s per packaging requirement not according to specification		Х		
7.1.1.3.	Damaged, missing and incorrectly positioned parts			Х	
	Incorrect, missing, or illegible marking			X	
7.1.1.5.	Evidence of poor workmanship			X	
7.1.2. For	the Rifle:				
7.1.2.1.	Platform not according to specification		Х		
7.1.2.2.	Caliber not according to specification		X		
7.1.2.3.	Not compatible with ammunition indicated in the specification		Х		
7.1.2.4.	Damaged or missing part		X		
	Incorrect, missing, or illegible marking		X		
7.1.2.6.	Scratches, burrs, and dents affecting the function of weapon		Х		



Honor. Patriotism. Duty.

# 6

Page 11 of 14



7.1.2.7. Scratches, burrs, and dents not affecting the function of weapon		)
7.1.2.8. Barrel		e dini
7.1.2.8.1. Barrel type not according to specification	X	
7.1.2.8.2. Barrel material composition not according to specification	Х	
7.1.2.8.3. Chamber and bore not according to specifications	X	
7.1.2.8.4. Barrel rifling twist not according to specification	X	
7.1.2.8.5. Barrel finish/color not according to specification	X	
7.1.2.8.6. Compensator not according to specification	X	
7.1.2.9. Sight (BUIS)		1.500
7.1.2.9.1. Front sight not according to specification	X	
7.1.2.9.2. Rear sight not according to specification	X	
7.1.2.9.3. Any other damage that affects the function of the sight	X	
7.1.2.9.4. Any other damage that does not affect the function of the sight		>
7.1.2.10. Upper Receiver		
7.1.2.10.1.Upper-receiver material composition not according to specification	×	
7.1.2.10.2.Upper receiver finish not according to specification	X	
7.1.2.10.3.Upper receiver top rail not according to specification	X	
7.1.2.10.4.Case deflector not provided or not according to specification	Х	
7.1.2.10.5.Handguard not according to specification	X	
7.1.2.11. Lower Receiver		do a
7.1.2.11.1. Lower receiver material not according to specification	х	
7.1.2.11.2. Lower receiver finish not according to specification	X	
7.1.2.11.3. Butt stock assembly not according to specification	X	
7.1.2.11.4. Buffer Assembly not according to specification	X	
7.1.2.11.5. Pistol grip not according to specification	X	
7.1.2.11.6. Pistol grip design not according to specification	X	
7.1.2.12. Accessories		
7.1.2.12.1. Accessory not according to specification	X	
7.1.2.12.2. Damaged or missing accessory		)
7.1.2.12.3. Optic Sight		
7.1.2.12.3.1. Material not according to specification	X	
7.1.2.12.3.2. Magnification not according to specification	X	
7.1.2.12.3.3. Bullet drop compensator not according to specification	X	
7.1.2.12.3.4. Power source not according to specification	X	
7.1.2.12.3.5. Reticle pattern not according to specification	X	
7.1.2.12.3.6. Mounting not according to specification	X	
7.1.2.12.3.7. Anti-reflective device not according to specification	х	
7.1.2.12.4. Any other damage that affects the function of the accessories	×	
7.1.2.12.5. Any other damage that does not affect the function of the accessories		>
Operational Characteristics	4	1



Honor. Patriotism. Duty.





7.2.4. Magazine release not according to specification 7.2.5. Fire mode selector not according to specification 7.2.6. For mode selector not according to specification 7.2.6. Cocking handle not according to specification 7.2.7. Trigger not according to specification 7.2.7. Trigger not according to specification 7.2.1. Length with buttstock fully extended not according to specification 7.2.1. Length with buttstock fully extended not according to specification 7.2.2. Length with buttstock fully retracted not according to specification 7.2.3. Length with buttstock fully retracted not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace length not within specification 7.3.6. Headspace length not according to specification 7.3.7. Optics length not according to specification 7.3.0. Optics width not according to specification 7.3.10. Optics width not according to specification 7.3.11. Optics weight not according to specification 7.3.11. Optics weight not according to specification 7.3.11. Trigger pull not free from creep 7.4.2. Trigger pull not free from creep 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon to fire the cartridge has been fully chambered, both the both carrier serration during manual attempt to lock the both when the bolt fails to lock or return to the battery position and the frigger has been pulled 7.5.6. Failure of the weapon to free the cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to cleet a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazin	7.2.2. Firing mo	des not according to specification		X	
7.2.5. Fire mode selector not according to specification 7.2.5. Fire mode selector not according to specification 7.2.6. Cocking handle not according to specification 7.2.7. Trigger not according to specification 8. Weight and Dimensional Inspection: 7.3.1. Length with buttstock fully extended not according to specification 7.3.2. Length with buttstock fully extended not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace more than the upper limit 7.3.7. Optics length not according to specification 7.3.8. Optics within not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.4.1. Trigger pull metight not within specification 7.4.2. Trigger pull weight not within specification 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after fring HPT cartridge 7.4.6. Evidence of injurious defect after fring HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during fring 7.5.3. Failure of both to fully close and rotate to the locked position in the barrel extension 7.5.5. Failure of the veapon to remove a cartridge when the cartridge has been fully chambered, both thas been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to fire the cartridge case after firing and being completely extracted from the chamber 7.5.7. Failure of the weapon to chamber a cartridge case after firing and being completely extracted from the chamber 7.5.7. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine has been fired 7.5.10. Bolt fails to hold					
7.2.6. Cocking handle not according to specification 7.2.6. Cocking handle not according to specification 7.2.7. Trigger not according to specification 7.3.1. Length with buttstock fully extended not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.3. Length with buttstock fully retracted not according to specification 7.3.4. Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics weight not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.4. Trigger pull weight not within specification 7.4. Trigger pull weight not within specification 7.4. Trigger pull weight not within specification 7.4. Evidence of injurious defect after firing HPT cartridge 7.4. Evidence of injurious defect after firing HPT cartridge 7.5. Functional Defects 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position and the trigger has been fully chambered, bolt has been locked in the battery position and the trigger has been fulled of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.5. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to chamber a cartridge that has been complet					
7.2.6. Cocking handle not according to specification X 7.2.7. Trigger not according to specification X 7.2.7. Trigger not according to specification 7.3.1. Length with buttstock fully extended not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Trigger pull refer from creep 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of the beath of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to remove a cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to remove a cartridge case after firing and being completely extracted from the chamber 7.5.7. Failure of the weapon to chamber a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to chamber a cartridge					
7.2.1. Trigger not according to specification 7.3.1. Length with buttstock fully extended not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics length not according to specification 7.3.10. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specification 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the weapon during firing 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to remove a cartridge case after firing and being completely stripped from the chamber 7.5.8. Failure of the weapon to chamber a cartridge case or unfired cartridge from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.					
7.3.1. Length with buttstock fully extended not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.2. Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics weight not according to specification 7.3.12. Optics belight not according to specification 7.3.13. Optics weight not according to specification 7.3.14. Trigger pull not free from creep 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.6. Headspace not within specification after firing HPT cartridge 7.5. Functional Defects 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the to foward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position and the trigger has been fully chambered, bolt has been locked in the battery position and the trigger has been locked from the chamber 7.5.8. Failure of the weapon to remove a cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been locked from the chamber 7.5.8. Failure of the weapon to remove a cartridge dase after firing and being completely stripped from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazin					
7.3.1. Length with buttstock fully extended not according to specification  7.3.2. Length with buttstock fully retracted not according to specification  7.3.3. Overall weight (w/o magazine) not within specification  X  7.3.4. Barrel Length not within specification  X  7.3.5. Headspace more than the upper limit  X  7.3.6. Headspace less than the lower limit  X  7.3.7. Optics length not according to specification  X  7.3.8. Optics width not according to specification  X  7.3.9. Optics weight not according to specification  X  7.3.10. Optics weight not according to specification  X  7.3.11. Optics objective lens not according to specification  X  7.3.11. Trigger pull not free from creep  X  7.4.1. Trigger pull not free from creep  X  7.4.2. Trigger pull weight not within specification  X  7.4.3. Accuracy not according to specification  X  7.4.4. Maximum range not according to specification  X  7.4.5. Evidence of injurious defect after firing HPT cartridge  X  7.4.6. Headspace not within specification after firing HPT cartridge  X  7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of the barrel extension  X  7.5.4. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position of the position and the trigger has been fully chambered, bolt has been locked in the battery position of the position and the trigger has been fully chambered, bolt has been locked in the battery position of the position and the trigger has been pulled  7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to chamber a cartridge case or unfired cartridge from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fir				^	
7.3.2 Length with buttstock fully retracted not according to specification 7.3.3. Overall weight (w/o magazine) not within specification 7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Optics weight not according to specification 7.3.13. Optics weight not according to specification 7.3.14. Optics objective lens not according to specification 7.3.15. Optics weight not according to specification 7.3.16. Performance Defects: 7.4.1. Trigger pull weight not within specifications 7.4.2. Trigger pull weight not within specification 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been locked in the battery position and the trigger has been locked in the battery position and the trigger has been locked in the magazine 7.5.6. Failure of the weapon to remove a cartridge case after firing and being completely extracted from the chamber 7.5.8. Failure of the weapon to chamber a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge tast has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or					
3.3. Overall weight (w/o magazine) not within specification 3.4. Barrel Length not within specification 3.5. Headspace more than the upper limit 3.6. Headspace less than the lower limit 3.7.3.6. Headspace less than the lower limit 3.7. Optics length not according to specification 3.7. Optics length not according to specification 3.8. Optics width not according to specification 3.9. Optics weight not according to specification 3.1. Optics weight not according to specification 3.1. Optics weight not according to specification 3.1. Optics objective lens not according to specification 3.1. Trigger pull not free from creep 4.2. Trigger pull weight not within specification 4.3. Accuracy not according to specification 4.4. Maximum range not according to specification 4.4. Maximum range not according to specification 4.4. Maximum range not according to specification 5. Evidence of injurious defect after firing HPT cartridge 5. Functional Defects 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of both to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to hamber a cartridge tast has been completely extracted from the chamber 7.5.8. Failure of the weapon to hamber a cartridge that has been completely stripped from the magazine has been fired 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Evidence of ring marks, bulges and other deformations on	specificat	tion		Χ	
7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to rire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to heapen a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine has been fired 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of fing marks, bulges and other deformations on				Χ	
7.3.4. Barrel Length not within specification 7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to rire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to heapen a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine has been fired 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of fing marks, bulges and other deformations on	7.3.3. Overall w	eight (w/o magazine) not within specification		Х	
7.3.5. Headspace more than the upper limit 7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics width not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Optics objective lens not according to specification 7.3.13. Optics objective lens not according to specification 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of boil to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, both has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge when the cartridge has been fully chambered, both has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine has been fired 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.3.6. Headspace less than the lower limit 7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics weight not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics weight not according to specification 7.3.11. Optics bejective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Performance Defects: 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of the weapon during firing 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.6. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on			X	- '	
7.3.7. Optics length not according to specification 7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specification 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position and the trigger has been pulled 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to chamber a cartridge case after firing and being completely striped from the chamber 7.5.8. Failure of the weapon to chamber a cartridge fast been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.3.8. Optics width not according to specification 7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.12. Optics weight not according to specification 7.3.13.13. Optics objective lens not according to specification 7.4.14. Trigger pull weight not within specification 7.4.25. Trigger pull weight not within specification 7.4.36. Accuracy not according to specification 7.4.47. Maximum range not according to specification 7.4.48. Maximum range not according to specification 7.4.50. Evidence of injurious defect after firing HPT cartridge 7.4.51. Evidence of injurious defect after firing HPT cartridge 7.5.52. Rupture of the weapon during firing 7.5.53. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.42. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.55. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.66. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.77. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.88. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.99. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on			^	v	
7.3.9. Optics height not according to specification 7.3.10. Optics weight not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.3.11. Optics objective lens not according to specification 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.8. Failure of the weapon to to hamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to thamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.3.10. Optics weight not according to specification  7.3.11. Optics objective lens not according to specification  7.3.11. Optics objective lens not according to specification  7.4.1. Trigger pull not free from creep  7.4.2. Trigger pull weight not within specifications  7.4.3. Accuracy not according to specification  7.4.4. Maximum range not according to specification  7.4.5. Evidence of injurious defect after firing HPT cartridge  7.4.6. Headspace not within specification after firing HPT cartridge  7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of the weapon during firing  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position and the trigger has been pulled  7.5.6. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.7. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on					
7.3.11. Optics objective lens not according to specification  4. Performance Defects: 7.4.1. Trigger pull not free from creep 7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAME				
7.4.1. Trigger pull not free from creep     7.4.2. Trigger pull weight not within specifications     7.4.3. Accuracy not according to specification     7.4.4. Maximum range not according to specification     7.4.5. Evidence of injurious defect after firing HPT cartridge     7.4.6. Headspace not within specification after firing HPT cartridge     7.4.7. Evidence of injurious defect after firing HPT cartridge     7.4.6. Headspace not within specification after firing HPT cartridge     7.5.1. Weapon fired while on safe mode     7.5.2. Rupture of the weapon during firing     7.5.3. Failure of the weapon during firing     7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position     7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been pulled     7.5.6. Failure of the bolt to completely strip the next round from the magazine     7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber     7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber     7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine     7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired     7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing     7.5.12. Evidence of ring marks, bulges and other deformations on					
7.4.1. Trigger pull not free from creep  7.4.2. Trigger pull weight not within specifications  7.4.3. Accuracy not according to specification  7.4.4. Maximum range not according to specification  7.4.5. Evidence of injurious defect after firing HPT cartridge  7.4.6. Headspace not within specification after firing HPT cartridge  7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.7. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on				X	
7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on	.4. Performance	Defects:			
7.4.2. Trigger pull weight not within specifications 7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.7. Failure of the weapon to eject a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on	7.4.1. Trigger p	ull not free from creep		X	
7.4.3. Accuracy not according to specification 7.4.4. Maximum range not according to specification 7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the bolt to completely strip the next round from the magazine 7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.4.4. Maximum range not according to specification  7.4.5. Evidence of injurious defect after firing HPT cartridge  7.4.6. Headspace not within specification after firing HPT cartridge  7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on					
7.4.5. Evidence of injurious defect after firing HPT cartridge 7.4.6. Headspace not within specification after firing HPT cartridge 7.5.1. Weapon fired while on safe mode 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, both has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the bolt to completely strip the next round from the magazine 7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.4.6. Headspace not within specification after firing HPT cartridge  7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on					
5. Functional Defects 7.5.1. Weapon fired while on safe mode 7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the paul of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the bolt to completely strip the next round from the magazine 7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I				
7.5.1. Weapon fired while on safe mode  7.5.2. Rupture of the weapon during firing  7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on				Х	
7.5.2. Rupture of the weapon during firing 7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension 7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position 7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled 7.5.6. Failure of the bolt to completely strip the next round from the magazine 7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber 7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber 7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine 7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired 7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on					
7.5.3. Failure of bolt to fully close and rotate to the locked position in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	the state of the s				
in the barrel extension  7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.2. Rupture	of the weapon during firing	X		
7.5.4. Failure of the pawl of the forward assist assembly to engage or remain engaged with the bolt carrier serration during manual attempt to lock the bolt when the bolt fails to lock or return to the battery position  7.5.5. Failure of the weapon to fire the cartridge when the cartridge has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on				Χ	
has been fully chambered, bolt has been locked in the battery position and the trigger has been pulled  7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing	7.5.4. Failure of or remain manual a	the pawl of the forward assist assembly to engage n engaged with the bolt carrier serration during ttempt to lock the bolt when the bolt fails to lock or		Х	
7.5.6. Failure of the bolt to completely strip the next round from the magazine  7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing	7.5.5. Failure of has been	the weapon to fire the cartridge when the cartridge in fully chambered, bolt has been locked in the		Х	
7.5.7. Failure of the weapon to remove a cartridge case or unfired cartridge from the chamber  7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.6. Failure of	the bolt to completely strip the next round from the		Χ	
7.5.8. Failure of the weapon to eject a cartridge case after firing and being completely extracted from the chamber  7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.7. Failure of	the weapon to remove a cartridge case or unfired		X	
7.5.9. Failure of the weapon to chamber a cartridge that has been completely stripped from the magazine  7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.8. Failure of	f the weapon to eject a cartridge case after firing		Х	
7.5.10. Bolt fails to hold to the rear after the last round in the magazine has been fired  7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing  7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.9. Failure of	the weapon to chamber a cartridge that has been		Х	
7.5.11. Two or multiple shots fired with a single trigger pull during semi-automatic firing 7.5.12. Evidence of ring marks, bulges and other deformations on	7.5.10. Bolt fails	to hold to the rear after the last round in the		Х	
				Х	
the spent cartridges				Х	





Test and Acceptance Procedure for Rifle, 7.62mm, DMR TAP NR: ORDF02(AR15-00)07-22

7.5.13. 2. Any other damage that affects the function of the weapon	X	
7.5.14. 3. Any other damage that does not affect the function of the		X
weapon		

Note: A defect is any nonconformance of a single unit of product (weapon) with respect to a given standard specification. Every nonconformance observed or noted in every weapon shall be counted individually as one defect.

#### 8. ACCEPTANCE AND REJECTION:

Acceptability of lot/s shall be determined by using the Acceptance Quality Limit (AQL) indicated in the Acceptance Criteria Tables for Physical Inspection and Performance Test based on ANZI/ASQ Z1.4-2003: Sampling Procedures and Tables for Inspection by Attributes/MIL-STD 105E: Sampling Procedures and Tables for Inspection by Attributes dated 10 May 1989

#### 9. RESULT:

The result of the test based on the above criteria shall be the basis of the Philippine Army Technical Inspection and Acceptance Committee (PA-TIAC) for Ordnance-Firepower/Pre-Delivery Inspection (PDI) Team in the acceptance or rejection of the goods/items

PREPARED BY:

**LEONORA** 

Major

Acting Chief, PRB

Major Chief, FB

APPROVED BY:

Colonel

Chief



SAMPLING PLAN FOR THE TEST AND ACCEPTANCE OF FIREARMS (For Small Arms - Cal .22 up to 30mm)



# HEADQUARTERS PHILIPPINE ARMY

# OFFICE OF THE ARMY CHIEF ORDNANCE AND CHEMICAL SERVICE Fort Andres Bonifacio, Metro Manila AN 2 1 2020

# SAMPLING PLANS FOR THE TEST AND ACCEPTANCE OF FIREARMS (For Small Arms – Cal .22 up to 30mm)

# I. REFERENCES:

- a. ANZI/ASQ Z1.4-2003: Sampling Procedures and Tables for Inspection by Attributes.
- b. Military Standard 105E dtd 10 May 89, Subject: Sampling Procedures and Tables for Inspection by Attributes.

### II. ACCEPTANCE AND REJECTION:

Acceptability of lot/s shall be determined by using the Acceptance Quality Limit (AQL) indicated in the following Sampling Plan Tables for Visual Inspection, Dimensional Inspection, Performance Test, and Functional Test.

If the number of defects found in the first sample is equal to or less than the first **Acceptance (Ac)** number, the lot or batch shall be accepted. If the number of defects found in the first sample is equal to or greater than the first **Rejection (Re)** number, the lot or batch shall be rejected.

If the number of defects found in the first sample is between the first Acceptance (Ac) and Rejection (Re) numbers, second samples shall be inspected. The number of defects found in the first and second samples shall be accumulated. If the cumulative number of defects is equal to or less than the second acceptance number, the lot or batch shall be accepted. If the cumulative number of defects is equal to or greater than the second rejection number, the lot or batch shall be rejected.

# A. For Physical Inspection of Firearms and Packaging: Double Sampling Plan for Normal Inspection of General Inspection Level II

Table 1

				Class	ification o	f Defects	(AQL)
1 -4 0:	Sample	Sampling	Nr of Samples		ijor .5)	,7001000000	nor .0)
Lot Size	Size Code			Ac	Re	Ac	Re
0.0		1	2	0	1	0	1
2-8	A	2	-	_	-	-	-
0.45	В	1	2	. 0	1	0	1
9 - 15		2	-	-	-	_	-



Honor. Patriotism. Duty.



Page 1 of 3

SAMPLING PLAN FOR THE TEST AND ACCEPTANCE OF FIREARMS

					(For Sr	nall Arms - Cal .	.22 up to 30mm
16 - 25	С	1	3	0	1	0	1
10 - 20	C	2	-	-	-	-	-
26 - 50	D	1	5	0	1	0	2
20 - 30	U	2	5	_	-	1	2
F4 00	_	1	8	0	2	0	2
51 - 90	E	2	8	1	2	1	2
04 450	<u></u>	1	13	0	2	0	3
91 - 150	F	2	13	1	2	3	4
151 000	^	1	20	0	3	1	4
151 - 280	G	2	20	3	4	4	5
204 E00		1	32	1	4	2	5
281 - 500	Н	2	32	4	5	6	7
E04 4 000	J	1	50	2	5	3	7
501 – 1,200		2	50	6	7	8	9
4 004 0 000	К	1	80	3	7	5	9
1,201 – 3,200		2	80	8	9	12	13
2 204 42 200		1	125	5	9	7	11
3,201 – 10,000	L	2	125	12	13	18	19
40.004 05000		1	200	7	11	11	16
10,001 - 35000	M	2	200	18	19	26	27
25.004 450.000	A.I	1	315	11	16	11	16
35,001 – 150,000	N	2	315	26	27	26	27
150,004 500,000	n	1	500	11	16	11	16
150,001 – 500,000	Р	2	500	26	27	26	27
E00 004 and a	^	1	800	11	16	11	16
500,001 and over	Q	2	800	26	27	26	27

B. For Performance and Functional Tests of Firearms: Double Sampling Plan for Normal Inspection of Special Inspection Level S3

Table 2

				Cl	assific	ation o	f Defe	cts (AC	(L)
l at Cian	Sample	olling	Nr of amples		ical .0)		jor .5)	Mir (6.	10r .5)
Lot Size	Size Code	Sampling	Nr of Sample	Ac	Re	Ac	Re	Ac	Re
2 - 15	Λ.	1	2	0	1	0	1	0	1
2 - 15	A	2	-	-	-	-	-	-	-
40 50	В	1	2	0	1	0	1	0	1
16 - 50	В	2	- 1	-	-	-	-	-	-
E4 4E0		1	3	0	1	0	1	0	2
51 - 150	C	2	-	-	-	-	-	1	2
454 500		1	5	0	1	0	1	0	2
151 - 500	D	2	5	-	-	-	-	1	2
E04 2.200		1	8	0	1	0	2	0	3
501 – 3,200	E	2	8	-	-	1	2	3	4



Honor. Patriotism. Duty.



Page 2 of 3

SAMPLING PLAN FOR THE TEST AND ACCEPTANCE OF FIREARMS

						(For Si	nall Arms	- Cal .22 u	to 30mm
2 004 25 000	F	1	13	0	1	0	2	1	4
3,201 – 35,000		2	13	-	-	1	2	4	5
35,001 – 500,000	G	1	20	0	2	0	3	2	5
		2	20	1	2	3	4	6	7
500,001 and over	nd over H	1	32	0	2	1	4	3	7
		2	32	1	2	4	5	8	9

# III. RESULT:

The result of the test based on the above criteria shall be the basis of the Philippine Army Technical Inspection and Acceptance Committee (PA-TIAC) for Ordnance-Firepower/Pre-Delivery Inspection (PDI) Team in the acceptance or rejection of the goods/items.

PREPARED BY:

ARREL P MARIANO

Major, (OS) PA Chief, PRB APPROVED BY:

FLORANTE P SISON



# SECTION VIII. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS

TAB	I. TECHNICAL COMPONENT ENVELOPE								
		Class "A" Documents							
Legal	Documents:								
Α	Valid and updated PhilGEPS Registration Certificate (Platinum Membership) in accordance with Section 8.5.2 of the revised IRR of RA No. 9184 (updated 30 June 2022) and GPPB Resolution 15-2021 dated 14 October 2021.								
Techi	Technical Documents:								
В	Statement of all Ongoing Government and Private Contracts (SOGPC) including contracts awarded but not yet started, if any, whether similar or no similar in nature and complexity to the contract to be bid;								
		e bidder's Single Largest Completed Contract (SLCC)							
		• • • • • • • • • • • • • • • • • • • •							
		ntract to be bid, except under conditions provided for in a and 23.4.2.4 of the 2016 revised IRR of RA No. 9184,							
	within the last Five	•							
	Within the last <u>i iv</u>	<del>c (o) years</del> ,							
		supplies, completed at least one (1) Single Similar Contract equivalent to at %) of the ABC of the Project to be bid; OR							
С	Fifty Percent (50%) of	r Contracts, the aggregate contracts amount should be equivalent to at least fithe ABC of the project to be bid, and the largest of these similar contracts of at least "twenty five percent (25%) of the ABC of the project to be bid.							
	the ground of an existir of the project for pur	a reservation in a notarized document not to disclose the name of its client on ng <b>confidentiality agreement</b> but must disclose the amount, status, and name poses of validating the contents of the statement of single largest similar ubject to the full disclosure during post-qualification.							
	For this project, "sim	ilar contract or project" shall mean "Supply and/or Delivery of Firearms"							
		Bid Security. If in the form of a Surety Bond, submit also a							
D	certification issue	ed by the Insurance Commission; <b>OR</b>							
	0.1.1	Little Co. L. D. L. Co. L. C. C. D. Marcello and C. C.							
		Notarized Bid Securing Declaration							
	Technical Bid For Acceptance Pro-	nd signed Conformance/Statement of Compliance to orm, Technical Specifications (TS) and other Test and cedure (TAP) (with corresponding Sampling Plans and e Format of Technical Data Sheet;							
	Annex 4-A	Technical Bid Forms							
	Annex 4-B	Sample Format of Technical Data Sheet							
		Reliability Test per PA TAP NR: ORDF02(AR15-							
E	Annex 4-C	00)07-22 shall be conducted during Post							
_		Qualification to one (1) sample rifle.							
	Department or Department or	r's Certification of Conformance from its Technical Production Department or Quality Assurance its equivalent, that the firearms will be manufactured in the Philippine Army (PA) TS, TAP and Sampling Plan &							
	3. Conformity wi	th the <b>Schedule of Requirements</b> ;							

- 4. Manufacturer's Brochures and Specification that will conform to the Philippine Army Requirement. Internet downloads may be included to supplement the information contained in the original brochures;
- 5. Required Firearms and Ammunition License/s; and

# For Local Bidder:

Valid and current **License to Manufacture** the items to be bid issued by the National Headquarters of Philippine National Police (PNP) Camp Crame, Quezon City or Valid and Current **Indent License to Deal** the goods to be bid for sale to the AFP issued by the National Headquarters of Philippine National Police (PNP), Camp Crame, Quezon City.

# For Foreign Bidder:

Philippine Representative Company's Valid and Current **Indent License to Deal** the goods to be bid for sale to the AFP issued by the National Headquarters of Philippine National Police (PNP), Camp Crame, Quezon City.

**Note:** Required license(s) presented during opening of bids shall be used for the importation of the item being bid.

# 6. Warranty Undertaking

7. **Copy of Letter Request address** to Headquarters Armed Forces of the Philippines Procurement Service (HAFPPS) for the issuance of Certificate that the Bidder is not **Blacklisted.** 

### \*Note:

- 1. The copy of submitted Letter Request must have "RECEIVED" stamp by HAFPPS.
- 2. Authorized local representative must submit the abovementioned document.
- 3. In case of Joint Venture, each JV partner shall submit said Certificate or Letter Request.
- 4. Overdue delivery shall mean undelivered or incomplete delivery of items after the due date of delivery or approved request for extension of delivery period.

F

G

**Original duly signed Omnibus Sworn Statement (OSS)**; and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder

**Proof of Authority** of the designated representative/s for purposes of the bidding; and

# For Local Manufacturer:

- a. **Duly notarized Special Power of Attorney –** For Sole Proprietorship if owner opts to designate a representative/s; **OR**
- b. **Duly notarized Secretary's Certificate** evidencing the authority of the designated representative/s, issued by the corporation, cooperative or the members of the joint venture.

# For Foreign Manufacturer:

a. **Valid and Current Written Appointment** of the Philippine based company (as local representative of foreign manufacturer) issued by the foreign bidder. The written appointment must include detailed scope of responsibility of the local representative.

b. **Duly Notarized authorization of the Philippine Based Company's representative** (e.g. Secretary's Certificate for Corporation, Special Power of Attorney for Sole Proprietor) with specimen signature of the authorized representative to transact with PA/AFP including address, telephone number, fax number and email address;

Provided that in the case of unincorporated joint venture, each member shall submit a separate Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representatives for purposes of this bidding.

(Note: The Secretary's Certificate, Board Resolution or Special Power of Attorney, or its equivalent document, must have a specimen signature of the bidder or its authorized representative; it must indicate in the said document the authority to transact with the Philippine Army/AFP; and it must indicate in the same document the address, telephone number, mobile phone number, fax number and email address of the bidder or its authorized representative)

# Financial Documents:

ı

The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); **OR** 

A committed Line of Credit that must be at least equal to ten percent (10%) of the ABC of the project issued from a Universal or Commercial Bank in lieu of its NFCC computation. The amount of the committed Line of Credit MUST BE MACHINE VALIDATED.

# Class "B" Documents

If applicable, a duly signed **Joint Venture Agreement (JVA)** in case the joint venture is already in existence; **OR** 

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful **OR** 

If Joint Venture is not applicable, the bidder must submit a duly signed statement stating that JVA is not applicable

# Other documentary requirements under RA No. 9184 (as applicable)

[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product

Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

# II. FINANCIAL COMPONENT ENVELOPE

A Original of duly signed and accomplished Bid Form
Original of duly signed and accomplished Financial Bid Form

B Original of duly signed and accomplished Price Schedule(s)

# **ANNEXES**

TECHNICAL DOCUMENTS	
Statement of the prospective bidder for all of its ongoing government and private contracts	Annex 1
Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid within five (5) years from the date of Submission and Receipt of Bids	Annex 2
Bid Securing Declaration	Annex 3
Completed and signed Conformance/Statement of Compliance to Technical Bid Form, Technical Specifications (TS) and other Test and Acceptance Procedure (TAP) (with corresponding Sampling Plans and AQL)	Annex 4
Statement of Compliance to Technical Bid Form	Annex 4-A
Sample Format of Technical Data Sheet	Annex 4-B
Reliability Test per PA TAP NR: ORDF02(AR15-00)07-22 shall be conducted during Post Qualification to one (1) sample rifle.	Annex 4-C
Manufacturer's Certification of Conformance from its Technical Department or Production Department or Quality Assurance Department or its equivalent, that the firearms will be manufactured in accordance with the Philippine Army (PA) TS, TAP (with Sampling Plan & AQL), Packaging, and Markings.	Annex 5
Conformity with the Schedule of Requirements	Annex 6
Warranty Undertaking	Annex 7
Omnibus Sworn Statement (OSS)	Annex 8
Certificate of Net Financial Contracting Capacity (NFCC)	Annex 9
Sample Form for Committed Line of Credit	Annex 10
Protocol/Undertaking of Agreement to enter into Joint Venture	Annex 11-A
Sample Format of Statement of Inapplicability of Joint Venture Agreement	Annex 11-B
FINANCIAL DOCUMENTS	
Bid Form	Annex 12-A
Financial Bid Form	Annex 12-B
Bid Prices and applicable Price Schedules	Annex 13

Annex 1

# **Bidder's Company Letterhead**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

Lot	Description	Qty	ABC (Pesos)
1	Rifle, 7.62mm Designated Marksman Rifle (DMR) System	100	39,338,000.00

# STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS (INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED)

Item Number	Name of the Contract	Date of Contract	Contract Duration	Owner's Name & address	Kinds of goods	Amount of Contract and Value of Outstanding Contracts	Date of Delivery
					TOTAL		

# Name and Signature of Authorized Representative Position Date

Annex 2

# **Bidder's Company Letterhead**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

Lot	Description	Qty	ABC (Pesos)
1	Rifle, 7.62mm Designated Marksman Rifle (DMR) System	100	39,338,000.00

- a. For the procurement of Non-expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of (a) will likely result to failure of bidding that will defeat the purpose of public bidding: The Bidder should comply with the following requirements:
  - Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of nonexpendable supplies of the ABC for this Project; and
  - ii. The largest of these similar contracts must be equivalent to **at least half of the percentage** of the ABC as required above.

Item Number	Name of the Contract	Date of Contract	Contract Duration	Owner's Name & address	Kinds of goods	Amount of Completed Contract/s	OR Nr & Date, End-user's Acceptance date or Sales "Invoice with Collection
							Receipt
					TOTAL		

CERTIFIED CORRECT:
Name and Signature of Authorized Representative
Position
Date

Annex 3 (PAGE 1 OF 2)

REPUBLIC OF THE PHILIPPINES)	
CITY OF	) S.S

# **BID SECURING DECLARATION FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

Lot	Description	Qty	ABC (Pesos)
1	Rifle, 7.62mm Designated Marksman Rifle (DMR) System	100	39,338,000.00

To: [Insert name and address of the Procuring Entity]

I/We<sup>1</sup>, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.

- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity]

Affiant

<sup>&</sup>lt;sup>1</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

Annex 3 (PAGE 2 OF 2)

Philippines. Affiant/s is/are personally known to me identity as defined in the 2004 Rules on Notarial P	e me this day of <i>[month] [year]</i> at <i>[place of execution]</i> , e and was/were identified by me through competent evidence of Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her l, with his/her photograph and signature appearing thereon, with late No issued on at
Witness my hand and seal this day o	f [month] [year].
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issue]
Doc No: Page No: Book No: Series of:	

Annex 4

# STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATIONS, TEST AND ACCEPTANCE, SAMPLING PLANS, AQL, PACKAGING AND MARKINGS

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-reference to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

# CLARIFICATION AND SETTLEMENT OF CONFLICTING INTERPRETATION OF THE TECHNICAL SPECIFICATIONS

All clarifications regarding the technical specifications stipulated in this section will be clarified by the members of the Technical Working Group. In cases of conflicting interpretations, the nature and purpose of the equipment will be the basis of interpretation. The main basis for technical specifications and requirements is the nature and purpose of the equipment and its intended use as determined by the doctrinal application of the end-users represented herein by the Technical Working Group.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 4-A (Page 1 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.		Bidder's Statement of Compliance	
	PARTICULAR	RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR)	
	Technical Specifications	PA TS NR: ORDF02(AR15-00)07-22 dtd 28 July 2022 (SECTION VII: TECHNICAL SPECIFICATIONS- 4 pages)	
1	Test and Acceptance Procedure	PA TAP NR: ORDF02(AR15-00)07-22 dtd 28 July 2022 (SECTION VII: TECHNICAL SPECIFICATIONS -14 pages)	
	Sampling Plan	SAMPLING PLAN FOR THE TEST AND ACCEPTANCE OF FIREARMS  (For Small Arms - Cal .22 up to 30mm)  dtd 21 Jan 2020  (SECTION VII: TECHNICAL SPECIFICATIONS-3 pages)	
	Manufacturing D		
2	than one (1) year manufactured);		
3	Rifle, 7.62mm D		
4	Supplied the sai basic military we		

# **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award. Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 4-A (Page 2 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
6	<b>DELIVERY: a. Delivery Period: 180 calendar days</b> after Receipt of Notice to Proceed by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP: should the supplier fail to comply, the delivery period shall commence. <b>b. Delivery Place: Armaments Company, AABn,</b> 1st LSG, ASCOM, PA, Camp Aguinaldo, Quezon City <b>c.</b> Delivery must be done in the presence of Philippine Army authorized representatives.	

### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 4-A (Page 3 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
7	Continuation  DELIVERY:  d. The supplier must inform the PAPC at least seven (7) calendar days prior to delivery in delivery place/site. Failure to give due notice shall be a ground for non-acceptance of delivery.  e. Deliveries made for "safekeeping" purposes is NOT ALLOWED.  f. Other than the delivery schedule stated above, NO PARTIAL DELIVERIES are allowed.  g. During delivery, the Supplier shall be responsible in unloading the items from the container to the designated warehouse of the PA. All costs related to porter services, handling and other related expenses shall be borne by the Supplier. In the absence of material handling equipment at the site, the Supplier shall provide the necessary equipment such as but not limited to: forklifts, hand pallet truck, etc. At the expense of the Supplier.	Compliance

# BIDDER'S UNDERTAKING

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Name of Company (in print)	
Signature of Company Authorized Representative	
Name and Designation	
Date	

Annex 4-A (Page 4 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
8	Issuance of End-User Certificate:  Pursuant to D4 CMILD-001-2017 dated Jan 26, 2017 issued by the Office of the Deputy Chief of Staff for Logistics, J4, the deadline for submission of End-user Certificate (EUC) requirements shall be within seven (7) Calendar Days upon receipt of Contract/Notice to Proceed (NTP). The letter request shall include as an attachment important documents necessary for the issuance thereof, such as specific template/format required by the foreign government and not by the foreign supplier. Failure on the part of the supplier to submit said requirements within the specified period shall not be used and acknowledge as a valid excuse or justification to warrant the extension of the contract.	•
9	Warranty Period: One (1) year after final acceptance which includes full replacement of defective items free of charge.	
10	Any defects noted during pre-delivery inspection will be corrected prior to shipment/delivery of the goods subject for another test and inspection	
11	b. During TIAC Inspection: b.1. For items delivered within the delivery period, we will correct defects within 30 calendar days upon receipt of written Notice from the PAPC or within the remaining days of the delivery period, whichever comes later. (Note: This provision is not applicable to items delivered beyond the delivery period). b.2. For items delivered after the lapse of the delivery period, we will correct defects, subject to the imposition of liquidated damages.	
12	In case of rejection, we shall immediately withdraw the items from the Project/Delivery site. Any loss or damage thereto after such declaration shall be the supplier's sole responsibility.	
13	The period for repair or replacement for the defective goods or parts thereof in the warranty period shall be within Ninety (90) Calendar Days (maximum) upon receipt of the Notice of Defects	

# **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 4-A
(Page 5 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
	PRE-DELIVERY INSPECTION TEST:	
	All items shall be subjected to Pre-Delivery Inspection (PDI) by the Philippine Army.	
14	FOR FOREIGN MANUFACTURERS:  A. All Items shall be subjected to Pre-delivery inspection and the test (PDI) by the Philippine Army representatives. The PDI shall be conducted no later than sixty (60) calendar days prior to the expiry of the required delivery period at the foreign manufacturer's facilities. No extension of delivery period shall be allowed in case of failure or refusal of supplier to comply with said PDI period.  B. In no case shall the Supplier be relieved from responsibility relative to the delivery of the goods in the event that the PDI is delayed for any reason including issues related to travel documents (i.e. Visa, Travel authority). Appropriate penalties for the delay shall be imposed as applicable.  C. The Inspection Team that will attend the Pre-delivery Inspection and Tests at the country of origin at supplier's expenses shall be composed of five (5) to seven (7) members of the PA Inspection team.  D. The manufacturer shall ensure that the inspection Team will be allowed to jointly participate in the conduct of the testing procedures at the option of the inspection team.	

### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 4-A
(Page 6 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# **BID REF NO. ORD PABAC2 046-09-22**

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
15	Continuation: PRE-DELIVERY INSPECTION TEST:  E. Supplier shall shoulder all the costs and expense of travel (via/IATA member airlines in case of international travel) and accommodation including Daily Subsistence Allowance (pursuant to Section 8, EO 298) and securing visas as necessary and travel insurance of all the Inspection Team Members. In this regard, supplier is required to ISSUE the required written invitations to the Inspection team through Philippine Army relative to the PDI at least seven (7) calendar days from receipt of NTP.  F. Supplier shall conduct product/inspection and pre-departure briefing to orient the members of the Inspection team at least one (1) week prior to departure date. Supplier shall ensure that a full time/on-board interpreter is available for non-English speaking country of manufacturer/plant site. Travel documents including insurance must be submitted to the inspection team during the pre-departure briefing.  G. Failure to provide such invitation per C above will result in delays in release of required travel orders for the inspection team which shall be the sole responsibility of the supplier and will subject the supplier to applicable sanctions including liquidated damages due to late delivery.  Results of the Pre -Shipment Testing Procedures duly signed by Inspection Team in attendance to be submitted for payment purposes.  However, final acceptance as to Physical count will be conducted in the Philippines. The PDI shall be conducted in accordance with the prescribed Test and Acceptance Procedures (Annex 7- C). Cost of testing including the cost of sample rounds shall be for the account of supplier. The samples rounds shall be	
	over and above the quantity to be delivered.	

### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

	Name of Company (in print)
_	Signature of Company Authorized Representative
_	Name and Designation
	Date

Annex 4-A (Page 7 of 7)

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
	Continuation: PRE-DELIVERY INSPECTION TEST:	
16	Note: Alternative Pre-Delivery Inspection (PDI) may be conducted in accordance with the HPA Letter Directive Nr 12 with Subject: Alternative Procedures for PQI and PDI during COVID-19 Pandemic dated 11 August 2020. This directive states that the physical visit of the inspectors at the manufacturer's site or place of business is no longer feasible due to the COVID-19 pandemic and the issued memorandum of the Department of National Defense. This directive prescribes that PDI Team shall conduct the alternative PDI through VTC and/or submission of Video recordings provided that certified tests results from the supplier or a third-party entity shall be required to ensure transparency and through the utilization of Philippine Defense Armed Forces Attaché (PhiIDAFA).	
	FOR LOCAL MANUFACTURERS:  H. Pre-delivery inspection of the items to be conducted at the manufacturer's facilities, Government Arsenal, or at an authorized third-party testing center by Philippine Army Inspection Team.  I. All expenses relative to inspection shall be for the account of the manufacturer.  J. Acceptance Tests to be conducted as per prescribed Test and Acceptance Procedures (Annex 4-C). Cost of samples to be used for testing to include ammunition shall be for the account of the manufacturer. The samples shall be over and above the quantity to be delivered.	
	BIDDER'S UNDERTAKING	
	undersigned bidder, having examined the Bidding Documents includir hereby OFFER to (supply/deliver/perform) the above-described items.	ng Bid Bulletins, a

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Name of Company (in print)
Signature of Company Authorized Representative
 Name and Decimation
Name and Designation
 Data
Date

Annex 4-B

# **Company Letterhead**

# **TECHNICAL DATA**

*M	omenclature of the onth and Year of Manufactu	Manufacture			
1.	References (If any	·):			
2. mate	Technical Data: (Frials, color, markings an	Fill-in the required data in the dependent of the item. A	e table including but not limited to the dimensions, weight, components, additional rows may be added to supplement the data.)		
1.	Platform				
2.	Caliber				
3.	Ammunition:				
4.	Barrel:				
	4.1. Type				
	4.2. Material Cor				
	4.3. Rifling Twist 4.4. Finish/Color				
5.	Sight:				
6.	Upper Receiver:				
<u> </u>	6.1. Material Com	position			
	6.2. Finish	·			
	6.3. Top Rail				
	<ol><li>6.4. Case Deflect</li></ol>	or			
	6.5. Handguard				
7.	Lower Receiver:				
	7.1. Material Com	position			
	7.2. Finish	a a realists			
	<ul><li>7.3. Butt stock as</li><li>7.4. Pistol Grip</li></ul>	sembly			
8.	Operating System:				
0.	8.1. Gas Action				
	8.2. Firing Modes				
	8.3. Feeding Syst				
9.	Performance:				
	9.1.				
	9.2				
	mentioned above.		only the applicable data and other necessary information ance of the firearms.		
b.	Description:	State Brief Descriptio	n and other details of the item		
C.	Functioning:	State the functioning	and theory of operation of the item		
		PR	EPARED BY:		
Signature over Printed Name					
	!	PRODUCTION ENGIN	EER/ TECHNICAL PERSONNEL		
			 Date		

Annex 4-C

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

# Conformance to the Conduct of Endurance Test

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, as Post Qualification requirement.	Bidder's Statement of Compliance
1	Conduct of Reliability Test per PA TAP NR: ORDF02(AR15-00)07-22 shall be conducted during Post Qualification to one (1) sample rifle.	

# **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Annex 5

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

# MANUFACTURER'S CERTIFICATION ON CONFORMANCE TO THE PROJECTS TECHNICAL SPECIFICATIONS, PACKAGING, MARKINGS, TEST AND ACCEPTANCE PROCEDURES AND SAMPLING PLAN

I,, Production Engineer/Technical Personnel(Name of Foreign Company/Bidder) hereby certify that I have	of ve
read and understood each and every page of the Technical Specifications, Test at Acceptance Procedures and its Sampling Plan and AQL, Markings, and Packaging for Philippine Army under Bid R Nr copies of which we have acknowledged to have received or the project.	nd for Ref
I/WE understand that having issued this Certification, we conform to the requirement of the above-stated Project as detailed in the Technical Specifications and oth Technical documents and that, in the event that the Contract for the Project is awarde to us, we certify to complete and accomplish our obligations in accordance with, the term and conditions of the said project. This Certification is part of our Technical Efor the above-mentioned project.	ner ed he
I/WE are executing this Certification to attest to the truth of the foregoing fact/s.	
Name	
Signature	
PRODUCTION ENGINEER/ TECHNICAL PERSONNEL Position in the Company	

Annex 6

# **TECHNICAL BID FORM**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22 Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Description	Qty	Unit	Delivery Period
Rifle, 7.62mm DMR Sytem	100	Units	
Magazine	400	Each	
Tactical Carry Bag	100	Pcs	
Hard Case	100	Pcs	
Sound Suppressor	100	Each	
Ballistic Testing	100	Each	
Technical Manual with Illustrated Parts List	10	Pcs	
Cut-Away	2	Each	
Operator and Maintenance Training	10	Personnel	One Hundred Eigthy (180)
Armorer's Tool Kit One (1) set shall include the following (minimum):  • Vice Block/Rod/Upper Clamp  • Armorers Wrench  • Punch Set  • Roll Pin Holders  • Hammer  • Plastic/Rubber Mallet  • Allen Wrench Set  • Screwdriver Set  • Parts Brush  • Bore Brush  • Chamber Brush  • Go Gauge  • No-Go Gauge  • Field Gauge  • Toolbox/bag	10	set	Calendar Days upon receipt of NTP by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP; should the supplier fail to comply, the delivery period shall commence.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

**ANNEX 7** 

(Bidder's Company Letterhead)

# **WARRANTY UNDERTAKING**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

# BID REF NO. ORD PABAC2 046-09-22

we will issue a Wa	<u>, (Title/Capacity)</u> <u>, hereby commits</u> rranty Certificate in favor om date of final acceptan	that should we be aver of the Philippine Ar	warded the contract
( ) ,	shall form part of the Te		ts for the aforesaic
_	Signature of Compan	y Representative	_
	Name & Des	signation	
	Date	)	

**ANNEX 8** 

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF )	S.S.

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN 		WHEREOF, Philippines.	I have	hereunto	set	my	hand	this	 day	of	,	20	_ at
	 Bidder's	Representativ	/e/Autl	norized S	igna	atory							

[place of execution], Philippines. Affia identified by me through competent on Notarial Practice (A.M. No. 02-8-	
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc No: Page No: Book No: Series of:	

<sup>\*</sup> This form will not apply for WB funded projects.

Annex 9

### **Bidder's Company Letterhead**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

### BID REF NO. ORD PABAC2 046-09-22

### CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY (PLS SHOW FIGURES AT HOW YOU ARRIVED AT THE NFCC)

		(PLS SHOW FIGURES AT HOW YOU ARRIVED AT THE	NFCC)
			n is at least equal to the
total ce	eiling	price we are bidding. The amount is computed as follows	S;
CA	<b> </b>	Current Assets	PhP
Less:	:		-
CL	=	Current Liabilities	
		Sub-total 1	PhP
			X 15
		Sub-total 2	PhP
Less:	:		-
С	=	Value of all outstanding or uncompleted portions of the projects under on-going contracts, including awarded contracts yet to be started coinciding with the contract for this project.	PhP
		NFCC	PhP
Issued	l this	day of, 20	
		CERTIFIED CORRECT:	
		Name and Signature of Authorized Representa	tive
		Position	
		Date	

Annex 10

### (NAME OF BANK) COMMITTED LINE OF CREDIT

Date:				
Philippine Army Bids and Awards Co Fort Andres Bonifacio, Metro Manila				
CONTRACT/PROJECT COMPANY FIRM ADRESS BANK/FINANCING INSTITUTION ADRESS AMOUNT			- - - -	
This is to certify that the about o provide the (Supplier/Distributor/Nine in the amount specified above mentioned contract subject to the terminate of the subject to the terminate of the subject to the subject to the terminate of the subject to	Manufacturer/Contractor which shall be exclusive	), if awarded the abov vely used to finance t	e-mentioned	Contract, a credit
The credit line shall b Supplier/Distributor/Manufacturer/Coissuance of the Certificate of Accept	ontractor of the Notice of	teen (15) calendar Award and such line o	days after f credit shall b	receipt by the e maintained until
This Certification is being connection with the bidding requiren aware that any false statement issue	nent of (Name of Procur	ing Entity) for the above		
This Committed line of cred Philippine Army.	dit cannot be terminated	or cancelled without t	he prior writte	en approval of the
Name and Signature of Authorized F	inancing Institution Office	_ ce		
Official Designation				
Concurred by:				
Name and Signature of Supplier/Di	stributor/Manufacturer/C	 Contractor authorized r	epresentative	
Official Designation				
SUBSCRIBED AND SWORN TO E Affiant exhibited to me his/her comp issued at	etent Evidence of identification	day of ty (as defined by the 2	at 2004 Rules or	, Philippines.  Notarial Practice
Doc No: Page No: Book No: Series of:		NOTARY PUBLIC		

Amount should be machine validated

### Annex 11-A

### PROTOCOL/UNDERTAKING OF AGREEMENT TO ENTER INTO JOINT VENTURE

This PROTOCOL/UNDERTAKING OF AGREEMENT TO EN	TER INTO JOINT VENTURE executed by:  n duly organized and existing under and by virtue of
the laws of the Philippines, with offices located at, hereinafter referred to as	, represented herein by its
-and-	,
A sole proprietorship/c	orporation duly organized and existing under and by
virtue of the laws of the Philippines, with offices located at, hereinafter referred to as	, represented herein by its
For submission to the <b>Philippine Army Bids and Awards Co</b> the Revised Implementing Rules and Regulations (IRR) of Re	
WITNESSETH That:	
WHEREAS, the parties desire to participate as a joint venture PABAC pursuant to Republic Act (RA) No 9184 and its Revis the following particulars:	
Bid Reference No.	
Name/Title of Procurement Project	
Approved Budget for the Contract	
NOW THETREFORE, in consideration of the foreg VENTURE and sign a Joint Venture Agreement relative to the that their bid is successful, furnishing the PABAC a duly signed days from receipt of Notice from the BAC that our bid has the responsive bid (as the case may be).	eir joint cooperation for this bid project, in the event d and notarized copy thereof within ten (10) calendar
For purposes of this bid project, and unless modified by the treaty shall be the authorized representative of the JV:	erms of the Joint Venture Agreement, the following
JV Partner (Name of	Company)
Authorized Rep of the JV Partner: (Per at	ttached Secretary's Certificate)
Name	
Designatio That furthermore, the parties agree to be bound jointly and set	
THAT Finally, failure on our part to enter into the Joir for any reason after the Notice of Award has been issued by s Notice to Proceed, forfeiture of our bid security and such ot imposed by PABAC under the provisions of Republic Act (RA Regulations (IRR) , without any liability on the part of PABAC.	nt Venture and/or sign the Joint Venture Agreement shall be a ground for non-issuance by PABAC of the her administrative and/or civil liabilities as may be No 9184 and its Revised Implementing Rules and
This undertaking shall form an integral part of our Eliq IN WITNESS WHEREOF, the parties have signed written.	
[JUR	ATI
SUBSCRIBED AND SWORN TO BEFORE ME this Affiant exhibited to me his/her competent Evidence of identity issued at, Philippines.	day ofat, Philippines.
Doc No:       NOTAR         Page No:       Book No:         Series of:       Book No:	Y PUBLIC

Annex 11-B

### **Bidder's Company Letterhead**

# PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

### BID REF NO. ORD PABAC2 046-09-22

PABAC2 Chairperson Office of the PA Bids and Awards Committee 2 Fort Andres Bonifacio, Metro Manila
Subject: Statement of Inapplicability of Joint Venture Agreement
Dear PABAC2 Chairperson,
This is to inform you that <i>[insert name of supplier or bidder]</i> is not joining as a Joint Venture for this project, thus, the Joint Venture Agreement is not applicable.
Thank you and more power.
Truly Yours,
Name and Signature of Authorized Representative
CERTIFIED CORRECT:
Name and Signature of Authorized Representative
Position

Date

Annex 12-A Bid Form
Date : Bid Ref. No. :
To: PHILIPPINE ARMY BID AND AWARDS COMMITTEE 2
Having examined the Bidding Documents including the Supplemental/Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Bidding Documents; b. to provide a performance security in the form, amounts, and within the times prescribed in the Bidding Documents; c. to abide by the Bid Validity Period specified in the Bidding Documents and it shall remain binding upon us at any time before the expiration of that period.
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements pursuant to the Bidding Documents.
The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].
We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

**Description** 

Annex 12-B

**Bidder's Proposal** 

U/P

Total Price

(Bidder's Company Letterhead)

### PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

### BID REF NO. ORD PABAC2 046-09-22

### **FINANCIAL BID FORM**

U/P

**ABC Price** 

**Total Price** 

TOTAL BID PRICE					
Total Bid Price (Amount	in Words	s):			
	В	IDDER'S UNI	DERTAKING		
I/We, the undersigned bide as applicable, hereby OFF I/We undertake, if our bid conditions contained in the security within ten (10) cale	ER to (su is accep e bid doo	pply/deliver/pated, to delive cuments, inclu	erform) the above- r the items in according the posting of	describ ordance of the r	ed items. e with the terms and
Until a formal contract/orde	•	•			binding on us.

Note: If the particular column is not applicable indicate N/A.

Qty

Name of Company (in print)
Signature of Company Representative
Name & Designation (in print)
Date

Annex 13 FORM NO. 1

### (Bidder's Company Letterhead)

### PROCUREMENT OF RIFLE, 7.62MM **DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM** FOR THE PHILIPPINE ARMY

### BID REF NO. ORD PABAC2 046-09-22

#### For Goods Offered from Abroad

Name of Bidder						Page			
-					of				
1	2	3	4	5	6	7	8	9	
Item	Description	Country of origin	Qty	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	CIP price per item	Unit Price Delivered at Place (DAP)	Unit price Delivered Duty Paid (DDP)	Total Price -(if DAP col 4X7) -(If DDP col 4X8)	
	Note: If the applicable.	e partic	ular c	column is not ap	plicable ind	licate <b>dash</b>	(-) or zero	( <b>0)</b> , as	
[signature] [in the capacity of]									
[	Ouly author	rized to	sign E	Bid for and on beh	nalf of			_	

<sup>&</sup>lt;sup>2</sup> If ADB, JICA and WB funded projects, use IFB.

Annex 13 FORM NO. 2

### (Bidder's Company Letterhead)

### PROCUREMENT OF RIFLE, 7.62MM DESIGNATED MARKSMAN RIFLE (DMR) SYSTEM FOR THE PHILIPPINE ARMY

### BID REF NO. ORD PABAC2 046-09-22

#### For Goods Offered From Within the Philippines

	Name of Bidder Invitation to Bid <sup>3</sup> Number of									
1 Item	2 Description	3 Country of origin	4 Quantity	5 Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	7 Sales and other taxes payable if Contract is awarded, per item	8 Cost of Incidental Services, if applicable, per item	9 Total Price, per unit (col 5+6+7+8)	10 Total Price delivered Final Destination (col 9) x (co 4)	
	Note: If applicable		icular co	olumn is n	ot applica	ble indica	te dash (–	) or zero ((	<b>0)</b> , as	
		[sigi	nature]			[in th	ne capacity	of]	-	
	Duly auth	norized 1	o sign B	id for and o	on behalf o	f				

\_

<sup>&</sup>lt;sup>3</sup> If ADB, JICA and WB funded projects, use IFB.

