PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE

Fort Andres Bonifacio, Taguig City

Procurement of Motorcycle

ORD PABAC2-026-24

Description	Qty (unit)	ABC (Pesos)
Motorcycle	2	824,000.00

Bidding Date: May 30, 2024 at 9:00 AM

Table of Contents

Glossary of J	Acronyms, Terms, and Abbreviations	4
	vitation to Bid	
	structions to Bidders	
1. Scope	of Bid	12
	g Information	
3. Bidding	Requirements	12
4. Corrup	t, Fraudulent, Collusive, and Coercive Practices	12
5. Eligible	Bidders	12
6. Origin	of Goods	13
7. Subcor	ntracts	13
	Conference	
9. Clarific	ation and Amendment of Bidding Documents	14
10. Docu	ments comprising the Bid: Eligibility and Technical Components	14
11. Docu	ments comprising the Bid: Financial Component	14
12. Bid P	rices	14
13. Bid ar	nd Payment Currencies	15
14. Bid S	ecurity	15
15. Sealir	ng and Marking of Bids	16
16. Dead	ine for Submission of Bids	16
17. Open	ing and Preliminary Examination of Bids	16
18. Dome	stic Preference	16
19. Detail	ed Evaluation and Comparison of Bids	16
	Qualification	
	ng of the Contract	
	lid Data Sheet	
	General Conditions of Contract	
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	
3.	Performance Security	24
4.	Inspection and Tests	24
5.	Warranty	25
6.	Liability of the Supplier	25
Section V. Special Conditions of Contract		
Section VI. Schedule of Requirements		
Section VII. Technical Specifications		
Section VIII. Checklist of Technical and Financial Documents		
Section IX. E	Bidding Forms	65

Glossary of Acronyms, Terms, and Abbreviations

- **ABC** Approved Budget for the Contract.
- BAC Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender.* (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

- **CIF** Cost Insurance and Freight.
- **CIP** Carriage and Insurance Paid.
- **CPI –** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."
- **DTI** Department of Trade and Industry.
- **EXW** Ex works.
- **FCA** "Free Carrier" shipping point.
- **FOB** "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

SECTION I. INVITATION TO BID

Procurement of Motorcycle Bid Ref. No. ORD PABAC2-026-24

1. The Philippine Army, through its Appropriation based on the **Fiscal Year 2024 General Appropriations Act (RA11975)** in the quantity and amount as indicated below:

Advice of Sub-allotment (ASA) Number 2800-2024-0036 from GAA FY 2024 (RA 11975) – Capital Outlay Expense dated 18 January 2024 amounting to *EIGHT HUNDRED TWENTY-FOUR THOUSAND PESOS (PHP824,000.00)* (DDP - Delivered Duty Paid) being the Approved Budget for the Contract (ABCs) to payments for the procurement of General Purpose Vehicle under Bid Ref. No. ORD PABAC2-026-24. Bids received more than the ABC shall be automatically rejected at bid opening.

Description	Qty (units)	ABC (Pesos)
Motorcycle	2	824,000.00

2. PABAC now invites Bids from eligible **Authorized Distributor** with a minimum of 5 years relationship to the manufacturer as distributor at the time of bid opening; **Local or Foreign Manufacturers** for the above Procurement Project (hereafter referred to as GOODS). Foreign manufacturers must be represented by a duly registered Philippine-based company. Required delivery period and delivery place shall be as follows:

Delivery Period	Delivery Place	QTY (units)
30 Calendar Days upon receipt of Notice to Proceed	Warehouse 2, Supply Battalion, ASCOM Camp General Emilio Aguinaldo, Quezon City, Philippines	2

3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". All particulars relative to this bidding including Eligibility Checking, Bid Security, Evaluation and Post-Qualification Procedures and Awards of Contract shall be governed by R.A. 9184 and its 2016 Revised IRR.

Bidding is open to all interested bidders, whether **local or foreign**, subject to the conditions for eligibility provided in the IRR of RA 9184.

4. Prospective Bidders may obtain further information from the PABAC Secretariat and inspect the Bidding Documents at the address given below during 8:00am – 4:00pm on weekdays only.

The Invitation to Bid and Bidding Documents may be downloaded from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and PABAC website. Interested bidders may inspect the Bidding Documents upon presentation of proper identification during office hours (8:00 am - 4:00 pm) on weekdays only.

5. A complete set of Bidding Documents may be acquired by interested Bidders on **May** 9, 2024 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of ₱1,000.00. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means. **6.** The Philippine Army will hold a Pre-Bid Conference on **May 16, 2024 at 9:00 AM** via Video Conference (Zoom), which shall be open to prospective bidders.

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before May 30, 2024 at 9:00 AM. Late bids shall not be accepted.

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.

9. Bid opening shall be on **May 30, 2024 at 9:00 AM.** via Video Conference (Zoom). Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

10. For Pre-Bid Conference and Bid Opening

In line with the precautionary health measures being adopted by the Philippine Army, prospective bidders interested to join the Pre-Bid Conference and Bid Opening via video conference (Zoom) may send request for Zoom Link and Password to the pabacsec2@gmail.com.

For the Pre-Bid Conference, bidders are encouraged to send their authorized technical representative or personnel who are familiar with the bid requirements and will prepare the documents for the bidder.

Bidding Document may also be downloaded free of charge from the website of the PhilGEPS and the Army website. However, only those who have paid the cost of Bidding Documents at least one (1) day before the submission of their bids will be allowed to bid.

11. The *Philippine Army* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

Office of the PA Bids and Awards Committee 2

Fort Andres Bonifacio, Taguig City

BGEN BENJAMIN L HAO PA

PABAC2 Chairperson

Contact Nr. 09393185696 or email address at pabacsec2 @gmail.com

The complete set of Bidding Documents may be acquired/purchased by interested Bidders during office hours (8:00 am - 4:00 pm) at the Finance Center, Philippine Army Office on weekdays only – but not later than 4:00 pm upon payment of non-refundable fee as indicated above, pursuant to the latest Guidelines issued by the GPPB.

It may also be downloaded free of charge from the website of the PhilGEPS and PSBAC website, PROVIDED that bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

13. You may also visit websites

For downloading of Bidding Documents: (philgeps.gov.ph and army.mil.ph)

Date of Issue: _____

PA Chairperson

SECTION II. INSTRUCTION TO BIDDERS

1. Scope of Bid

- 1.1 The Procuring Entity, Philippine Army wishes to receive Bids for the Supply and Delivery of Motorcycle, under Bid Reference No. ORD PABAC2-026-24.
- 1.2 The Procurement Project (referred to herein as "Project") is composed of 2 units Motorcycles, the details of which are described in Section VII (Technical Specifications).

2. Funding Source

- 1.1. Advice of Sub-allotment (ASA) Number 2800-2024-0037 from GAA FY 2024 (RA 11975) – Capital Outlay Expense dated 18 January 2024 amounting to *EIGHT HUNDRED TWENTY-FOUR THOUSAND PESOS ONLY (PHP824,000.00)* (DDP - Delivered Duty Paid) being the Approved Budget for the Contract (ABCs) to payments for the procurement of General Purpose Vehicle under Bid Ref. No. ORD PABAC2-026-24.
- 2.1 The source of funding is **The General Appropriations Act (RA11975).**

3. Bidding Requirements

- a. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- c. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

Foreign ownership limited to those allowed under the rules may participate in this Project.

Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least;

- 1. For the procurement of Non-expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 2. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of (a) will likely result to failure of bidding that will defeat the purpose of public bidding: The Bidder should comply with the following requirements:
 - a. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project; and
 - b. The largest of these similar contracts must be equivalent to **at least** half of the percentage of the ABC as required above

The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin Of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either via Video Conference (Zoom) as indicated in paragraph 8 and 11 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- a. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- b. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within the last five (5) years prior to the deadline for the submission and receipt of bids.
- c. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- a. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- b. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- c. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- d. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - 1. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- 2. The cost of all customs duties and sales and other taxes already paid or payable; iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - 1. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - 2. ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- a. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- b. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- 14.2. The Bid and bid security shall be valid for One Hundred Twenty (120) calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as nonresponsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1 The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

- 17.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 11 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat. In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.
- 17.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective

Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

Section III. Bid Data Sheet

ITB Clause				
5.3	For this purpose, contracts similar to the Project shall be Supply and/or Delivery of Motorcycle completed within the last five (5) years prior to the deadline for the submission and receipt of bids.			
7.1	Subcontracting is not allowed.			
11.3	There is a tie in bid offers when the bidders offered the same financial bid price and all have the post qualification and are considered as Lowest Calculated and Responsive Bids (LCRB).			
	To break the tie, a tie between two (2) bidders shall be decided through a Toss Coin; while a tie among three (3) or more bidders shall be decided through Draw Lots.			
12	The price of the Goods shall be quoted Delivered Duty Place (DDP) or the applicable International Commercial Terms (INCOTERMS) for this Project in 1LSG and 2LSG of Army Support Command, PA.			
	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:			
14.1	a. Equivalent to at least 2% of the ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or			
	b. Equivalent to at least 5% of the ABC, if bid security is in Surety Bond.			
	The bidder shall submit the following;			
16	-Financial Component Envelop - 1 original and 2 copies			
	-Technical Component Envelop- 1 original and 2 copies			
19.3	Supply and Delivery of 2 units Motorcycle for the Philippine Army amounting to EIGHT HUNDRED TWENTY- FOUR THOUSAND PESOS (PhP824,000.00)			
20.1	EIGHT HONDRED TWENTT- FOOR THOOSAND PESOS (PNP224,000.00) POST-QUALIFICATION: Within a non-extendible period of five (5) calendar days from receipt by the bidder of the Notice from the BAC that the bidder has the Lowest/Single Calculated Bid (L/SCB), the bidder shall submit and/or present original of the following requirements for post qualification: TAB Additional Post Qualification Requirements Registration Certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives B Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located C Tax Clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR) Latest Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped <i>"received"</i> if manually filed or <i>"attachment of system generated Transaction Reference Number and email to the system user"</i> if electronically filed issued by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission; Provided that original copies of the digitally submitted documents will be presented upon request			
	ELatest income and business tax returns within the last six (6) months preceding the date of bid submission, manually filed Tax			

		Returns or filed and paid through the BIR Electronic Filing and
		Payment System (eFPS)
		Supporting documents for all on-going government and private contracts:
	F	 a. Notice of Award; or b. Notice to Proceed; or c. Contract; or d. Purchase Order or its equivalent issued by the end-user; and e. Notice of Extension/Suspension if the project is overdue.
		Supporting documents for Single Largest Completed Contract (SLCC):
	G	 a. Notice or Award or Notice to Proceed or Contract or Purchase Order or its equivalent issued by the supplier; and b. End-User's Acceptance, Official Receipt (duplicate or triplicate copy) or Sales Invoice with Collection Receipt (duplicate or triplicate copy); and c. Certificate of Performance Evaluation
	Н	 Valid and current Certificate of Distributorship from the manufacturer for the items offered, issued by the manufacturer of the goods (if Bidder is not the manufacturer); Manufacturer's Certification of Conformance from its Technical Department or Production Department or Quality Assurance Department or its equivalent, that the goods that will be delivered in accordance with the Philippine Army (PA) TS, TAP; Certificate from the manufacturer indicating the availability of spare parts within the 15 years effective after Acceptance of the offered goods; List of Service Centers owned by/affiliated to the Bidder at least one per region with available technical personnel, indicating address, telephone and fax numbers, email address, contact person
	1	and pictures of service centers;CertificateofNotarialCommission/OathofOffice/AppointmentofthelawyerwhonotarizedthedocumentssubmittedbythebidderorCertificatefromtheOfficeoftheExecutiveJudge/OfficeoftheClerkofCourtcertifyingthatthenotarypublicisappointed/commissionedfor
	J	a specific period. Company Profile (Organization, Affiliated Companies,
	K	Production Capability) Vicinity map/location of the business
		Certificate from Armed Forces of the Philippines
	L	Procurement Service (AFPPS) that the Bidder is Not Blacklisted and has No Overdue Delivery, if not submitted during the bid opening
Note a Note a agains the ve	2: In case 3: Failure st the ver eracity of	e of JV, each JV Partner shall submit said Certificate. e of Joint Venture, both partners must present/submit above documents. e to submit any of the post-qualification requirements on time, or a finding racity thereof, shall disqualify the bidder for award. Should there be a finding against any of the documents submitted, the Bid Security shall be forfeited in accordance with 2016 Revised IRR of RA 9184.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the terms and conditions.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:]* or Framework Agreement*}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- a. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- b. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

SECTION V. SPECIAL CONDITIONS OF CONTRACT

	SPECIAL CONDITIONS OF CONTRACT		
GCC			
Clause 1	Delivery and Documents – For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:		
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."		
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is: PA TIAC, APAO, OG10.		
	Incidental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:		
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods 		
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.		
	Spare Parts –		
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:		

 a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts:
b.1 advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
b.2 following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of fifteen (15) years for date of final acceptance.
Spare parts or components shall be supplied as promptly as possible, but in any case, within one (1) week of placing the order.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for Delivered at Place (DAP) deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at respective delivery places.
Intellectual Property Rights –

	The Supplier shall indemnify the Procuring Entity against all third-party claims of					
	infringement of patent, trademark, or industrial design rights arising from use of the					
	Goods or any part thereof. Terms of Payment –					
	remis of Fayment –					
	Documentary requirements for payment are as follows:					
	Payment shall be made by check for Local supplier/manufacturer or through Letter of Credit in case of foreign supplier/manufacturer.					
In case payment shall be made by L/C, the PROCURING ENTITY shall oper irrevocable L/C in favor of the Supplier in accordance with the terms provide an Authorized Government Depository Bank after the approval of the Contra HOPE and cash transfer from the PA to the Authorized Government Deposit to wit:						
2.2	 a. Mode of Transmission: Full cable telex/S.W.I.F.T; b. Advising and/or Confirmation: L/C may be advised and/or confirmed by any bank to be identified by the Supplier, at the latter's sole expense; c. Payce Bank: The L/C draft (if any) shall be drawn on the confirming bank; d. Beneficiary: [Insert name and address of Supplier with Point of Contact; e. Currency and Amount of L/C: L/C shall be in Philippine Peso, in an amouni equivalent to the Total Contract Price. The 95% of the amount of L/C shall be released upon completion of all the required documents enumerated in SCC Clause 2.2(g) of the bidding documents and the 5% shall be released upon expiration of the warranty period provided in SCC clause 5 of the bidding documents; f. Expiration Date: One Hundred Twenty (120) calendar days from issue date of the L/C; g. Payment Scheme Documentary Requirements: Payment will be "One Time Payment" and shall be made to the Supplier at the time of the final acceptance of the GOODS by the PROCURING ENTITY made in accordance with Section VI. Schedule of Requirements, and the submission or presentation of the following documents: 1. Supplier's invoice showing GOODS' description, quantity, unit price, and total amount; 2. Negotiable, clean shipped on-board Bill of Lading marked "Freight Pre-Paid" and/or "Non-Negotiable Bill of Lading" or "Airway Bill"; 3. Original Supplier's factory inspection report or certificate of pre-delivery test and inspection report by PA TIAC (as applicable); 4. Manufacturers and/or Supplier's warranty certificate/s issued in the name of the Philippine Army minimum of one (1) year from the date of final acceptance (full replacement for defective items); Warranty should indicate the Engine and Chassis Nr of the goods; 5. Certificate of Origin (for imported GOODS); 6. Delivery Receipt detailing number and description of items received signed by the Procuring Entity's representative at t					
	 Certificate of Acceptance by the PA Technical Inspection and Acceptance Committee (PA TIAC); and Optimized Manufacture Contribution of the analysis of the analysis					
	 Original Manufacturers Certificate re: Date of Manufacture of the product should be not more than one (1) year from the date of delivery (brand new/freshly manufactured); 					
	h. <u>Description of Goods:</u> As stated in the Technical Specifications with additiona					
	requirements as indicated in SECTION VI Schedule of Requirements.					
	i. <u>Delivery Period:</u> Complete Delivery within 30 calendar days from receipt of the					

	 j. <u>Shipment:</u> One-time shipment; transshipment is acceptable. Negotiability:_The L/C shall be irrevocable;
	 k. <u>Liquidated Damages</u>: Liquidated damages shall be imposed in accordance with Section 68 of Republic Act (RA) Nr 9184 and its Revised Implementing Rules and Regulations, and SCC Clause 6.
	I. <u>Other Instructions</u> :
	1. The cost of the opening, as well as advising, confirmation, extension, and/or amendment, if any, of the L/C, and other bank charges shall be for the account of the
	supplier;
	2. The L/C must be in English; and
	3. No boycott or restrictive language. Inspection and Test
	1. POST-QUALIFICATION involving documents validation and plant/office visit and inspection of sample goods shall be conducted by the Procuring Entity or its designated representatives (PQ Team designated by the BAC) to determine the compliance to the requirements of the end-user as required in the bidding documents. Manufacturer's plant inspection will be conducted, subject to the approval of the Head of the Procuring Entity (HOPE). The Manufacturer/Supplier shall be made to provide pieces of evidence of the compliance of items offered to the specifications as stated in Section VII Technical Specifications of the bidding documents and his capability to manufacture/supply the goods/items being required. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity.
	Conduct of Post Qualification abroad is subject to the issued guidelines regarding Foreign Travel of Public Official/Officers during State of Calamity or Implementation of Community Quarantine or Similar Restrictions. Considering restrictions for foreign travel during the quarantine period, the Procuring Entity or PQ Team may conduct "table post qualification" within the office, or utilize the Office of the Philippine Defense and Armed Forces Attaché (Office of PhiIDAFA) of the country where the foreign bidder/proponent is based to conduct post qualification.
04	During Post-Qualification, the Manufacturer/Distributor must provide a sample of the goods for inspection.
	2. PRE-SHIPMENT/PRE-DELIVERY INSPECTION AND TEST:
	The Manufacturer/Distributor/Dealer shall ensure that the PA Inspection Team will be allowed to participate in the conduct of the testing procedures.
	All incidental and related expenses relative to inspection shall be for the account of the Manufacturer/Authorized Distributor based on AFP Log Ltr Dir Nr 2020-04, GHQ, AFP dated 21 October 2020.
	Supplier shall ISSUE the required written invitations to the PA Inspection Team through PAPC, AFPPS relative to the PDI. Failure to provide invitation that may result in delays in release of required travel orders for the inspection team, may subject the supplier to applicable sanctions including liquidated damages due to late delivery.
	All Items shall be subjected to pre-shipment / pre-delivery inspection and test (PDI) by the PA PDI Team. The PDI shall be conducted no later than sixty (60) days prior to the expiry of the required delivery period. No extension of delivery period shall be allowed in case of failure or refusal of supplier to comply with said PDI period.
	The Inspection Team that may attend the pre-shipment/pre-delivery test at the country of origin at supplier's expenses shall be composed of at least five (5) members.

Supplier shall conduct pre-departure briefing to orient the members of the PA Inspection Team prior to departure date or conduct of test. FOR LOCAL MANUFACTURER/DISTRIBUTOR: Pre-delivery inspection of the items to be conducted by Philippine Army Inspection Team at the Manufacturer/Authorized Distributor local facilities. FOR FOREIGN MANUFACTURER: In no case shall the Supplier be relieved from responsibility a. relative to the delivery of the goods in the event that the PDI is delayed for any reason including issues related to travel documents (i.e visas, travel authority), except for circumstances beyond the control of the Supplier. Appropriate penalties for delay shall be imposed as applicable. b. Supplier shall ensure that a full time/on-board interpreter is available for non-English speaking country of manufacturer/plant site. Travel documents including insurance must be submitted to the inspection team during the pre-departure briefing. Note1: The PDI shall be conducted in accordance with the prescribed PA Test and Acceptance Procedures. Or if "Manufacturer's Standard" is reflected as to the requirement in the PA TS/TAP. the Manufacturer's TS and TAP must be provided prior to the conduct of test. SPECIFICATIONS: **TEST AND** TECHNICAL DESCRIPTION ACCEPTANCE **SPECIFICATIONS** PROCEDURE Motorcycle Annex I Annex II Goods to be supplied must come from one (1) source and manufacturer only. Date of Manufacture of Item: Goods manufacturing date should not be more than one (1) year from the date of delivery (brand new/freshly manufactured); ACCEPTANCE TESTS: 3. In the event that Pre-delivery Inspection and Acceptance that cannot be conducted for any reason, Acceptance Tests will be conducted in the Philippines in accordance with the Test and Acceptance Procedures of the PA as herein provided. The Supplier shall be responsible for coordinating with the appropriate testing facility in the Philippines for the conduct of said tests. All costs for the testing including the sample will be for the account of the Supplier; OR An alternative PDI shall be done based on the Directive published by Philippine Army on the conduct of the Alternative PDI. FINAL INSPECTION AND ACCEPTANCE: 4. Will be at the Delivery Site. Completeness and appropriateness of the delivered goods shall be inspected by the Procuring Entity's representative at the delivery site at the soonest time possible. After completion of the inspection, the inspection team shall furnish the following reports;

	1. Final Inspection and Acceptance Report by the TIAC;				
	 OG10 Inspection Report; SAO/APAO Acceptance Report; 				
	Note 1:				
	 The supplier must inform the PAPC at least seven (7) calendar days prior to delivery in delivery place/site. Failure to give due notice shall be a ground for non-acceptance of the GOODS. 				
	- NO partial deliveries are allowed. Only Complete deliveries will be accepted				
	Note 2:				
	- Deliveries made for "safekeeping" purposes are NOT ALLOWED.				
	5. NON-ACCEPTANCE OF ITEMS:				
	Non-Replacement of Defective Items Noted During Pre-Delivery Inspection:				
	defects noted during pre-delivery inspection shall be corrected prior to shipment of the Goods. Otherwise, goods will not be accepted.				
	Goods. Otherwise, goods will not be accepted.				
	Replacement of Defective Items upon Delivery and Testing of Items: Any defects				
	noted during delivery shall be corrected within the remaining days of delivery period of				
	the Goods.				
	In case items are rejected, PA-TIAC shall issue Certificate of Non- Acceptance on				
	the cause of non-compliant item.				
	In case of rejection, the Goods shall be secured and shall remain under the custody of				
the PA until re-exported (if imported) at the expense of the supplier to include					
	charges, subject to the applicable laws in the Philippines.				
	Supplier shall be subjected to blacklisting due to termination by default				
	Warranty				
	The memory chall be encound by at the Complian's action with an extention memory in an				
	The warranty shall be covered by, at the Supplier's option, either retention money in an amount to at least five percent (5%) of the Contract Price, or a special bank guarantee				
	equivalent to at least five percent (5%) of the Contract Price in favor of the Armed				
	Forces of the Philippines.				
	The warranty period shall be one (1) year after acceptance by the Procuring Entity of				
	the Delivered Goods. The manufacturer/distributor shall issue a Warranty Certificate				
5	that shall cover a minimum of one (1) year after the acceptance by the Procuring Entity of the Delivered Goods.				
5	of the Delivered Goods.				
	The Obligation for the warranty shall only be released after the lapse of the warranty				
	period.				
	The DDOCUDING ENTITY through the TIAC may involve for warranty elaime for the				
	The PROCURING ENTITY through the TIAC may invoke for warranty claims for the GOODS or any part thereof that fail to conform to the specifications within the warranty				
	period. The Supplier shall either rectify or replace such defective GOODS or parts				
	thereof or make alterations necessary to meet the specifications at no cost to the				
	PROCURING ENTITY, and shall inspect the rectified/replaced goods, at no cost to the				
	PROCURING ENTITY, upon giving a notice pursuant to Clause 5.				
5.1	The period for correction of defects in the warranty period is within Thirty (30) calendar				
D.1	days (maximum) after receipt of Notice of Defects				
	When the supplier fails to satisfactorily deliver the goods or services under the contract				
e	When the supplier fails to satisfactorily deliver the goods or services under the contract within the specified delivery schedule or project implementation schedule, inclusive of				
6					

every day of delay until such goods or services are finally delivered or performed and accepted by the Procuring Entity concerned.

The amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.

SECTION VI. SCHEDULE OF REQUIREMENTS

Procurement of Motorcycle Bid Ref. No. ORD PABAC2-026-24

Nr	DESCRIPTION	QTY	DELIVERY PERIOD	DELIVERY PLACE
1	Motorcycle (assorted color) with the following: a. Operator's and Service Manual b. Warranty Booklet c. 40ltr Capacity Compartment d. Full Faced Helmet with PSI Seal e. Half Faced Helmet with PSI Seal f. Reflectorized Vest g. Jacket with Reflector h. Tools in One (1) Pouch - Pressure Gauge - Screwdriver (Flat and Philips) - Pliers - Socket Wrench	2 2 sets	30 Calendar Days upon receipt of NTP	Warehouse 2, Supply Battalion, ASCOM Camp General Emilio Aguinaldo, Quezon City, Philippines
2	 i. 1 yr LTO Registration j. 1 yr Comprehensive Insurance 	2	Shall be delivered to PA prior to payment	Philippine Army Procurement Center,
3	Registration Plate	2	Shall be delivered to PA prior to the release of retention money	AFPPS Fort Bonifacio, Taguig Metro, Manila

I hereby certify to comply and deliver all the above requirements.

Name of Company

Representative Signature Over Printed Name

Date

SECTION VII. TECHNICAL SPECIFICATIONS

STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATIONS and TEST AND ACCEPTANCE PROCEDURES

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-reference to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

CLARIFICATION AND SETTLEMENT OF CONFLICTING INTERPRETATION OF THE TECHNICAL SPECIFICATIONS

All clarifications regarding the technical specifications stipulated in this section will be clarified by the members of the Technical Working Group. In cases of conflicting interpretations, the nature and purpose of the equipment will be the basis of interpretation. The main basis for technical specifications and requirements is the nature and purpose of the equipment and its intended use as determined by the doctrinal application of the end-users represented herein by the Technical Working Group.

Procurement of Motorcycle Bid Ref. No. ORD PABAC2-026-24

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF **"FAILED".**

Line No.	Specifications			Bidder's Statement of Compliance
1	Description	Technical Specifications	Test and Acceptance Procedure	
	Motorcycle	ORDV03(650-00)11-22	ORDV03(S-00)11-22	
2	Warranty/ies of the Contract			
3	Availability of spare parts within 15 years effective after Acceptance of the offered goods			
4	Vehicle Engine is brand new/freshly manufactured and never been used/not refurbished.			
5	Assembly of Motorcycle is not more than one (1) year from the date of delivery (Brand New).			
6	We have no overdue deliveries or unperformed services intended for Philippine Army (PA) and other gov't and non gov't agencies.			
7	During delivery, the Supplier shall be responsible in unloading the items from the container to the designated warehouse of the PA. All costs related to porter services, handling and other related expenses shall be borne by the Supplier. In the absence of materials handling equipment at the site, the Supplier shall provide the necessary equipment such as but not limited to: forklifts, hand pallet truck, etc. At the expense of the Supplier.			



By 2028, a world class Army that is a source of national pride. Technical Specifications for Motorcycle TS NR: ORDV03(650-00)11-22

HEADQUARTERS PHILIPPINE ARMY Fort Andres Bonifacio, Metro Manila

TS NR: ORDV03(650-00)11-22

DEC 2 1 2022

TECHNICAL SPECIFICATIONS FOR MOTORCYCLE

Description	High-speed motorcycle with a minimum of 649cc displacement with the capability to traverse expressway		
Application	For use of Military Police (MP) personnel of PA Major Units in patrolling for immediate response/pursuit operations and to include convoy operations as lead, escort and traffic control vehicle		
Technical Data			
1. Classification or Type	Adventure or Dual sport		
2. Engine			
2.1. Drive Type	Chain drive		
	4-stroke		
	Two cylinder (min)		
2.2. Engine Type	Liquid cooled		
	DOHC		
2.3. Displacement	649cc (min)		
2.4. Bore and Stroke	Manufacturer's standard		
2.5. Starting System	Electric or self-starter		
2.6. Ignition System	Manufacturer's standard		
2.7. Engine Oil Capacity	Manufacturer's standard		
3. Transmission	Manual, 6 speed (min)		
4. Fuel System	Fuel injection		
5. Fuel Tank Capacity	20L minimum		
6. Suspension			
6.1. Front	Telescopic fork		
6.2. Rear	Single-shock (min)		
7. Brake System			
7.1. Front	Disc with ABS		
7.2. Rear Axle	Disc with ADS		
8. Wheels			
8.1. Tire Type	Tubeless		
8.2. Tire Size (Front)	Manufacturer's standard		
8.3. Tire Size (Rear)	Manufacturer's standard		
8.4. Rim Type	Alloy or Aluminum		
8.5. Rim Size	R17 (min)		
9. Dimensions			
9.1. Length	2,155mm (min)		
9.2. Width	835mm (min)		
9.3. Height	1390mm (min)		



.

Honor. Patriotism. Duty

Page 1 of 3

Bidder's Company Name

Signature of Authorized Representative



By 2028, a world class Army that is a source of national pride. Technical Specifications for Motorcycle TS NR: ORDV03(650-00)11-22

9.5. Ground Clearance Manufacturer's standard 9.6. Curb Weight 200kg (min) 10. Battery Manufacturer's standard 11. Body Color and markings As indicated in the contract 12. Performance 69 hp (min) 12.1. Power 69 hp (min) 12.2. Torque 61Nm (min) 13. Minimum Accessories and odometer (min) 13.2. Headlight Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11.1.1. Design Cylindrical <th></th> <th></th>			
9.6. Curb Weight 200kg (min) 10. Battery Manufacturer's standard 11. Body Color and markings As indicated in the contract 12. Performance 12.1. Power 12.1. Power 69 hp (min) 12.2. Torque 61Mm (min) 13.1. Instrument panel Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be provided with side and center stand 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.6.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel orash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel rorash guard 13.11.6.1. Fro		1,355mm (min)	
10. Battery Manufacturer's standard 11. Body Color and markings As indicated in the contract 12. Performance 69 hp (min) 12.1. Power 69 hp (min) 12.2. Torque 61Nm (min) 13. Instrument panel Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be provided with side and center stand commeter (min) 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter is 5-7 inches <td>9.5. Ground Clearance</td> <td></td>	9.5. Ground Clearance		
11. Body Color and markings As indicated in the contract 12. Performance 69 hp (min) 12.1. Power 69 hp (min) 12.2. Torque 61Nm (min) 13. Minimum Accessories Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Strobe type 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front<	9.6. Curb Weight		
11. Body Color and markings As indicated in the contract 12. Performance 69 hp (min) 12.1. Power 69 hp (min) 12.2. Torque 61 Nm (min) 13. Minimum Accessories Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stail bes provided with lock and stainless-steel support or crash guard 13.10. Windshield Manufacturer's standard 13.11.1 Design 13.11.1.2 Rear 13.11.1.2 Rear 13.11.2 Light Type 13.11.4 Dimensions 13.11.4. Diameter of 4-5 inches for circular or length 13.11.4. Diameteris 5-7 inches 13.11.4. Polycarbonate (min) 13.11.5. Material Polycarbonate (min) 13.11.6.1. 13.11.6.1. <td>10. Battery</td> <td>Manufacturer's standard</td>	10. Battery	Manufacturer's standard	
12. Performance 69 hp (min) 12.1. Power 69 hp (min) 12.2. Torque 61Nm (min) 13. Minimum Accessories Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stail bes provided with lock and stainless-steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.11. Dissign Installed 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter is 5-7 inches 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel orash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless stee	11. Body Color and markings	As indicated in the contract	
12.2. Torque 61Nm (min) 13. Minimum Accessories 5hall be provided with digital speedometer and odometer (min) 13.1. Instrument panel Shall be with high and low beam 13.2. Headlight Shall be provided with side and center stand 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stailless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11.1. Design Cylindrical 13.11.2. Rear Cylindrical 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.4.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.4.1. Front S-7 inches and width 2-3 inches for rectangular 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard <td>12. Performance</td> <td></td>	12. Performance		
13. Minimum Accessories Shall be provided with digital speedometer and odometer (min) 13.1. Instrument panel Shall be with high and low beam 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel steel support or crash guard 13.10. Windshield Installed 13.11.1. Design Cylindrical 13.11.2. Rear Cylindrical 13.11.3. Color Blue or Red or Yellow 13.11.4.1. Front Circular or rectangular 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.4.1. Front Stainless steel crash guard 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.4.1. Front Stainless steel crash guard 13.11.4.2. Rear Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless	12.1. Power	69 hp (min)	
13. Minimum Accessories Shall be provided with digital speedometer and odometer (min) 13.1. Instrument panel Shall be provided with digital speedometer and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11.1. Design Installed 13.11.2. Rear Cylindrical 13.11.3. Color Blue or Red or Yellow 13.11.4.1. Front Circular or rectangular 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.4.1. Front Solar et and width 2-3 inches for rectangular 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.4.2. Rear Height or diameter is 5-7 inches 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blin	12.2. Torque	61Nm (min)	
13.1. Instrument panel and odometer (min) 13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11.1. Design Installed 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.2. Headlight Shall be with high and low beam 13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11. Design Manufacturer's standard 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.6.2. Rear Manufacturer's standard 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts <t< td=""><td>13.1. Instrument panel</td><td colspan="2"></td></t<>	13.1. Instrument panel		
13.3. Indicator lights Front and rear 13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11. Blinker Manufacturer's standard 13.11.1. Design Circular or rectangular 13.11.1. Eront Circular or rectangular 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front Solameter of 4-5 inches for circular or length 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.4.1. Front Solameter is 5-7 inches 13.11.4.1. Front Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.2. Rear Manufacturer's standard 1	13.2. Headlight	Shall be with high and low beam	
13.4. Parking stand Shall be provided with side and center stand 13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11. Blinker Installed 13.11.1. Design Circular or rectangular 13.11.2. Light Type Strobe type 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Front Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel pole 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.5. Side Mirrors Left & right 13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11. Blinker Installed 13.11.1. Design Circular or rectangular 13.11.2. Rear Cylindrical 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel pole 13.11.6.2. Rear Manufacturer's standard 13.11.6.2. Rear Manufacturer's standard 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard		Shall be provided with side and center stand	
13.6. Horn Manufacturer's standard 13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.10. Windshield Installed 13.11. Blinker Installed 13.11. Design Circular or rectangular 13.11.1. Front Circular or rectangular 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel pole 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.7. Safety lights Park, signal, hazard and plate light 13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.9. Saddle Bag Shall be provided with lock and stainless-steel support or crash guard 13.10. Windshield Installed 13.11. Blinker Manufacturer's standard 13.11. Design Cylindrical 13.11.1. Design Cylindrical 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Front 5-7 inches and width 2-3 inches for rectangular 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.6.2. Rear Manufacturer's standard 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.8. Crash Guard Stainless steel 13.9. Saddle Bag Left and right 13.9. Saddle Bag Shall be provided with lock and stainless- steel support or crash guard 13.10. Windshield Installed 13.11. Blinker Manufacturer's standard 13.11. Design Circular or rectangular 13.11.1. Design Strobe type 13.11.2. Rear Cylindrical 13.11.2. Light Type Strobe type 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front S-7 inches and width 2-3 inches for rectangular 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.6.2. Rear Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard		Park, signal, hazard and plate light	
Left and right13.9. Saddle BagShall be provided with lock and stainless- steel support or crash guard13.10. WindshieldInstalled13.11. BlinkerManufacturer's standard13.11. DesignCircular or rectangular13.11.1. DesignCircular or rectangular13.11.1.2. RearCylindrical13.11.2. Light TypeStrobe type13.11.4. DimensionsDiameter of 4-5 inches for circular or length13.11.4. DimensionsDiameter is 5-7 inches and width 2-3 inches for rectangular13.11.5. MaterialPolycarbonate (min)13.11.6.1. FrontTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2. RearManufacturer's standard13.11.7. Water sealManufacturer's standard13.12. Siren4 programs and 100 watts13.13. OVM ToolsManufacturer's standard	13.8 Crash Guard		
13.9. Saddle BagShall be provided with lock and stainless- steel support or crash guard13.10. WindshieldInstalled13.11. BlinkerManufacturer's standard13.11.1. DesignCircular or rectangular13.11.1.1. FrontCircular or rectangular13.11.2. RearCylindrical13.11.3. ColorBlue or Red or Yellow13.11.4. DimensionsDiameter of 4-5 inches for circular or length13.11.4. FrontDiameter of 4-5 inches for circular or length13.11.4. DimensionsDiameter is 5-7 inches13.11.4.1. FrontTwo (2) blinkers mounted on the front13.11.6. MountingTwo (2) blinkers mounted on the front13.11.6.1. FrontTwo (2) blinkers mounted on the front13.11.6.2. RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7. Water sealManufacturer's standard13.12. Siren4 programs and 100 watts13.13. OVM ToolsManufacturer's standard	10.0. 012011 Oddid	Left and right	
steel support or crash guard 13.10. Windshield Installed 13.11. Blinker Manufacturer's standard 13.11.1. Design Circular or rectangular 13.11.1. Front Circular or rectangular 13.11.2. Rear Cylindrical 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.4.2. Rear Height or diameter is 5-7 inches 13.11.5. Material Polycarbonate (min) 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard	13.9 Saddle Bag	Shall be provided with lock and stainless-	
13.10. Windshield Installed 13.11. Blinker	10.0. Oddio Dug	steel support or crash guard	
Manufacturer's standard 13.11. Blinker 13.11.1. Design 13.11.1. Front Circular or rectangular 13.11.1.2. Rear Cylindrical 13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.4.2. Rear Height or diameter is 5-7 inches 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.11.1.Design13.11.1.1.FrontCircular or rectangular13.11.1.2.RearCylindrical13.11.2.Light TypeStrobe type13.11.3.ColorBlue or Red or Yellow13.11.4.DimensionsDiameter of 4-5 inches for circular or length 5-7 inches and width 2-3 inches for rectangular13.11.4.1.FrontFront13.11.4.2.RearHeight or diameter is 5-7 inches13.11.5.MaterialPolycarbonate (min)13.11.6.MountingTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2.RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7.Water sealManufacturer's standard13.12.Siren4 programs and 100 watts13.13.OVM ToolsManufacturer's standard	13.10. Windshield	Manufacturer's standard	
13.11.1.Design13.11.1.1.FrontCircular or rectangular13.11.1.2.RearCylindrical13.11.2.Light TypeStrobe type13.11.3.ColorBlue or Red or Yellow13.11.4.DimensionsDiameter of 4-5 inches for circular or length 5-7 inches and width 2-3 inches for rectangular13.11.4.1.FrontFront13.11.4.2.RearHeight or diameter is 5-7 inches13.11.5.MaterialPolycarbonate (min)13.11.6.MountingTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2.RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7.Water sealManufacturer's standard13.12.Siren4 programs and 100 watts13.13.OVM ToolsManufacturer's standard	13.11. Blinker		
13.11.1.1.FrontCircular or rectangular13.11.1.2.RearCylindrical13.11.2.Light TypeStrobe type13.11.3.ColorBlue or Red or Yellow13.11.4.DimensionsDiameter of 4-5 inches for circular or length13.11.4.Dimensions5-7 inches and width 2-3 inches for rectangular13.11.4.1.FrontFront13.11.4.2.RearHeight or diameter is 5-7 inches13.11.5.MaterialPolycarbonate (min)13.11.6.MountingTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2.RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7.Water sealManufacturer's standard13.13.OVM ToolsManufacturer's standard			
13.11.1.2.RearCylindrical13.11.2.Light TypeStrobe type13.11.3.ColorBlue or Red or Yellow13.11.4.DimensionsDiameter of 4-5 inches for circular or length13.11.4.DimensionsDiameter of 4-5 inches for circular or length13.11.4.1.Front5-7 inches and width 2-3 inches for rectangular13.11.4.2.RearHeight or diameter is 5-7 inches13.11.5.MaterialPolycarbonate (min)13.11.6.MountingTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.1.FrontTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2.RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7.Water sealManufacturer's standard13.13.OVM ToolsManufacturer's standard	13.11.1.1. Front	Circular or rectangular	
13.11.2. Light Type Strobe type 13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 13.11.4.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.4.2. Rear Height or diameter is 5-7 inches 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard	13.11.1.2. Rear		
13.11.3. Color Blue or Red or Yellow 13.11.4. Dimensions Diameter of 4-5 inches for circular or length 5-7 inches and width 2-3 inches for rectangular 13.11.4.1. Front 5-7 inches and width 2-3 inches for rectangular 13.11.4.2. Rear Height or diameter is 5-7 inches 13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard			
13.11.4.Dimensions13.11.4.Diameter of 4-5 inches for circular or length 5-7 inches and width 2-3 inches for rectangular13.11.4.2.Rear13.11.5.Material13.11.6.Mounting13.11.6.1.Front13.11.6.2.Rear13.11.7.Water seal13.11.7.Water seal13.12.Siren13.13.OVM Tools13.13.Manufacturer's standard	13.11.3. Color	Blue or Red or Yellow	
13.11.4.1.Front5-7 inches and width 2-3 inches for rectangular13.11.4.2.RearHeight or diameter is 5-7 inches13.11.5.MaterialPolycarbonate (min)13.11.6.MountingTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.1.FrontTwo (2) blinkers mounted on the front stainless steel crash guard13.11.6.2.RearOne (1) mounted on the rear with an adjustable height stainless steel pole13.11.7.Water sealManufacturer's standard13.12.Siren4 programs and 100 watts13.13.OVM ToolsManufacturer's standard			
13.11.5. Material Polycarbonate (min) 13.11.6. Mounting Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard	13.11.4.1. Front	5-7 inches and width 2-3 inches for rectangular	
13.11.6. Mounting 13.11.6.1. Front 13.11.6.2. Rear 13.11.7. Water seal 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools			
13.11.6.1. Front Two (2) blinkers mounted on the front stainless steel crash guard 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard		Polycarbonate (min)	
13.11.6.2. Rear Stainless steel crash guard 13.11.6.2. Rear One (1) mounted on the rear with an adjustable height stainless steel pole 13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard	13.11.6. Mounting		
13.11.7. Water seal Manufacturer's standard 13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard	13.11.6.1. Front	stainless steel crash guard	
13.12. Siren 4 programs and 100 watts 13.13. OVM Tools Manufacturer's standard		adjustable height stainless steel pole	
13.13. OVM Tools Manufacturer's standard		Manufacturer's standard	
13.13. OVM Tools Manufacturer's standard		4 programs and 100 watts	
13.14. Helmet One (1) full face with ICC sticker		Manufacturer's standard	
	13.14. Helmet	One (1) full face with ICC sticker	

Conforme:

Bidder's Company Name

tonor. Patriotism. Difty.

Page 2 of 3

Signature of Authorized Representative



By 2028, a world class Army that is a source of national pride. Technical Specifications for Motorcycle TS NR: ORDV03(650-00)11-22

PREPARED BY:

ROXANNE R SANTOS Major/ (OS) Chief, PRB PA

BERNIE AF Major (OS) AFABLE PA Chief, Mobility Branch

RECOMMENDED BY:

JESUS JEFFREYF GRAPA Colonel GSC (OS) PA ACOCS

APPROVED BY:

ROMEO S BRAWNER JR Lieutenant General PA Commanding General PAL

PGS O O

Honor. Patriotism. Duty.

Page 3 of 3





H E A D Q U A R T E R S P H I L I P P I N E A R M Y OFFICE OF THE ARMY CHIEF ORDNANCE AND CHEMICAL SERVICE Fort Andres Bonifacio, Metro Manila

TAP NR: ORDV03(S-00)11-22

DEC 2 1 2022

TEST AND ACCEPTANCE PROCEDURES OF MOTORCYCLES

1. GENERAL

1.1. Scope: This Test and Acceptance Procedure shall apply to motorcycles.

1.2. Objective: To determine compliance of the motorcycles with standards/specifications and operational performance set forth with the end user's requirement.

1.3. Guidelines:

1.3.1. The manufacturer/supplier shall ensure the completeness of the quantity stated in the contract prior to the inspection.

1.3.2. The technical inspection and test of 100% shall be conducted on all samples through visual/physical and functional to determine the over-all workmanship, completeness, type, material and functionality of the parts.

1.3.3. The allocated samples for dimensional and weight measurements shall be in accordance with **Para 3.1 – Allocation of Samples** to determine the conformance to the technical specification.

1.3.4. All manufacturer's standard specifications shall be provided with certification or engineering design/description and be given to the inspection team prior to the conduct of the test and inspection.

1.3.5. Results obtained shall be recorded and evaluated to determine the compliance of the items to technical specifications and as the basis for acceptance or rejection of the items.

1.3.6. The Technical Inspection and Acceptance Committee (TIAC) for Ordnance-Mobility shall be composed of **personnel that have technical knowledge relevant to the items being inspected**.

1.4. Methodology:

1.4.1. The Test and Acceptance Procedure (TAP) is divided into three

(3) phases:

1.4.1.1. Completeness Inspection Phase - This phase shall cover the completeness inspection of the manufactured motorcycle.

1.4.1.2. Physical, Visual and Functional Inspection Phase - This phase shall cover the inspection of the manufactured motorcycle to include its parts and accessories in terms of completeness, workmanship, gauging and functionality.

<u>Conforme:</u>	Honor. Patriotism. Duty
Bidder's Company Name	
Signature of Authorized Representative	
Designation	Page 31 of 61



1.4.1.3. Validation and Evaluation of Documents Phase - This phase shall cover certificates, tests result and manufacturer's standard specification of the items to determine compliance to the Technical Specifications (TS).

2. PROCEDURES

2.1. Completeness Inspection

2.1.1. Purpose: The Technical Inspection and Acceptance Committee (TIAC) for Ordnance - Mobility shall check the completeness of manufactured items to include its accessories and added features.

2.1.2. Procedures:

2.1.2.1. Physically count the completeness of the delivered items to include its accessories and added features. (If the result is incomplete, do not proceed to the next step and terminate inspection.)

2.1.2.2. Randomly draw the sample and allocate sampling for test and inspection (See Para 3.1- Allocation of Sample).

2.1.2.3. Record observation/s.

2.1.3. Standards: The delivered items shall be complete including its accessories and added features during inspection.

2.2. Physical, Visual and Functional Inspection

2.2.1. Classification/Type

2.2.1.1. Purpose: To determine compliance of the motorcycle with the classification/type as required in the approved Technical Specification (TS).

2.2.1.2. Procedures:

2.2.1.2.1. Visually inspect the classification /type of

N

motorcycle.

2.2.1.2.2. Records observations.

2.2.1.3. Standard: The classification/type of motorcycle shall be according to Technical Specification (TS).

2.2.2. Engine

2.2.2.1. Purpose: To determine compliance of the motorcycle with the engine requirement in the approved Technical Specification (TS).

2.2.2.2. Procedures:

2.2.2.2.1. Visually and manually inspect the drive type, engine type, displacement, bore and stroke, starting system, ignition system and engine oil capacity of the engine.

2.2.2.2.2. Validate and evaluate the issued test results and certificates from the manufacturer.

2.2.2.3. Record observations.

Conforme:

Honor. Patriotism. Duty

Page 2 of 6

Bidder's Company Name

Signature of Authorized Representative

Designation

Page **32** of **61** PROCUREMENT OF MOTORCYCLE



2.2.2.3. Standards:

2.2.2.3.1. The engine shall be according to the approved Technical Specification (TS).

2.2.2.3.2. The engine shall be brand new, free from damages, and signs of poor workmanship.

2.2.3. Transmission

2.2.3.1. Purpose: To determine the type of transmission of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.3.2. Procedure: Visually and manually inspect the transmission of the motorcycle. Record Observations

2.2.3.3. Standard: The transmission shall be according to the approved Technical Specification (TS).

2.2.4. Fuel System

2.2.4.1. Purpose: To determine the fuel system of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.4.2. Procedure: Visually and manually inspect the fuel system of the motorcycle. Record observation.

2.2.4.3. Standard: The fuel system shall be according to the approved Technical Specification (TS).

2.2.5. Fuel Tank Capacity

2.2.5.1. Purpose: To determine the fuel tank capacity of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.5.2. Procedure: Fill in the empty fuel tank of the motorcycle up to its full capacity. Record observation.

2.2.5.3. Standard: The fuel tank capacity shall be according to the approved Technical Specification (TS).

2.2.6. Suspension

2.2.6.1. Purpose: To determine the type of front and rear suspension of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.6.2. Procedure: Visually and manually inspect the type of front and rear suspension installed in the motorcycle. Record observation.

2.2.6.3. Standard: The front and rear suspension shall be according to the approved Technical Specification (TS).

<u>Conforme:</u>
Bidder's Company Name

Page 3 of 6

Signature of Authorized Representative

Designation

Page **33** of **61** PROCUREMENT OF MOTORCYCLE Annex 2



2.2.7. Brake System

2.2.7.1. Purpose: To determine the type of front and rear brake system of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.7.2. Procedures:

2.2.7.2.1. Visually and manually inspect the type of front and rear brake system installed in the motorcycle.

2.2.7.2.2. Start the motorcycle, then drive and perform functionality checks of the brake system of the motorcycle (hand brake and foot brake).

2.2.7.2.3. Record observation.

2.2.7.3. Standards:

2.2.7.3.1. The front and rear brake system shall be according to the approved Technical Specification (TS).

2.2.7.3.2. The front and rear brake system shall be functional, brand new, free from damages, and signs of poor workmanship.

2.2.8. Wheels

2.2.8.1. Purpose: To determine the tire type and size (front and rear) and rim type and size of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.8.2. Procedure: Visually and manually inspect the wheel type and size (front and rear) of the motorcycle. Record observation.

2.2.8.3. Standards:

2.2.8.3.1. The tire type and size (front and rear) and rim type and size shall be according to the approved Technical Specification (TS).

2.2.8.3.2. The wheels shall be brand new, free from damages, and signs of poor workmanship.

2.2.9. Dimensions

2.2.9.1. Purpose: To determine the length, width, height, wheelbase, ground clearance and curb weight of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.9.2. Procedure: Using appropriate instrument, measure the dimensions and weight of the motorcycle. Record observation.

2.2.9.3. Standard: The dimension and weight shall be according to the approved Technical Specification (TS).

2.2.10. Battery

2.2.10.1. Purpose: To determine the type of battery installed in the motorcycle in accordance with the approved Technical Specifications (TS).



Honor. Patriotism. Duty

Page 4 of 6

Bidder's Company Name

Signature of Authorized Representative



2.2.10.2. Procedure: Visually inspect the presence and type of battery of the motorcycle. Record observation.

2.2.10.3. Standards:

2.2.10.3.1. The battery shall be according to the approved Technical Specification (TS). 2.2.10.3.2. The battery shall be brand new and free

from damages.

2.2.11. Body Color and Markings

2.2.11.1. Purpose: To determine the body color and markings of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.11.2. Procedure: Visually and manually inspect the body color of the motorcycle. Record observation.

2.2.11.3. Standard: The body color and markings shall be according to the approved Technical Specification (TS).

2.2.12. Performance

2.2.12.1. Purpose: To determine the power and torque of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.12.2. Procedure: Visually inspect, evaluate and validate the issued test results and certificates from the manufacturer. Record observation.

2.2.12.3. Standard: The power and torque shall be according to the approved Technical Specification (TS).

2.2.13. Minimum Standard Accessories

2.2.13.1. Purpose: To determine the minimum standard accessories of the motorcycle in accordance with the approved Technical Specifications (TS).

2.2.13.2. Procedure: Visually and manually inspect the minimum standard accessories of the motorcycle. Record observation.

2.2.13.3. Standards:

2.2.13.3.1. The minimum standard accessories shall be complete, free from defects and fully functioning,

2.2.13.3.2. The minimum standard accessories shall be according to the approved Technical Specification (TS).

2.3. TEST CERTIFICATES AND OTHER DOCUMENTATIONS

During inspection, the manufacturer/supplier shall provide copy of certificate covering the following tests that were conducted to all batch of delivery, to wit:



Honor. Patriotism. Duty

Page 5 of 6

Signature of Authorized Representative



- 2.3.1 Engine Displacement
- 2.3.2 Power
- 2.3.3 Torque

3. PASS/FAIL CRITERIA

3.1. Allocation of Sample

Particular	Total Number	Number of Samples for Inspection
Physical, Visual and Functional Inspection	100%	100%
Dimension and Weight		
1 st Sample	1:25	1
2 nd Sample	1.25	1

3.2. The rating that will be applied for the evaluation of manufactured motorcycle shall either be Passed (P) or Failed (F). In case of failure in one or more of the test parameters, the supplier may correct or replace the defects noted by the TIAC as long as it is within the provisions stipulated in the contract under the auspices of concerned contracting office.

PREPARED BY:

AFABLE BERNIE (OS) Major PA Chief, Mobility Branch



APPROVED BY:

JESUS JEF REY F GRAPA Colonel GSC (OS) PA ACOCS

<u>s</u> 0 🔗

Honor. Patriotism. Duty.

Conforme:

Bidder's Company Name

SECTION VIII: CHECKLIST OF REQUIREMENTS

	TECHNICAL COMPONENT ENVELOPE
TAB	Class "A" Documents
	LEGAL DOCUMENTS
Α	Valid and updated PhilGEPS Registration Certificate (Platinum Membership) in accordance with Section 8.5.2 of the Revised IRR of RA 9184 dated 15 Jan 2024 and GPPB Resolution 15-21 dated 14 October 2021.
	TECHNICAL DOCUMENTS
В	Statement of all Ongoing Government and Private Contracts (SOGPC), including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the last <u>Five (5) years</u> ;
	For non-expendable supplies , completed at least one (1) Single Similar Contract equivalent to at least Fifty Percent (50%) of the ABC of the Project to be bid; OR
С	At least two (2) Similar Contracts , the aggregate contracts amount should be equivalent to at least Fifty Percent (50%) of the ABC of the project to be bid, and the largest of these similar contracts should be equivalent to at least " twenty five percent (25%) of the ABC of the project to be bid.
	The bidder may make a reservation in a notarized document not to disclose the name of its client on the ground of an existing confidentiality agreement but must disclose the amount, status, and name of the project for purposes of validating the contents of the statement of single largest similar completed contract, subject to the full disclosure during post-qualification .
	For this project, "similar contract or project" shall mean Supply and/or Delivery of Motorcycle
D	Original copy of Bid Security . If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; <u>or</u> Original copy of Notarized Bid Securing Declaration;
	TECHNICAL REQUIREMENTS
	 Duly Complied Section VII. Technical Specifications; Duly Complied Section VI. Schedule of Requirements; Manufacturer's Brochure and Specifications that will conform to the Philippine Army Requirement; Warranty Certificate;
Е	*Note :
	 Distributorship relationship between the Bidder and the Manufacturer for the items offered has been valid and existing for at least 5 years at the time of bid opening. The copy of submitted Letter Request must have "RECEIVED" stamp by HAFPPS. Authorized local representative must submit the abovementioned document. In case of Joint Venture, each JV partner shall submit said Certificate or Letter Request. Overdue delivery shall mean undelivered or incomplete delivery of items after the due date of delivery or approved request for extension of delivery period.

	In the event of closure of business, termination of distributorship for the equipment, part and supplies, the distributor shall notify the Philippine Army accordingly for the new service centers with telephone numbers and address who can provide the needed parts, supplies and service.
F	Original duly signed Omnibus Sworn Statement (OSS);
G	 Proof of Authority For Local Manufacturer/authorized Distributor:
Н	must indicate in the same document the address, telephone number, mobile phone number, fax number and email address of the bidder or its authorized representative); FINANCIAL DOCUMENTS The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); OR A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	CLASS "B" DOCUMENT: (For Joint Venture)
I	 For Joint Ventures, Bidder to submit either: (i) Copy of the JOINT VENTURE AGREEMENT (JVA) in case the joint venture is already in existence, or (ii) Copy of Protocol/Undertaking of Agreement to Enter into Joint Venture signed by all the potential joint venture partners stating that they will enter into and abides by the provisions of the JVA in the instance that the bid is successful, in accordance with Sec 23.1(b) of the IRR. In case the joint venture is not yet in existence, the submission of a valid JVA shall be within ten (10) calendar days from receipt by the bidder of the notice from the BAC that the bidder is the Lowest Calculated and Responsive Bid [Sec 37.1.4 (a) (i) of the 2016 Revised IRR of RA 9184. The JVA or the Protocol/Undertaking of Agreement to Enter into Joint Venture must specifically state the name of the <u>Jocal company and or person</u>, as well as the <u>member company/partner</u> of the JV and/or the <u>lead person</u> appointed as the authorized representative/s and the lawful attorney-in-fact of the JV if awarded the contract. If Joint Venture is not applicable, the bidder must submit a duly signed statement stating that JVA is not applicable in lieu of the foregoing.
	Other documentary requirements under RA No. 9184 (as applicable)

	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
	FINANCIAL COMPONENT ENVELOP
Α	Original of duly signed and accomplished Financial Bid Form
	Original of duly signed and accomplished Bid Form
В	Original of duly signed and accomplished Price Schedule(s) .

Note:

In case of Inconsistency between the Checklist of Requirements for bidders and the provisions in the instructions to Bidders and Bid Data Sheet, the instructions to Bidders and Bid Data Sheet Prevail

SECTION IX. BIDDING FORMS

Notes on the Bidding Forms

The Bidder shall complete and submit with its Bid the **Bid Form** and **Price Schedules** in accordance with **ITB** Clause 15 with the requirements of the Bidding Documents and the format set out in this Section.

When requested in the BDS, the Bidder should provide the **Bid Security**, either in the form included hereafter or in another form acceptable to the Entity, pursuant to **ITB** Clause 18.1.

The **Contract Agreement Form**, when it is finalized at the time of contract award, should incorporate any corrections or modifications to the accepted Bid resulting from price corrections. The Price Schedule and Schedule of Requirements deemed to form part of the contract should be modified accordingly.

The **Performance Security Form** and **Bank Guarantee Form for Advance Payment** should not be completed by the Bidders at the time of their Bid preparation. Only the successful Bidder will be required to provide performance security and bank guarantee for advance payment in accordance with one of the forms indicated herein or in another form acceptable to the Procuring Entity and pursuant to **GCC** Clause 13 and its corresponding SCC provision.

The sworn affidavit must be completed by all Bidders in accordance with **ITB** Clause 4.2. Failure to do so and submit it with the bid shall result in the rejection of the bid and the Bidder's disqualification.

STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS (INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED)

Name of Client	Name of the Contract	Date and Status of the Contract	Kinds Of Goods	Amount Of Contract	Value of Outstanding Contracts	Date of Delivery	PO, NOA (please attach)
TOTAL	1	1		1		1	1 1

Instructions:

1. Statement of all on going contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project being bidded).

2. If there is no ongoing contract including those awarded but not yet started as of the aforementioned period, state "**NONE**" or equivalent term.

3. The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC).

CERTIFIED CORRECT:

Name and Signature of Authorized Representative

Position

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID WITHIN THE LAST FIVE (5) YEARS FROM DATE OF SUBMISSION AND RECEIPT OF BIDS

Name of Client	Name of the Contract	Date of the Contract	Kinds Of Goods	Amount Of Contract	Date of Delivery	TIAC Rep, OR, Sales Invoice, Collection Receipt
						Neceipi
TOTAL						

Instructions:

Please attach any of the following as attachment to the Statement of Single Largest Completed Contract

1) Copy of End User's Acceptance; OR

2) Copy of Official Receipt/s; OR

3) Copy of Sales Invoice with Collection Receipt/SOR Nr & Date, End-user's Acceptance date or Sales "Invoice with Collection Receipt (For those completed)

Note:

Statement of Single Largest Completed Contract (SLCC) similar to the contract to be bid within the last five (5) years from the date of Submission and Receipt of Bids;

Completed One (1) Single Contract similar to the contract to be bid amounting to at least Fifty Percent (50%) of the ABC of the project to be bid; **Or**

Completed at least **two (2) similar contracts**, the aggregate amount of should be equivalent to at least "Fifty Percent" (50%) of the ABC for this Project and the largest of these similar contracts must be equivalent to at least "twenty five percent" (25%) of the ABC of this project.

For this project, "similar contract or projects" shall pertain only to supply and/or delivery of "Motorcycle".

CERTIFIED CORRECT:

Name and Signature of Authorized Representative

Position

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY (PLS SHOW FIGURES AT HOW YOU ARRIVED AT THE NFCC)

This is to certify that our Net Financial Contracting Capacity (NFCC) is **Philippine Pesos**(PhP _____) which is at least equal to the
total ceiling price we are bidding. The amount is computed as follows;

CA	=	Current Assets	PhP
Less:			-
CL	=	Current Liabilities	
		Sub-total 1	PhP
			X 15
		Sub-total 2	PhP
Less:			-
с	=	Value of all outstanding or uncompleted portions of the projects under on-going contracts, including awarded contracts yet to be started coinciding with the contract for this project.	PhP
		NFCC	PhP

Issued this ______day of _____, 20____.

CERTIFIED CORRECT:

Name and Signature of Authorized Representative

Position

(NAME OF BANK) COMMITTED LINE OF CREDIT

Date: _____

Philippine Army Bids and Awards Committee Fort Andres Bonifacio, Metro Manila

CONTRACT/PROJECT	:
COMPANY FIRM	·
ADRESS	:
BANK/FINANCING INSTITUTION	:
ADRESS	:
AMOUNT	:

This is to certify that the above Bank/Financing Institution with Business address indicated above, commits to provide the (Supplier/Distributor/Manufacturer/Contractor), if awarded the above-mentioned Contract, a credit line in the amount specified above which shall be exclusively used to finance the performance of the above-mentioned contract subject to the terms, conditions and requirements.

The committed line of credit must be available on the date of submission of opening of bid and maintained until issuance of the Certificate of Acceptance.

This Certification is being issued in favor of said (Supplier/Distributor/Manufacturer/Contractor) in connection with the bidding requirement of (Name of Procuring Entity) for the above-mentioned Contract. We are aware that any false statement issued by us make us liable for perjury.

This Committed line of credit cannot be terminated or cancelled without the prior written approval of the Philippine Army.

Name and Signature of Authorized Financing Institution Office

Official Designation

Concurred by:

Name and Signature of Supplier/Distributor/Manufacturer/Contractor authorized representative

Official Designation

SUBSCRIBED AND SWORN TO BEFORE ME this _____day of _____at ____, Philippines. Affiant exhibited to me his/her competent Evidence of identity (as defined by the 2004 Rules on Notarial Practice ______issued ______at _____, Philippines.

Doc No:	
Page No:	
Book No:	
Series of:	

NOTARY PUBLIC

Amount should be machine validated

PROTOCOL/UNDERTAKING OF AGREEMENT TO ENTER INTO JOINT VENTURE

This **PROTOCOL/UNDERTAKING OF AGREEMENT TO ENTER INTO JOINT VENTURE** executed by:

_____, A sole proprietorship/corporation duly organized and existing under and by virtue of the laws of the Philippines, with offices located at ______, represented herein by its , hereinafter referred to as

-and-

_____ A sole proprietorship/corporation duly organized and existing under and by virtue of the laws of the Philippines, with offices located at ______, represented herein by its _____, hereinafter referred to as ______,

For submission to the **Philippine Army Bids and Awards Committee (PABAC**), pursuant to Section 23.1 (b) of the Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No 9184.

WITNESSETH That:

WHEREAS, the parties desire to participate as a joint venture in the public bidding that will be conducted by the PABAC pursuant to Republic Act (RA) No 9184 and its Revised Implementing Rules and Regulations (IRR) with the following particulars:

Bid Reference No.	
Name/Title of Procurement Project	
Approved Budget for the Contract	

NOW THETREFORE, in consideration of the foregoing, the Parties undertake to enter into a JOINT VENTURE and sign a Joint Venture Agreement relative to their joint cooperation for this bid project, in the event that their bid is successful, furnishing the PABAC a duly signed and notarized copy thereof within ten (10) calendar days from receipt of Notice from the BAC that our bid has the lowest calculated responsive bid or highest rated responsive bid (as the case may be).

For purposes of this bid project, and unless modified by the terms of the Joint Venture Agreement, the following party shall be the authorized representative of the JV:

JV Partner (Name of Company)

Authorized Rep of the JV Partner: (Per attached Secretary's Certificate)

Name

Designation

That furthermore, the parties agree to be bound jointly and severally under the said Joint Venture Agreement;

THAT Finally, failure on our part to enter into the Joint Venture and/or sign the Joint Venture Agreement for any reason after the Notice of Award has been issued by shall be a ground for non-issuance by PABAC of the Notice to Proceed, forfeiture of our bid security and such other administrative and/or civil liabilities as may be imposed by PABAC under the provisions of Republic Act (RA) No 9184 and its Revised Implementing Rules and Regulations (IRR), without any liability on the part of PABAC.

This undertaking shall form an integral part of our Eligibility documents for the above-cited project.

IN WITNESS WHEREOF, the parties have signed this Protocol/Undertaking on the date first above-written.

[JURAT]

SUBSCRIBED AND SWORN TO BEFORE ME this _____day of _____at ____, Philippines. Affiant exhibited to me his/her competent Evidence of identity (as defined by the 2004 Rules on Notarial Practice ______ issued ______ at _____, Philippines.

NOTARY PUBLIC

Doc No:	
Page No:	
Book No:	
Series of:	

Bidder's Company Letterhead

Procurement of Motorcycle Bid Ref. No. ORD PABAC2-026-24

CERTIFICATE OF JOINT VENTURE NON-EXISTENCE

This is to certify that(name of bidder)will be participating withouta joint venturepartnerin the procurement of(name ofproject).Further, the undersigned acknowledgesthat Joint VentureAgreement is Not Applicable for the abovementioned project.

CERTIFIED CORRECT:

Name and Signature of Bidder/Authorized Representative

Position

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

BID SECURING DECLARATION FORM

Procurement of Motorcycle Bid Ref. No. ORD PABAC2-026-24

To: [Insert name and address of the Procuring Entity]

I/We¹, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i)
 I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

[Jurat]

¹ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of ___, 20___ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

SUBSCRIBED AND SWORN to before me this _____day of _____at ____, Philippines, by the affiant/s himself/herself/themselves whom I was able to personally identify through his/her/their [insert type of valid government identification card used], which he/she/they has/have presented to me.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission				
Notary Public for	or until			
Roll of Attorney	s No			
PTR No.	[date issued], [place issued]			
IBP No	[date issued], [place issued]			

Doc No:	
Page No:	
Book No:	
Series of:	

Bid Form

Date : _____ Bid Ref. No. : _____

To: PHILIPPINE ARMY BID AND AWARDS COMMITTEE 2

Having examined the Bidding Documents including the Supplemental/Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Bidding Documents;

b. to provide a performance security in the form, amounts, and within the times prescribed in the Bidding Documents;

c. to abide by the Bid Validity Period specified in the Bidding Documents and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the Bidding Documents.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

FINANCIAL BID FORM

Description	Qty (Units)	ABC	Bidder's Proposal		
	(01115)	U/P	Total Price	U/P	Total Price
Motorcycle	2	140,000.00	824,000.00		
Total Bid Price (Amo	ount in wo	ords):			

Note: If the particular column is not applicable indicate N/A.

Conforme:

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

PRICE SCHEDULE

For Goods Offered From Abroad

١	Name of Bi	dder			Bid Ref Nr	Page _	of	
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Qty	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered at Place (DAP)	Unit price Delivered Duty Paid (DDP)	Total Price -(if DAP col 4X7) -(If DDP col 4X8)
N	Joto If the	a nartici	ular c	olumn is not an	olicable ind	icata dach I	(-) or zero ((11) 26

Note: If the particular column is not applicable indicate **dash** (-) or zero (0), as applicable.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

PRICE SCHEDULE For Goods Offered From Within the Philippines

Name of Bidder ______. Bid Ref Number __. Page _____ of ____.

1	2	3	4	5	6	7	8	9	10
1 Item	2 Descriptio n	3 Country of origin	4 Quantity	5 Unit price Exw per item	6 Transportati on and Insurance and all other costs incidental to delivery, per item	7 Sales and other taxes payable if Contract is awarded, per item	8 Cost of Incidental Services, if applicable, per item	9 Total Price, per unit (col 5+6+7+8)	10 Total Price delivered Final Destination (col 9) x (col 4)
) or zoro ((

Note: If the particular column is not applicable indicate dash (-) or zero (0), as applicable.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Contract Agreement Form

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:

- (a) Bidding Documents
 - (i) The Schedule of Requirements;
 - (ii) Technical Specifications;
 - (iii) General Conditions of Contract;
 - (iv) Supplemental or Bid Bulletins, if Any

(b) Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- (c) Performance Security
- (d) Notice of Award, and the Bidder's conforme thereto, and

(e) Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the Bidding Documents. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract..

3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS where of the parties here to have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Signatory's Legal Capacity] for: [Insert Procuring Entity]: [Insert Name and Signature] [Insert Signatory's Legal Capacity] for [Insert Name of Supplier]

Acknowledgment [Format shall be based on the latest Rules on Notarial Practice]

NOTE: The acknowledgment must conform to the 2004 Rules on Notarial Practice (Supreme Court of the Philippines A.M. No. 02-8-13-SC and/or any appropriate law

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.

2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;

3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:

a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:

- i. Procuring Entity has no claims filed against the contract awardee;
- ii. It has no claims for labor and materials filed against the contractor; and
- iii. iii. Other terms of the contract; or

b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Pursuant to GPPB Resolution No. 16-2020 dated 16 September 2020 and GPPB Resolution No. 09-2020 dated 07 May 2020 to be used as an alternate performance security during a state of calamity or imposition of community quarantine.

Special Bank Guarantee or Irrevocable Standby Letter of Credit (For Retention Money, As Applicable)

To: [name and address of PROCURING ENTITY] [name of Contract]

WHEREAS,						with	principal	offices	located	at
				(herein	after	called	"the Cont	ractor/Su	upplier")	has
undertaken,	in	pu	rsuance	of						
				_					da	ted
		to	execute	supply	of					at

AND WHEREAS, it has been stipulated by you in the said Contract that the Contractor/Supplier shall furnish you with a Special Bank Guarantee / Irrevocable Standby Letter of Credit (as applicable) by an authorized bank for the sum specified therein as security for compliance with their obligations in accordance to with the contract, including a warranty that the GOODS supplied are free from patent and latent defects and performance of corrective work for any manufacturing defects will be undertaken as required and that all the conditions imposed under the contract shall been fully met;

AND WHEREAS, we have agreed to give the Contractor/Supplier such a Special Bank Guarantee/ Irrevocable Letter of Credit (as applicable);

NOW THEREFORE, we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of PhP ______ proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon you first written demand and without cavil or argument, any sum or sums within the limits of PhP ______ as aforesaid without you needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby further affirm that this bank guarantee/standby letter of credit (as applicable) is irrevocable and intended to answer for the performance of corrective work for any manufacturing defects, to warrant that the goods supplied are free from patent and latent defects and to warrant that all conditions imposed under the contract have been fully met by the Contractor/Supplier.

We hereby waive the necessity of your demanding the said debt from the Contractor/Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until	or a minimum of
one (1) year, whichever comes later.	
SIGNATURE AND SEAL OF THE GUARANTOR	

NAME OF BANK

ADDDRESS

Form of Performance Security (Bank Guarantee)

To : PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 2 Fort Andres Bonifacio, Metro Manila

WHEREAS, [insert name and address of Supplier] (hereinafter called the "Supplier") has undertaken, in pursuance of Contract No. [insert number] dated [insert date] to execute [insert name of contract and brief description] (hereinafter called the "Contract");

AND WHEREAS, it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract; AND WHEREAS, we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE, we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of [insert amount of guarantee]5 proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [insert amount of guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until the date of your issuance of the Notice of Final Acceptance.

SIGNATURE AND SEAL OF THE GUARANTOR	
NAME OF BANK	
ADDRESS	
DATE	

MANUFACTURER'S CERTIFICATION ON CONFORMANCE TO THE PROJECTS TECHNICAL SPECIFICATIONS AND TEST AND ACCEPTANCE PROCEDURES

I, _____, Production Engineer/Technical Personnel of ______(Name of Foreign Company/Bidder) hereby certify that I have read and understood each and every page of the Technical Specifications and Test and Acceptance Procedures, Procurement of ______for Philippine Army under Bid Ref Nr_____ copies of which we have acknowledged to have received on ______.

I/WE understand that having issued this Certification, we conform to the requirements of the above-stated Project as detailed in the Technical Specifications and other Technical documents and that, in the event that the Contract for the Project is awarded to us, we certify to complete and accomplish our obligations in accordance with, the term and conditions of the said project. This Certification is part of our Technical Bid for the above-mentioned project.

I/WE are executing this Certification to attest to the truth of the foregoing fact/s.

Name

Signature

PRODUCTION ENGINEER/ TECHNICAL PERSONNEL Position in the Company

