

# HEADQUARTERS PHILIPPINE ARMY FFICE OF THE PHILIPPINE ARMY BIDS AND AV

OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE
Fort Andres Bonifacio, Taquiq City

# **BIDDING DOCUMENTS**

### for the

# Procurement of 10 pcs Night Fighting System

**SIG PABAC2-013-24** 

ABC: PhP3,040,000.00

Date of Opening of Bids: July 16, 2024 at 9:00 AM

Sixth Edition July 2020

## TABLE OF CONTENTS

GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS	3
SECTION I. INVITATION TO BID	6
SECTION II. INSTRUCTIONS TO BIDDERS	8
SECTION III. BID DATA SHEET	14
SECTION IV. GENERAL CONDITIONS OF CONTRACT	19
SECTION V. SPECIAL CONDITIONS OF CONTRACT	21
SECTION VI. SCHEDULE OF REQUIREMENTS	28
SECTION VII. TECHNICAL SPECIFICATIONS	29
SECTION VIII. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS	32

#### **GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS**

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** – Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

CPI - Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project** – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI - Government Financial Institution.

**GOCC** – Government-owned and/or – controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification

facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

### Section I. Invitation to Bid

# Procurement of 10 pcs Night Fighting System BID REF# SIG PABAC2-013-24

- 1. The Philippine Army, through the Advice of Sub-Allotment (ASA) Nr 2800-2024-0042 dated 18 January 2024 duly signed by COL CHRISTOPHER M DIAZ GSC (INF) PA, AC of S for FM, G10, PA, intends to apply the sum of Three Million Forty Thousand Pesos (PhP3,040,000.00) being the ABC to payments under the contract for the Procurement of 10 pcs Night Fighting System under SIG PABAC2-013-24. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Philippine Army now invite Bids for the above Procurement Project. Delivery of the Goods is required within **Two Hundred Forty (240) calendar days** from receipt of Notice to Proceed (NTP) by the Supplier, which date shall not be later than seven (7) days from the issuance of NTP. Bidders should have completed within **five (5) years** from the date of Submission and Receipt of Bids a Contract similar to the project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184 otherwise known as the "Government Procurement Reform Act".

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

- 4. Prospective Bidders may obtain further information from PABAC2 Secretariat and inspect the Bidding Documents at the address given below during office hours (8:00AM to 4:00PM) on weekdays only.
- 5. The complete set of Bidding Documents may be acquired by interested Bidders on **June 25**, **2024** from the given address and websites below in the amount of **PhP5,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person, by facsimile, or through electronic means.
- 6. The Philippine Army through PABAC2 will hold a Pre-Bid Conference on the time and date as specified below at the Office of the PABAC2, Fort Andres Bonifacio, Taguig, Metro Manila and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders.
- 7. Bids must be duly received by the PABAC2 Secretariat through manual submission at the office address indicated below on or before the date of submission of bids. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.

9. Bid opening shall be on the date as specified below and at the given address below and/or through video conferencing or webcasting. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

The schedule of the bidding activities shall be as follows:

ACTIVITIES	TIME and DATE	VENUE
1. Sale and Issuance of Bidding Documents	8:00 am to 5:00 pm only Mondays - Fridays starting June 25, 2024	Office of the DADACO
2. Pre-Bid Conference	July 2, 2024 at 9:00 AM	Office of the PABAC2, Fort Andres Bonifacio, Taguig City
3. Submission, Opening, and Bids Evaluation	July 16, 2024 at 9:00 AM	

10. The Philippine Army reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

Tie breaking method should be non-discretionary and non-discriminatory. The same shall be based on sheer luck or chance (Toss coin and in chronological order based on the submission of bids).

11. For further information, please refer to:

Office of the PA Bids and Awards Committee 2 Fort Andres Bonifacio, Taguig City

#### **BGEN BENJAMIN L HAO PA**

PABAC2 Chairperson

Contact Nr. +63939-318-5696

Email address: pabacsec2@gmail.com

12. You may visit the following websites:

For downloading of Bidding Documents:

- philgeps.gov.ph
- army.mil.ph

Date of Issue:

### Section II. Instruction to Bidders

#### 1. Scope of Bid

The Procuring Entity, through the Philippine Army Appropriations CY 2024 wishes to receive Bids for the **Procurement of 10 pcs Night Fighting System** under SIG PABAC2-013-24.

The Procurement Project (referred to herein as "Project") is composed of the following:

Item Nr	Quantity	Unit	Description
1	10	pcs	Night Fighting System

The details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the amount of **Three Million Forty Thousand Pesos (PhP3,040,000.00).**
- 2.1. The source of funding is: RA 11975 Capital Outlay.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules, and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration, and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When the Goods sought to be procured are not available from local suppliers;
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of **Non-Expendable** Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to **at least fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

The Procuring Entity has prescribed that **Subcontracting is not allowed**.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address indicated herein and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB.** 

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the last five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and,
- iv. The price of other (incidental) services, if any, listed in e.

#### b. For Goods offered from abroad:

- i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in **Philippine Pesos**.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid within one hundred twenty (120) calendar days from the date of opening of bids. Any Bid not accompanied by acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as: One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Section III. Bid Data Sheet

ITB	
Clause	
3	Non-compliance and/or non-conformance with the prescribed forms as provided in the Annexes of this Bidding Documents will be a ground for disqualification.
5.2	Foreign Bidders must be duly represented by an authorized local representative (any corporate body or commercial company duly organized and registered under the laws of the Philippines or a citizen of the Philippines).
5.3	For this purpose, contracts similar to the Project shall mean "Supply and Delivery of Night Fighting System" which must be completed within five (5) years prior to the deadline of the submission and receipt of bids.
7	No portion of the contract shall be subcontracted.
	For foreign bidders, the equivalent document/s issued by the appropriate authority in the country of origin of the bidder concerned must be presented. If said document has no appropriate equivalent, a Certificate of Inexistence of Appropriate Foreign Equivalent may be submitted.
10	The local representative of Foreign Bidders shall also submit PhilGEPS Certificate of Registration (Platinum Membership), or a Valid and Current Proof of Authority issued by the foreign bidder (in case the authorized local representative is an individual).
	Each partner of the joint venture shall submit their respective PhilGEPS Certificates of Registration. The submission of technical and financial eligibility documents by any of the joint venture partners constitutes compliance. The partner responsible to submit the NFCC shall likewise submit the Statement of all of its on-going contracts and Audited Financial Statements.
12.1	The price of the Goods shall be quoted <b>Delivered-At-Place (DAP)</b> to be delivered at: <b>Signal Warehouse</b> , <b>1SBn</b> , <b>1LSG</b> , <b>ASCOM</b> , <b>PA</b> , <b>ASR Compound</b> , <b>Fort Bonifacio</b> , <b>Taguig City</b> , <b>Philippines</b> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:  a. The amount of not less than <b>Sixty Thousand Eight Hundred Pesos</b> ( <b>PhP60,800.00</b> ) [two percent (2%) of the ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	<ul> <li>b. The amount of not less than One Hundred Fifty-Two Thousand Pesos (PhP152,000.00) [five percent (5%) of the ABC], if bid security is in Surety Bond.</li> <li>Note:</li> </ul>
	The bid security shall be payable to the Procuring Entity, however, if it is in the form of a manager's check, it shall be payable to the Collecting Officer, Finance Center, PA.

	Each Bidder shall submit <b>one (1) original and two (2) other copies</b> of the first and second components of its bid with proper tabbing.			
15	Note:  • The Bid shall be signed on every page and/or initialed by the duly authorized representative/s of the bidder to include all photocopies. Any document that was not signed and/or initialed by the authorized representative/s of the bidder shall be a ground for disqualification.			
18	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.			
	The Project shall be awarded as one contract.			
19.3		Description	Qty	ABC (Pesos)
		Night Fighting System	10 pcs	304,000.00
			Total	3,040,000.00

**Post-Qualification Requirements:** In accordance with Section 34.2 the 2016 Revised IRR of RA No 9184, the Bidder shall submit the following documents within a non-extendible period of **five (5) calendar days** from receipt of the notice from the BAC that it is the LCB/SCB:

#### **POST-QUALIFICATION REQUIREMENTS**

#### **Present Original Copy and submit photo copy:**

	TAD	Additional Dest Qualification Deguirements
	TAB	Additional Post Qualification Requirements
	Α	Registration Certificate from the Securities and Exchange
		Commission (SEC), Department of Trade and Industry (DTI) for
		sole proprietorship, or CDA for cooperatives
	В	Mayor's/Business permit issued by the local government where
		the principal place of business of the bidder is located
20.2	С	Tax Clearance per E.O. No. 398, s. 2005, as finally reviewed
20.2		and approved by the Bureau of Internal Revenue (BIR)
		Latest Audited Financial Statements showing, among others,
		the prospective bidder's total and current assets and liabilities
		stamped "received" if manually filed or "attachment of system
		generated Transaction Reference Number and email to the
	D	system user" if electronically filed issued by the Bureau of
		Internal Revenue or its duly accredited and authorized
		institutions, for the preceding calendar year which should not be
		earlier than two years from the date of bid submission; Provided
		that original copies of the digitally submitted documents will be
		presented upon request
		Latest income and business tax returns within the last six (6)
	E	months preceding the date of bid submission, manually filed Tax
	_	Returns or filed and paid through the BIR Electronic Filing and
		Payment System (eFPS)
		Certificate from AFPS that the bidder has no overdue delivery
	F	and is not Blacklisted, if not submitted during bid opening
		and is not blacklisted, if not submitted during bid opening

G	Certificate of Notarial Commission of the lawyer who notarized		
	the documents submitted by the bidder		
	Supporting documents for all on-going government and		
	private contracts:		
	a. Notice of Award; or Notice to Proceed; or Contract; or		
Н	Purchase Order or its equivalent issued by the end-user;		
	and		
	If applicable, Notice of Extension/Suspension if the project is		
	overdue.		
	Supporting documents for the Single Largest Completed		
	Contract:		
	1. Notice of Award, Notice to Proceed, Contract, Purchase		
	Order or its equivalent issued by the end-user; <b>and</b>		
ı	Certificate of Completion and/or Technical Inspection and		
	Acceptance Committee (TIAC) Report, Sales Invoices with		
	Official Receipts, End-User's Acceptance or its equivalent,		
	provided that the same expressly states that the Goods		
	were received in good condition.		
J	Company Profile (Organization, Affiliated Companies,		
	Production Capability)		
K	Vicinity map/location of the business		
L	Warranty Undertaking (Annex 8)		
M	Certificate of Replacement for Defective Items (Annex 9).		
	Certification from the relevant government office of their country		
N	stating that Filipinos are allowed to participate in government		
	procurement activities for the same item or product.		
	Certification from the DTI if the Bidder claims preference as a		
0			

#### FOR FOREIGN MANUFACTURER/BIDDER:

Equivalent to the above-enumerated documents issued by country or place of business in English. If not in English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid; AND

**Note:** The local representative of the foreign bidder must likewise submit and present **Registration Certificate** from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives; and, its Valid and current **Mayor's/Business permit** issued by the local government where the principal place of business of the bidder is located.

In case of Joint Venture, each partner must present/submit the above documents. The partner who is responsible to submit the NFCC shall submit the Statement of all its on-going contracts and its supporting documents.

#### Note:

21.1

Failure to submit the following requirements on time or a finding against the veracity of such shall be ground for the forfeiture of the bid security and disqualify the bidder for award.

Subject to submission of documents that may be required by existing laws and the Procuring Entity

Additional Contract Document/s:

- a. Applicable to Foreign Bidders:
- b. SEC Certificate of Registration of the Foreign Corporation, or the SEC Certificate of Registration of the Foreign consulting firm, and/or the authority or license from the appropriate Government Agency or Professional Regulatory Body of the Foreign Professionals engaging in the practice of regulated professionals and allied professions, where applicable, to be submitted within ten (10) calendar days from receipt of the Notice of Award, pursuant to GPPB Resolution No 25-2019 dated 30 October 2019.
- **21.2** No additional requirements.

### Section IV. General Conditions of Contract

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of the Contract

GCC	
Clause	Dolivory and Documents
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of <b>INCOTERMS</b> published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods Supplied from Abroad: The delivery terms applicable to the Contract are "Delivered-At-Place" (DAP) Signal Warehouse, 1SBn, 1LSG, ASCOM, PA, ASR Compound, Fort Bonifacio, Taguig City, Philippines in accordance with INCOTERMS.
	For Goods Supplied from Within the Philippines: "The delivery terms applicable to this Contract are delivered Signal Warehouse, 1SBn, 1LSG, ASCOM, PA, ASR Compound, Fort Bonifacio, Taguig City, Philippines". Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in <b>Section VI. Schedule of Requirements</b> .
	The details of shipping and/or other documents to be furnished by the Supplier are as follows:
	<ul> <li>For Goods supplied from within the Philippines:</li> <li>Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:</li> <li>Original and four copies delivery receipt/note, railway receipt, or truck receipt;</li> <li>Original Supplier's factory inspection report;</li> <li>Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;</li> <li>Original and four copies of the certificate of origin (for imported Goods);</li> <li>Delivery receipt detailing number and description of items received signed by the authorized receiving personnel; and</li> <li>Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.</li> </ul>

#### For Goods supplied from abroad:

Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

- Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- Original and four copies of the negotiable, clean shipped on-board bill of lading marked "freight pre-paid" and five copies of the nonnegotiable bill of lading;
- Original Supplier's factory inspection report;
- Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- Original and four copies of the certificate of origin (for imported Goods);
- Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site; and
- Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is: PA TIAC; APAO; OG10, PA.

#### Incidental Services -

The Supplier is required to provide all of the following services, including additional services specified in Section VI. Schedule of Requirements, if any:

- furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- ➤ training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Packaging – (Annex 4-C)

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

#### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other

named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available, but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered *force majeure* in accordance with **GCC** Clause 22.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

#### Intellectual Property Rights -

The Supplier shall identify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Payment shall be made by Check for local Supplier, or through irrevocable Letter of Credit (LC) in case of foreign supplier/manufacturer.

In case payment shall be made by LC, the Procuring Entity shall open the irrevocable LC in favor of the Supplier in accordance with the terms provided below in an Authorized Government Depository Bank after the approval of the Contract by the HOPE and cash transfer from the PA to the Authorized Government Depository Bank, to wit:

- a. Mode of Transmission: Full cable telex/S.W.I.F.T;
- Advising and/or Confirmation: LC may be advised and/or confirmed by any bank to be identified by the Supplier, at the latter's sole expense;

2.2

- c. Payee Bank: The LC draft (if any) shall be drawn on the confirming bank;
- d. Beneficiary: [Insert name and address of Supplier with Point of Contact];
- e. Currency and Amount of LC: LC shall be in Philippine Peso, in an amount equivalent to the Total Contract Price. The 95% of the amount of LC shall be released upon completion of all the required documents enumerated in SCC Clause 2.2(f) of the Bidding Documents and the 5% shall be released upon expiration of the warranty period provided in SCC Clause 5.1 in the Bidding Documents;
- f. The terms of payment shall be as follows: "One Time Payment" to the Supplier at the time of the final acceptance of the Goods by the Procuring Entity made in accordance with Section VI. Schedule of Requirements, and the submission or presentation of the following documents:
  - i. Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
  - ii. Negotiable, clean shipped on-board Bill of Lading marked "Freight Pre-Paid" and/or "Non-Negotiable Bill of Lading" or "Airway Bill";
  - Original Supplier's factory inspection report or certificate of pre-delivery test and inspection report by PA TIAC (as applicable);
  - iv. Manufacturer's and/or Supplier's warranty certificate;
  - v. Certificate of Origin (for imported GOODS);
  - vi. Delivery Receipt detailing number and description of items received signed by the Procuring Entity's representative at the Delivery Site;
  - vii. Certificate of Acceptance by the PA Technical Inspection and Acceptance Committee (PA TIAC).

#### Note:

Payments shall be made only upon certification by the HoPE to the
effect that the Goods have been rendered or delivered in
accordance with the prescribed delivery schedule of this Contract
and have been duly inspected and accepted.

The performance security shall be in an amount not less than the required percentage of the total contract price in accordance with the following schedule:

3

 a. Cash or cashier's/manager's check, or bank draft/guarantee or irrevocable letter of credit, issued by a Universal or Commercial Bank – 5% b. Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security – 30%

If the Performance Security is in the form of a Surety Bond, it must be in the name of the Philippine Army/AFP, and its validity must be until the issuance by the Procuring Entity of the Certificate of Final Acceptance. The Surety Bond must be duly notarized and signed by the Supplier's authorized representative indicating therein his/her full name.

A performance securing declaration may be submitted in lieu of a performance security during a State of Calamity, or until 31 December 2022 (Proclamation No. 57 dated 12 September 2022), unless earlier lifted or extended as circumstances may warrant. Once the State of Calamity is lifted the winning bidder is required to replace the submitted PSD with a performance security.

The inspections and tests that will be conducted are:

A. POST-QUALIFICATION, involving documents validation and plant/office visit and inspection of sample goods shall be conducted by the Procuring Entity or its designated representatives (PQ Team designated by the BAC) to determine the compliance to the requirements of the end-user as required in the bidding documents. The same may be conducted at the bidder's place of business/country. Manufacturer's plant inspection will be conducted, subject to the approval of the Head of the Procuring Entity (HOPE). The Manufacturer/Supplier shall be made to provide pieces of evidence of the compliance of items offered to the specifications as stated in Section VII of the bidding documents and his capability to manufacture/supply the goods/items being required. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity.

# Moreover, the PQ Team will conduct validation to other government agencies if the supplier/manufacturer has no overdue delivery.

Conduct of Post Qualification abroad is subject to the issued guidelines regarding Foreign Travel of Public Official/Officers during State of Calamity or Implementation of Community Quarantine or Similar Restrictions. Considering restrictions for foreign travel during the quarantine period, the Procuring Entity or PQ Team may conduct "table post qualification" within the office, or utilize the Office of the Philippine Defense and Armed Forces Attaché (OPhilDAFA) of the country where the foreign bidder/proponent is based to conduct post qualification.

With the travel restrictions brought by COVID-19 outbreak, the alternative PQI may be conducted through "table post qualification" and/or by VTC or other electronic means; and the adoption of previous PQ Reports with independent referencing within the six (6) months validity period.

B. **FINAL INSPECTION AND ACCEPTANCE** will be at the Delivery Site. Completeness and appropriateness of the delivered goods, visual

4

inspection and/or random sampling based on the required test criteria and list of required samples shall be conducted by the Procuring Entity's representative (PATIAC) at the delivery site at the soonest time possible. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity. completion of the inspection, the inspection team shall furnish the following reports: 1. Final Inspection and Acceptance Report by the TIAC: 2. OG10 Inspection Report; 3. SAO/APAO Acceptance Report; Note: Delivered items must comply with the required Technical a. Specification. All cost related to the testing, including the samples for random testing, shall be for the account of the bidder/supplier. Item/s subject for destructive testing shall be included during delivery, but shall not be counted as part of the quantity being delivered. The warranty shall be covered by, either retention money in an amount equivalent to five percent (5%) of every progress payment, or a special bank guarantee equivalent to five percent (5%) of the Contract Price in favor of the Armed Forces of the Philippines. The Obligation for the warranty shall only be released after the lapse of the warranty period. The warranty period shall be One (1) year after acceptance by the Procuring Entity of the delivered Goods. The Obligation for the warranty shall only be released after the lapse of the warranty period.

The period for repair or replacement for the defective goods or parts thereof shall be within Thirty (30) Calendar Days upon receipt of the Notice of Defects.

The Procuring Entity through the TIAC may invoke for warranty claims for the Goods or any part thereof that fail to conform to the specifications within the warranty period. The Supplier shall either rectify or replace such defective Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall inspect the rectified/replaced goods, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Clause 5.2.

When the supplier fails to satisfactorily deliver the goods or services under the contract within the specified delivery schedule or project implementation schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for liquidated damages provided under Annex "D" of the 2016 RIRR of RA 9184 and such other administrative sanctions provided under Rule XXIII RA 9184 and its revised implementing rules.

6

5.2

5.1

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Nr	Description	Quantity	Delivery Period	Delivery Place
1	Night Fighting System	10 pcs	Within Two Hundred Forty (240) calendar days upon Receipt of NTP	Signal Warehouse, 1SBn, 1LSG, ASCOM, PA, ASR Compound, Fort Bonifacio, Taguig City, Philippines

### Section VII. Technical Specifications

By 2028, a world-class Army that is a source of national pride. PA SPECS NR ICT-03-04-2021

SPECS for ELECTRONIC DEVICES

#### HEADQUARTERS PHILIPPINE ARMY

#### OFFICE OF THE ASSISTANT CHIEF OF STAFF FOR COMMAND AND CONTROL, COMMUNICATIONS, AND CYBER SYSTEMS, G6

Fort Andres Bonifacio, Metro Manila

PA SPECS NR: ICT-03-04-2021

#### **TECHNICAL SPECIFICATIONS FOR ELECTRONIC DEVICES**

- 4. Night Fighting System (NFS)
  - 4.1 Night Vision Monocular (NVM)

APPLICATION:	Search and Rescue Security and Surveillance
TECHNICAL DATA	REQUIREMENT
Cathode Type:	Gallium Arsenide Photocathode or Multi-alkali
FOM:	1600 minimum
Signal to Noise	22.3 minimum
Ratio(SNR):	
Resolution:	64lp/mm minimum
	*Note: The product of SNR and Resolution must be
	equal or higher than the stated FOM Value
Phosphor Screen:	White Phosphor or P45 Phosphor
Halo:	1 mm maximum
Tube Certification:	With Factory Original Tube Data Sheet or OEM Tube
	Certificate to be issued by IIT Manufacturer.



Page 9 of 23 Procurement of Electronic Devices

By 2028, a world-class Army that is a source of national pride. SPECS for ELECTRONIC DEVICES PA SPECS NR ICT-03-04-2021

Zone 2 – Annulus concentric with Z1 Zone 3 – Annulus concentric with Z2 Spot size  (in)  1	IIT Black Spot:	Zone 1 - Cent	ter of	ontic	r
Zone 3 - Annulus concentric with Z2   Spot size	III Black opoc	Zone 1 – Center of optic			
Spot size					
(in)					
Dog or larger   Dole to .009 or larger   Dole to .009 or larger   Dole to .009			1	2	
larger					
Battery:    Doi: 1					, and the second
Battery:    Size/Type: AA/Alkaline   Operating Hours: 15Hrs minimum			0	1	2
Operating Hours: 15Hrs minimum			0	2	
Operating Hours: 15Hrs minimum	Battery:	Size/Type: AA	/Alka	line	
Focusing Range: From 0.3mm or lower to infinity Field of View: Image Magnification:  Gain Control:  Battery Supply: Other Features:  Safety Features:  Physical Features:  Physical Features:  Physical Features:  Autogated  From 0.3mm or lower to infinity  Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap  Autogated  Must have reverse polarity protection for battery  Must have Low battery and IR-on indicator Visual Security: On-Off switch  Weight: Not more than 400 grams without battery  Color: Black/ Non-reflective  Dimension:  Length – Not more than 15 cm  Height – Not more than 9 cm  Width – Not more than 9 cm  Width – Not more than 5 cm  Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting Kit:  Mounting Kit:  Finvironmental:  Autogated  Fright – Not more than 9 cm  Width – Not more than 15 cm  Height – Not more than 15 cm  Midth – Not more than 15 cm  Midth – Not more than 15 cm  Midth – Not more than 9 cm  Width – Not more than 9 cm  Width – Not more than 15 cm  Height – Not more than 15 cm  Midth – Not more than 15 cm  Midth – Not more than 15 cm  Midth – Not more than 15 cm  Height – Not mo					minimum
Field of View: Image Magnification:  Gain Control:  Battery Supply: Other Features:  Safety Features:  Physical Features:  Physical Features:  Physical Features:  Mounting Kit:  Mounting Kit:  At least 40 degrees ± 2 degrees  1 x minimum  Variable Manual Gain  • 3 volts start up battery supply • 3 yoths start up battery supply • System Distortion: Less than 3% With switchable (on/off) IR illuminator  • Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap • Autogated • Must have reverse polarity protection for battery • Must have Low battery and IR-on indicator Visual Security: On-Off switch • Weight: Not more than 400 grams without battery • Color: Black/ Non-reflective • Dimension: • Length − Not more than 9 cm Width − Not more than 5 cm • Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM) • Helmet mount tilt adjustable (Left and Right) • Helmet mount dapter can be adjusted horizontally (fore or aft) • Mounting arm can be vertically flipped • Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913) • Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water) • Vibration Proof: MIL STD 810F • Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +70°C	Material Composition:		raft A	lumi	num Mil Specs Type III hard coat
Image Magnification:   Sain Control:   Variable Manual Gain		From 0.3mm of	or low	er to	infinity
Gain Control:  Battery Supply: Other Features:  9		At least 40 de	grees	s ± 2	degrees
Battery Supply: Other Features:  • 3 volts start up battery supply • System Distortion: Less than 3% With switchable (on/off) IR illuminator  • Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap • Autogated • Must have reverse polarity protection for battery • Must have Low battery and IR-on indicator Visual Security: On-Off switch • Weight: Not more than 400 grams without battery • Color: Black/ Non-reflective • Dimension: • Length – Not more than 15 cm • Height – Not more than 9 cm Width – Not more than 5 cm • Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM) • Helmet mount tilt adjustable (Left and Right) • Helmet mount adapter can be adjusted horizontally (fore or aft) • Mounting arm can be vertically flipped • Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913) • Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water) • Vibration Proof : MIL STD 810F • Storage Temperature: -10°C to +45°C		1x minimum			
System Distortion: Less than 3% With switchable (on/off) IR illuminator  Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap  Autogated  Must have reverse polarity protection for battery  Must have Low battery and IR-on indicator Visual Security: On-Off switch  Weight: Not more than 400 grams without battery  Color: Black/ Non-reflective  Dimension:  Length – Not more than 15 cm  Height – Not more than 9 cm  Width – Not more than 9 cm  Width – Not more than 5 cm  Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  Helmet mount tilt adjustable (Left and Right)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting Kit:  Mounting arm can be vertically flipped  Includes Head Strap Mount Assembly  Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F  Storage Temperature: -10°C to +45°C					
With switchable (on/off) IR illuminator  Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap  Autogated  Must have reverse polarity protection for battery  Must have Low battery and IR-on indicator Visual Security: On-Off switch  Weight: Not more than 400 grams without battery  Color: Black/ Non-reflective  Dimension:  Length – Not more than 15 cm  Height – Not more than 9 cm  Width – Not more than 5 cm  Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting Kit:  Mounting arm can be vertically flipped  Includes Head Strap Mount Assembly  Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F  Storage Temperature: -10°C to +45°C					
Flip-up auto shut-off sensor when mounted to PASGT helmet/head strap     Autogated     Must have reverse polarity protection for battery     Must have Low battery and IR-on indicator Visual Security: On-Off switch      Weight: Not more than 400 grams without battery     Color: Black/ Non-reflective     Dimension:     Length – Not more than 15 cm     Height – Not more than 9 cm     Width – Not more than 5 cm     Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly     Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C	Other Features:				
Autogated  • Must have reverse polarity protection for battery  • Must have Low battery and IR-on indicator Visual Security: On-Off switch  • Weight: Not more than 400 grams without battery  • Color: Black/ Non-reflective  • Dimension:  • Length – Not more than 15 cm  • Height – Not more than 9 cm  Width – Not more than 5 cm  • Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  • Helmet mount tilt adjustable (Left and Right)  • Helmet mount adapter can be adjusted horizontally (fore or aft)  • Mounting arm can be vertically flipped  • Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  • Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  • Vibration Proof : MIL STD 810F  • Storage Temperature: -10°C to +70°C  Operating Temperature: -10°C to +45°C					
Autogated     Must have reverse polarity protection for battery     Must have Low battery and IR-on indicator     Visual Security: On-Off switch     Weight: Not more than 400 grams without battery     Color: Black/ Non-reflective     Dimension:     Length − Not more than 15 cm     Height − Not more than 9 cm     Width − Not more than 5 cm     Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting Kit:  Mounting Kit:  Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly     Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C					sensor when mounted to PASGT
Must have reverse polarity protection for battery     Must have Low battery and IR-on indicator     Visual Security: On-Off switch      Weight: Not more than 400 grams without battery     Color: Black/ Non-reflective     Dimension:     Length – Not more than 15 cm     Height – Not more than 9 cm     Width – Not more than 5 cm      Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly     Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C			id str	ар	
Must have Low battery and IR-on indicator     Visual Security: On-Off switch     Weight: Not more than 400 grams without battery     Color: Black/ Non-reflective     Dimension:     Length − Not more than 15 cm     Height − Not more than 9 cm     Width − Not more than 5 cm     Height − Not more than 5 cm     Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly     Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C	Safety Features:	_			
Visual Security: On-Off switch  • Weight: Not more than 400 grams without battery • Color: Black/ Non-reflective • Dimension: • Length – Not more than 15 cm • Height – Not more than 9 cm Width – Not more than 5 cm • Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM) • Helmet mount tilt adjustable (Left and Right) • Helmet mount adapter can be adjusted horizontally (fore or aft) • Mounting arm can be vertically flipped • Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913) • Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water) • Vibration Proof: MIL STD 810F • Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Weight: Not more than 400 grams without battery     Color: Black/ Non-reflective     Dimension:     Length – Not more than 15 cm     Height – Not more than 9 cm     Width – Not more than 5 cm     Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)      Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Physical Features:  • Color: Black/ Non-reflective • Dimension: • Length – Not more than 15 cm • Height – Not more than 9 cm Width – Not more than 5 cm • Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM) • Helmet mount tilt adjustable (Left and Right) • Helmet mount adapter can be adjusted horizontally (fore or aft) • Mounting arm can be vertically flipped • Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913) • Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water) • Vibration Proof : MIL STD 810F • Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Physical Features:  Dimension: Length – Not more than 15 cm Height – Not more than 9 cm Width – Not more than 5 cm  Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM) Helmet mount tilt adjustable (Left and Right) Helmet mount adapter can be adjusted horizontally (fore or aft) Mounting arm can be vertically flipped Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water) Vibration Proof: MIL STD 810F Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C		_			
<ul> <li>Length – Not more than 15 cm</li> <li>Height – Not more than 9 cm</li> <li>Width – Not more than 5 cm</li> <li>Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)</li> <li>Helmet mount tilt adjustable (Left and Right)</li> <li>Helmet mount adapter can be adjusted horizontally (fore or aft)</li> <li>Mounting arm can be vertically flipped</li> <li>Includes Head Strap Mount Assembly</li> <li>Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)</li> <li>Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)</li> <li>Vibration Proof : MIL STD 810F</li> <li>Storage Temperature: -10°C to +70°C</li> <li>Operating Temperature: -10°C to +45°C</li> </ul>		<ul> <li>Color: Black</li> </ul>	k/ No	on-re	flective
<ul> <li>♣ Height – Not more than 9 cm Width – Not more than 5 cm</li> <li>Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)         <ul> <li>Helmet mount tilt adjustable (Left and Right)</li> <li>Helmet mount adapter can be adjusted horizontally (fore or aft)</li> <li>Mounting arm can be vertically flipped</li> <li>Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)</li> <li>Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)</li> <li>Vibration Proof : MIL STD 810F</li> <li>Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C</li> </ul> </li> </ul>	Physical Features:		-		
Width – Not more than 5 cm  Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  Helmet mount tilt adjustable (Left and Right)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting Arm can be vertically flipped  Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F  Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Includes Universal PASGT Helmet Mount kit (includes universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)     Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C		_			
universal one (1) hole shroud or ratchet strap shroud and mounting arm for NVM)  Helmet mount tilt adjustable (Left and Right)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting arm can be vertically flipped  Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof : MIL STD 810F  Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
and mounting arm for NVM)  Helmet mount tilt adjustable (Left and Right)  Helmet mount adapter can be adjusted horizontally (fore or aft)  Mounting arm can be vertically flipped  Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F  Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Helmet mount tilt adjustable (Left and Right)     Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Helmet mount adapter can be adjusted horizontally (fore or aft)     Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)     Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Mounting Kit:  horizontally (fore or aft)  Mounting arm can be vertically flipped  Includes Head Strap Mount Assembly Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof : MIL STD 810F Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Mounting arm can be vertically flipped     Includes Head Strap Mount Assembly     Must have mountable provisions to the following     weapons using mounting adaptor in the     Rifles/Carbines/MG weapons; SAW M249, SAW K3 and     M4. (MIL STD 1913)     Ingress Protection (IP): Water Proof/Resistant (30     minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C	Maunting Kit:				
Includes Head Strap Mount Assembly     Must have mountable provisions to the following     weapons using mounting adaptor in the     Rifles/Carbines/MG weapons; SAW M249, SAW K3 and     M4. (MIL STD 1913)     Ingress Protection (IP): Water Proof/Resistant (30     minutes in a 5-m deep water)     Vibration Proof: MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C	Woulding Kit.				
Must have mountable provisions to the following weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
weapons using mounting adaptor in the Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof : MIL STD 810F Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C				•	•
Rifles/Carbines/MG weapons; SAW M249, SAW K3 and M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof: MIL STD 810F Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
M4. (MIL STD 1913)  Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)  Vibration Proof : MIL STD 810F  Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					
Ingress Protection (IP): Water Proof/Resistant (30 minutes in a 5-m deep water)     Vibration Proof : MIL STD 810F     Storage Temperature: -10°C to +70°C Operating Temperature: -10°C to +45°C					apono, or traine to, or traine and
minutes in a 5-m deep water)  • Vibration Proof : MIL STD 810F  • Storage Temperature: -10°C to +70°C  Operating Temperature: -10°C to +45°C					(IP): Water Proof/Resistant (30
Vibration Proof : MIL STD 810F     Storage Temperature: -10°C to +70°C     Operating Temperature: -10°C to +45°C	Environmental				
Operating Temperature: -10°C to +45°C	Environmental:				
Operating Temperature: -10°C to +45°C		Storage Te	empe	ratur	e: -10°C to +70°C
	Warranty:				



Page 10 of 23 Procurement of Electronic Devices

By 2028, a world-class Army that is a source of national pride. PA SPECS NR ICT-03-04-2021

SPECS for ELECTRONIC DEVICES

Compliance/ Certification:	Updated Manufacturers ISO Certificate 9001:2008 or equivalent
Other Accessories/ Manuals (per set):	Soft Carrying Case (padded) with shoulder strap     Waterproof Hard case, (Transport/ Storage) including IRAD & LZD provisions     Mounting adaptor (MIL STD 1913)     Tools (manufacturer's standard)     User's Manual for every unit     Eyecup     Lens Tissue     Neck cord     Demist Shield     Sacrificial Window     Objective Lens Cap     Eyepiece Cover Alkaline AA Battery (1 pc)
Manuals:	40 pcs maintenance Manual for Local technician and training reference
Proven Technology:	Used by Armed Forces of country of origin or at least two (2) Armed Forces of other countries

PREPARED BY:

NOTED BY:

GEREMEO S VALLECERA JR Captain (SC)

Chief SEIB, OG6, PA

NEIL **ESPINA** Captain

Chief, R\$B, QG6, PA

RECOMMENDED BY:

Colonel sc (MNSA)

AC of S for C4S, G6, PA

ANDRES CENTINO

APPROVED BY:

Major General PA Commanding General, PA



Page 23 of 23 Procurement of Electronic Devices

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

#### HEADQUARTERS PHILIPPINE ARMY

### OFFICE OF THE ASSISTANT CHIEF OF STAFF FOR COMMAND AND CONTROL, COMMUNICATIONS, AND CYBER SYSTEMS, G6

Fort Andres Bonifacio, Metro Manila

PA TAP ICT-03-04-2021

#### TEST ACCEPTANCE AND PROCEDURE FOR ELECTRONIC DEVICES

#### D. NIGHT FIGHTING SYSTEM

#### 1. GENERAL:

- 1.1 SCOPE: The Test Parameters and Procedures is applicable for both Post-Qualification and Product Delivery Acceptance of the sustainment of Night Fighting System.
  - 1.2 REFERENCE: Technical Specifications for Night Fighting System.

#### 1.3 OBJECTIVES:

- 1.3.1 The objective of this TAP is to determine the completeness of the Goods being delivered.
- 1.3.2 Compliance to the standards enumerated in the bidding documents.
- 1.3.3 To determine the 100% functionality of the Night fighting system of the Philippine Army.

#### 1.4 GUIDELINES:

- 1.4.1 The manufacturer/Supplier shall ensure that the complete quantity stated in the contract is packed prior to the inspection.
- 1.4.2 The rating system that will be involved in the Acceptance Test will be passed or failed only.
- 1.4.3 The acceptance test shall be composed of 100% visual inspection and 100% functional tests following the Test Parameters and Procedures for the Night fighting system the Philippine Army.
- 1.4.4 In case of failure of any Goods during installation/assembly procedure, the supplier shall be given forty-five to sixty (45-60) calendar days for correction of defects/replacement of defective spare parts.
- 1.4.5 The warranty period shall only take effect upon final acceptance by PA TIAC.
- 1.4.6 Failure to comply on this procedure shall entail the PROCURING ENTITY to reject the whole quantity during the Final Acceptance by PA TIAC.



Page 11 of 40
Procurement of Electronic Devices

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

1.4.7 In case one (1) requirement is missing during the visual inspection, the supplier shall be given fifteen (15) calendar days to complete the requirements, otherwise, the Philippine Army Technical Inspection and Acceptance Committee (PA TIAC) shall decline acceptance of the Goods and Services being delivered and thereafter shall inform the BAC in writing of the non-acceptance including the specific reasons for the same.

#### 1.5 TEST PARAMETERS AND PROCEDURES:

The "Test Parameters and Procedures" is applicable for both Post-Qualification and Final Delivery and Acceptance for the parts for Secured Mode VHF Repeater System (SMVRS) of the Philippine Army. It is divided in three (3) parts, for Completeness Inspection, Visual Inspection and for Functional Testing Parameters and Procedures.

#### 2. COMPLETENESS INSPECTION:

The goods to be delivered must coincide with the required quantity.

Item Nr	Particulars	Qty	Unit	Pass/ Fail
1	Night Vision Monocular			
2	Infra-Red Aiming Device			
3	Laser Zeroing Device			
4	Mounting Kit (Helmet and Weapon Mount)			
5	System Hard Case			
6	Individual Soft Case (NVM, IRAD and LZD)			
7	Manual			
8	Cleaning Kit			

### 2.2 Visual Inspection Parameters and Procedures (Night Fighting System):

#### 2.2.1 Overall workmanship and its physical parameters:

2.2.1.1 Equipment Needed: Caliper and Weighing Scale.

2.2.1.2 Purpose: To determine the required labeling/markings, color, physical durability, properties and overall workmanship of the Night Fighting System

System.

2.2.1.3 **Procedure:** Visually inspect the labels/markings, color, physical durability, size, weight and overall workmanship of the Night Fighting System.

#### 2.2.1.4 Standard:

2.2.1.4.1 There should be no dents, cracks and other surface defects on the NVM, IRAD and LZD including its mounting kit.

2.2.1.4.2 The NVM, LZD and IRAD should have visible guides such as label/markings (Serial Number, Polarity (engraved), Manufacturers Name, Date of Production, precaution (option) and model number) on its surface.

2.2.1.4.3 The color of Night Fighting System should be

Black.

2.2.1.4.4 The surface finish should be non-reflective.



Page 12 of 40
Procurement of Electronic Devices

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

2.2.1.4.5 The Seal of the Night Fighting System should

be intact.

2.2.1.4.6 Dimension as indicated in the product

specifications.

2.2.1.4.7 Weight must be within the indicated in product

specifications.

Nr	Visual Inspection Checklist for Night Fighting System	Pass	Fail
1	Color (Black)		
2	Labels and Markings		
3	Surface finish is non-reflective		
4	Dents or cracks are not present		
5	Weight		
6	Dimension		
7	Sealing		

### 2.3. Functional testing Parameters and Procedures for Night Vision Monocular (NVM):

#### 2.3.1. Operation:

2.3.1.1. Equipment Needed:

2.3.1.1.1.1 TS-4348/UV Test Set.

2.3.1.1.2. Standard Ballistic Helmet

2.3.1.2. Purpose: To determine the operation and function of the Night Vision Monocular.

2.3.1.3. Procedures:

2.3.1.3.1. In a dark room or night setting, set up the NVM by inserting the battery and switch ON the selector switch of the Night Vision Monocular (NVM).

2.3.1.3.2. Test the low light and high light resolution of the IIT using TS-4348/UV Test Set (to be provided by Manufacturer for the purpose of test).

2.3.1.3.3. Mount the NVM at standard ballistic helmet

issue.

2.3.1.3.4. Switch the NVM to different resolution

settings.

2.3.1.3.5. Focus objective lens and then the eyepiece the sharpest image

lens for best focus to obtain the sharpest image.

2.3.1.3.6. Turn the gain control fully clockwise, to turn

the gain all the way up.

2.3.1.3.7. Turn on the IR Illuminator and verify for any changes in the brightness of the area brought about by the illuminator.

2.3.1.3.8. Refocus objective lens and then the eyepiece lens for best focus to obtain the sharpest image.

2.3.1.3.9. On a dark room, turn on the lights and check if the auto gating feature is activated.

2.3.1.3.10. While the device is switched on, submerge the NVM at 5M deep water and recover after 30 minutes.



Page 13 of 40
Procurement of Electronic Devices

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

#### 2.3.1.4. Standards:

2.3.1.4.1. The NVM should turn on.

2.3.1.4.2. Variable controls should improve the image and focus of the target up to 350 meters using starlight as a minimum source of ambient light.

2.3.1.4.3. Autogating must be present and functional.

2.3.1.4.4. NVM Mounting should snuggly fit the

standard ballistic helmet mount and head mount.

2.3.1.4.5. IIT must not exceed the allowable number and size of black spot as stated in the Technical Specifications.

2.3.1.4.6. AA Size Battery must fit in the battery


compartment.

2.3.1.4.7. For Low Light Tube Resolution Test, there should be no flashing, flickering, instability, emission points or edge glow, chicken wire and bright spots.


2.3.1.4.8. The device must maintain its operational

state after water submersion test.

2.3.1.4.9. On the test pattern LOW LIGHT RESOLUTION, you must be able to distinguish all three horizontal lines and all three vertical lines to count seeing the element (Figure 1) you must be able to see Element 3 on bottom of the test pattern for monocular to pass.



2.3.1.4.10. On the test pattern HIGH LIGHT RESOLUTION, you must be able to distinguish all three horizontal lines and all three vertical lines to count seeing the element (Figure 2) you must be able to see Element 3 on top of the test pattern for monocular to pass.





Page 14 of 40
Procurement of Electronic Devices

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

Figure 2

Functional Testing Checklist for NVM	Pass	Fail
Optical Clarity of image		
IR Illumination		
Autogating feature		
Image is Black and White		
Battery compatibility		
Mounting stability and compatibility		
Reverse Polarity Protection		
Ingress Protection		
Gain Control		
Battery compatibility		
Black spot		

#### 3. PASS/FAIL CRITERIA

- 3.1. The rating will be applied for the evaluation of the delivered Night Fighting System shall either Pass (P) or Fail (F). Lacking requirements shall be provided. Night Fighting System with in-operational part/accessories or failed to pass any of the inspection and test parameters shall be corrected, repaired or replaced by supplier as per provisions of the contract.
- 3.2. In case one requirement is missing during the visual inspection, the Philippine Army Technical Inspection and Acceptance Committee (PA TIAC) shall decline acceptance of the Night Fighting System being delivered and thereafter shall inform the BAC in writing of the non-acceptance including the specific reasons for the same.
- 3.3. In case of failure of any item during functional tests, the supplier shall be given fifteen (15) calendar days for the correction of defects/replacement of defective repair parts. This however does not relieve the supplier of the required period of completion of the project as contained in the schedule of requirements.
- 3.4. The warranty period shall only take effect upon final acceptance by PA TIAC.
- 3.5. Failure to comply on this procedure shall entitle the PROCURING ENTITY to reject the whole quantity during the Final Acceptance by PA TIAC.
- RESPONSIBILITIES: The PA TIAC shall be responsible for the conduct of the Final Acceptance Test and Evaluation.

PREPARED BY:

GEREMEO GALLECERA JR Captain (SC) Pr

Chief, SEIB, OG6, PA

NEIL R ESPINA Captain (SC) PA

Chief, PRB, QG6, PA

NOTED BY:

RECOMMENDED BY:

APPROVED BY:

PATRIARCH ROBINSON P PEL

Colonel SC (MNSA) / PA

AC of S for C4S, G6, PA

ANDRES C CENTINO
Major General PA

Commanding General, PA

de la

# Section VIII. Checklist of Technical and Financial Documents

TAB	I. TECHNICAL COMPONENT ENVELOPE				
	Class "A" Documents				
Legal	Legal Documents:				
A	Valid <b>PhilGEPS Registration Certificate (Platinum Membership)</b> (all pages) in accordance with Section 8.5.2 of the 2016 Revised Implementing Rules and Regulations of Republic Act No 9184 (dated 03 July 2023) and the GPPB Resolution No. 15-2021 dated 14 October 2021.				
Techn	ical Documents:				
В	Duly signed Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid <b>(Annex 1)</b> ;				
	<ul> <li>The bidder may make a reservation under oath in a notarized document not to disclose the name of its client on the ground of an existing confidentiality agreement but must disclose the amount, status, and name of the project for purposes of validating the NFCC, subject to the full disclosure during post-qualification. In this connection, the bidder may keep the name of the client from the statement of ongoing contracts.</li> </ul>				
С	Statement of the bidder's <b>Single Largest Completed Contract (SLCC</b> ) of similar nature within the <b>last five (5) years</b> from the date of the Receipt and Opening of Bid Envelope equivalent to at least <b>fifty percent (50%)</b> of the ABC of the project to be bid. <b>(Annex 2)</b> ;  *For this project, " <b>similar contract or project</b> " shall pertain to the " <b>Supply and Delivery of Night Fighting System</b> "				
D	<b>Bid security</b> in the prescribed form, amount and validity period; <u>or</u> a <b>Notarized Bid Securing Declaration (Annex 5)</b> .				
E	Conformity with the Schedule of Requirements. (Annex 6-A)  Duly signed Conformance/Statement of Compliance to Technical Bid Form (Annex 6-B); Technical Specifications (TS) and other Test and Acceptance Procedure (TAP) Annex 6-C.				
F	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder				
G	Proof of Authority of the designated representative/s for purposes of the bidding				
	For Local Bidder:				

- a. Duly notarized Special Power of Attorney For Sole Proprietorship if owner opts to designate a representative/s; OR
- b. Duly notarized Secretary's Certificate evidencing the authority of the designated representative/s, issued by the corporation, cooperative or the members of the joint venture.

#### For Foreign Bidder:

- a. Valid and Current Written Appointment of the Philippine based company (as local representative of foreign manufacturer) issued by the foreign bidder. The written appointment must include detailed scope of responsibility of the local representative. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification; AND
- b. Duly Notarized authorization of the duly registered Philippine-based company representative (e.g. Secretary's Certificate for Corporation, Special Power of Attorney for Sole Proprietor) with specimen signature of the authorized representative to transact with PA/AFP including address, telephone number, fax number and email address; OR
- c. In case the authorized local representative is an individual (citizen of the Philippines), a Valid and Current Written Appointment of the said individual as the local representative issued by the foreign bidder must be submitted. The written appointment must include detailed scope of responsibility of the local representative. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification.
- Note 1: Provided that in the case of unincorporated joint venture, each member shall submit a separate Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representatives for purposes of this bidding.
- Note 2: The Secretary's Certificate, Board Resolution or Special Power of Attorney, or its equivalent document, must have a specimen signature of the bidder or its authorized representative; it must indicate in the said document the authority to transact with the Philippine Army/AFP; and it must indicate in the same document the address, telephone number, mobile phone number and email address of the bidder or its authorized representative)

#### Financial Documents:

Н

The prospective bidder's computation of **Net Financial Contracting** Capacity (NFCC) (Annex 3-A); or

a **Committed Line of Credit** from a Universal or Commercial Bank in lieu of its NFCC computation **(Annex 3-B)**.

\* If the prospective bidder opts to submit a Committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC of the project issued by local universal or commercial bank. **The amount of Committed Line of** 

**Credit must be Machine Validated**. The Committed Line of Credit must be effective or available on the date of the bid submission.

If the CLC is issued by a foreign Universal or Commercial Bank, it shall be confirmed or authenticated by a local Universal or Commercial Bank

#### Class "B" Documents

Duly signed **Joint Venture Agreement (JVA)** in case the joint venture is already in existence; **or** 

In the absence of a JVA, duly **Notarized Statement/s from all the potential joint venture partners** stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security; **or** 

In case JVA is not applicable, the bidder must submit a duly signed Statement stating that JVA is not applicable in lieu of the foregoing (Annex 4).

\*Note:

ı

J

The JVA should be specific to the project including the purpose and all supporting documents related thereto.

Certificate from Armed Forces of the Philippines Procurement Service (AFPPS) that the Bidder is **not Blacklisted**; or

In the absence of the said Certificate, the Bidder shall submit a proof of application of the same *stamped received* by AFPPS **if manually filed, or** *acknowledged received* by the AFPPS through its official email address: <a href="mailto:afppsthree@gmail.com">afppsthree@gmail.com</a> if electronically filed.

\*Note:

In case of Joint Venture, each JV partner shall submit the Certificate.

II.	FINANCIAL COMPONENT ENVELOPE
	Bid Form for the Procurement of Goods (Annex 10-A)
A	Duly signed and accomplished Financial Bid Form (Annex 10-B)
В	Duly signed and accomplished Price Schedule(s) (Annex 11).

## **Bidding Forms**

Bidding Forms	Annex Nr
Statement of All On-going Government and Private Contracts including Contracts Awarded but not yet started, if any.	Annex 1
Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least fifty percent (50%) of the ABC	Annex 2
Certificate of Net Financial Contracting Capacity (NFCC)	Annex 3-A
Sample Form for Committed Line of Credit	Annex 3-B
Statement that JVA is not applicable	Annex 4
Bid Securing Declaration	Annex 5
Conformity with the Schedule of Requirements	Annex 6-A
<ul> <li>Duly signed statement of compliance to:</li> <li>Technical Bid Form;</li> <li>Technical Specifications (TS); and Test and Acceptance Procedure (TAP)</li> </ul>	Annex 6-B Annex 6-C
Omnibus Sworn Statement	Annex 7
Warranty Undertaking	Annex 8
Certificate of Replacement for Defective Items	Annex 9
Bid Form Procurement of Goods	Annex 10-A
Financial Bid Form	Annex 10-B
Bid Prices and applicable Price Schedules	Annex 11

#### **Bidder's Company Letterhead**

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: BbB3 040 000 00

Approved Budget Contract: PhP3,040,000.00

STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS (INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED. IN CASE THE SUPPLIER HAS NO ONGOING GOVERNMENT OR PRIVATE CONTRACT, INDICATE NONE.)

1. 7 th Off going Government Goritiads	1.	All On-going Governme	ent Contracts
--	----	-----------------------	---------------

Name of Contract	Date of Contract	Kinds of Goods	Value of Contract	Status of Contract	Delivery Period	Purchase Order, Notice to Proceed or Contract				
TOTAL										
Total Value of Contract:  2. All On-going Private Contracts										
Name of Contract	Date of Contract	Kinds of Goods	Value of Contract	Status of Contract	Delivery Period	Purchase Order, Notice to Proceed or Contract				
TOTAL										
Total Value of Contract:										
CERTIFIED CORRECT:										
Name and Signature of Authorized Representative										
	Position									
			Date							

#### **Bidder's Company Letterhead**

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least fifty (50%) of the ABC

Name of Contract	Date of Contract	Kinds of Goods	Value of Contract	Date of Delivery	End-User's Acceptance or Official Receipts
	TOTAL				

CERTIFIED CORRECT:	
Name and Signature of Authorized Representative	
Position	
Date	

Annex 3-A

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

#### CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY

(Please show figures at how you arrived at the NFCC)

This is to <b>Philippine Pesos</b> ceiling price we ar		Net Financia _( P	I Contracting Capac ) which is at least e	city (NFCC) is qual to the total
The amoun	t is computed as	s follows: NFC	C = (CA-CL) (K)-C	
CL = K =	value of all out	es tstanding or u contracts, inc	ncompleted portions eluding awarded contr ntract for this Project	
Issued this	day of _		, 2024.	
	CEI	RTIFIED CORI	RECT:	
	Name & Signat	ure of Authoriz	red Representative	
		Position		
	_	Date		

Annex 3-B

## (Name of Bank) COMMITTED LINE OF CREDIT

Date:	
ARMED FORCES OF THE PHILI OFFICE OF THE PHILIPPINE AFFort Andres Bonifacio, Metro M	RMY BIDS AND AWARDS COMMITTEE
PROJECT COMPANY/FIRM ADDRESS BANK/FINANCING INSTITUTION ADDRESS AMOUNT	
address indicated above, commits if awarded the above-mentioned (	e above Bank/Financing Institution with business to provide the (Supplier/Distributor/Manufacturer), Contract, a credit line in the amount specified above of finance the performance of the above-mentioned ditions and requirements.
	lable during the opening and submission of bids and ined until issuance of the Certificate of Acceptance.
(Supplier/Distributor/Manufacture)	being issued in favor of said r) in connection with the bidding requirement of above-mentioned Contract. We are aware that any ke us liable for perjury.
	t cannot be terminated or cancelled without the prior OF THE PHILIPPINE ARMY BIDS AND AWARDS
Name and Signature of Authorize	d Financing Institution Office
Official Designation	
Concurred By:	
Name & Signature of (Supplier/Di	stributor/Manufacturer's) Authorized Representative
Official Designation	

SUBSC	RIBED AND	SWORN TO	BEFORE	ME this _		day of
at _	, P	hilippines. Af	fiant exhib	ited to me	his/her	competent
Evidence of ide	entity as defin	ed by the 200	4 Rules on	Notarial Pr	actice (A	.M. No. 02-
8-13-SC), issue	ed on	-	at			
				NOTARY I	PUBLIC	
Doc No: _ Page No: _ Book No: _ Series of: _						

#### (Company Letterhead)

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

Ti without project)	his <b>a</b>	is to c <b>joint</b>	ertify that venture 	partner	<u>nan</u> in	ne of the	bidder) procurement	of	will be participating (name of
			e undersigi e above-m			_	s that <b>Joint Ve</b>	ntur	e Agreement is Not
				CERTI	FIE	o cc	RRECT:		
			Name & S	Signature	of A	lutho	rized Represe	ntati	ve
					Po	sitior	7		_
					L	Date			

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

#### **BID-SECURING DECLARATION**

REPUBLIC OF THE PHILIPPINES) CITY OF
BID-SECURING DECLARATION Invitation to Bid/Request for Expression of Interest No. 1: (Insert reference number)
To: (Insert name and address of the Procuring Entity)
I/We, the undersigned, declare that:
1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/We will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and (b) I/We will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declarations, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1 (b), 34.2, 40.1 and 69.1, except 69.1 (f) of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
<ul> <li>a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;</li> <li>b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/We failed to timely file a request for consideration or (ii) I/We filed a waiver to avail of said right;</li> <li>c) I am/were declared as the bidder with the Lowest Calculated and Responsive Bid/Highest Rated and Responsive Bids, and I/We have furnished the performance security and signed the Contract.</li> </ul>
IN WITNESS WHEREOF, I/We hereunto set my/our hand/s this day of (Month) (Year) at (Place of Execution).

NAME OF BIDDERS AUTHORIZED REPRESENTATIVE (Insert signatory's legal capacity)

AFFIANT

SUBS	SCRIBED AN	D SWORN	TO BEFORE	ME this $_{ extstyle -}$		day of
at	,	Philippines.	Affiant exhib	ited to me	his/her	competent
Evidence of	identity as de	fined by the	2004 Rules on	Notarial Pr	actice (A.I	M. No. 02-
8-13-SC), iss	sued on		at		-	•
				NOTARY F	PUBLIC	
Doc No: Page No: Book No: Series of:						

Annex 6-A

### **SCHEDULE OF REQUIREMENTS**

TO THE BIDDER: Indicate "COMPLY" If proposal meets the technical specifications and project requirements. DO NOT LEAVE ANY BLANK. A "YES OR NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Description	Qty	Delivery Period	Delivery Place	Bidder's Proposal
Night Fighting System	10 pcs	Within Two Hundred Forty (240) calendar days upon Receipt of NTP	Signal Warehouse, 1SBn, 1LSG, ASCOM, PA, ASR Compound, Fort Bonifacio, Taguig City, Philippines	

**CERTIFIED CORRECT:** 

Name & Signa	ture of Authorized F	Representative
	Position	
	 Date	

Annex 6-B

# STATEMENT OF COMPLIANCE TO TECHNICAL BID FORM, TECHNICAL SPECIFICATIONS, and TEST AND ACCEPTANCE PROCEDURE

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-reference to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

## CLARIFICATION AND SETTLEMENT OF CONFLICTING INTERPRETATION OF THE TECHNICAL SPECIFICATIONS

All clarifications regarding the technical specifications stipulated in this section will be clarified by the members of the Technical Working Group. In cases of conflicting interpretations, the nature and purpose of the equipment will be the basis of interpretation. The main basis for technical specifications and requirements is the nature and purpose of the equipment and its intended use as determined by the doctrinal application of the end-users represented herein by the Technical Working Group.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 6-B (Page 1 of 4)

#### **TECHNICAL BID FORM**

## Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24

Approved Budget Contract: PhP3,040,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

	Technical Specifications			Bidder's	
Line No.	Qty	Description	Technical Specifications	Test and Acceptance Procedure	Statement of Compliance
1	10 pcs	Night Fighting System	PA SPECS NR: ICT-03-04- 2021	PA TAP ICT- 03-04-2021	
2	Manufacturing Date: Manufacturing date should be not more than one (1) year from the date of delivery including its component batteries				
3	We have no overdue deliveries or unperformed services intended for Philippine Army (PA).				

#### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above-described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award. Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
 Date

Annex 6-B (Page 2 of 4)

#### **TECHNICAL BID FORM**

## Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24

Approved Budget Contract: PhP3,040,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.		Bidder's Statement of Compliance
4	DELIVERY:  a. Delivery Period: 240 calendar days from Receipt of Notice to Proceed by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP: should the supplier fail to comply, the delivery period shall commence.  b. Delivery Place: Signal Warehouse, 1SBn, 1LSG, ASCOM, PA, ASR Compound, Fort Bonifacio, Taguig City, Philippines  c. Delivery must be done in the presence of Philippine Army authorized representatives.	

#### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above-described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)
Signature of Company Authorized Penrocentative
Signature of Company Authorized Representative
Name and Designation
· ·
Date

Annex 6-B (Page 3 of 4)

#### **TECHNICAL BID FORM**

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

ONFOR	M WILL RESULT IN A RATING OF " <b>FAILED</b> ".	
Line No.		Bidder's Statement of
	Opertions	Compliance
5	Continuation:  DELIVERY:  a. The supplier must inform the PAPC at least seven (7) calendar days prior to delivery in delivery place/site. Failure to give due notice shall be a ground for non-acceptance of delivery.  b. Other than the delivery schedule stated above, NO PARTIAL DELIVERIES are allowed.  c. During delivery, the Supplier shall be responsible in unloading the items from the container to the designated warehouse of the PA. All costs related to porter services, handling and other related expenses shall be borne by the Supplier. In the absence of material handling equipment at the site, the Supplier shall provide the necessary equipment such as but not limited to: forklifts, hand pallet truck, etc. At the expense of the Supplier.	
	BIDDER'S UNDERTAKING	
	he undersigned bidder, having examined the Bidding Documents including	Bid Bulletins, as
	ble, hereby OFFER to (supply/deliver/perform) the above-described items. ndertake, if our bid is accepted, to deliver the items in accordance with	n the terms and
condition	ons contained in the bid documents, including the posting if the required perfe	
	en (10) calendar days from receipt of the Notice of Award.	
Onlin a	formal contract is prepared and signed, thus bid is binding on us.	
	Name of Company (in print)	
	Signature of Company Authorized Representative	
	Name and Designation	
	Date	

Annex 6-B (Page 4 of 4)

#### **TECHNICAL BID FORM**

## Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24

Approved Budget Contract: PhP3,040,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.		Bidder's Statement of Compliance
6	Issuance of End-User Certificate:  Pursuant to D4 CMILD-001-2017 dated Jan 26, 2017 issued by the Office of the Deputy Chief of Staff for Logistics, J4, the deadline for submission of End-user Certificate (EUC) requirements shall be within seven (7) Calendar Days upon receipt of Contract/Notice to Proceed (NTP). The letter request shall include as an attachment important document necessary for the issuance thereof, such as specific template/format required by the foreign government and not by the foreign supplier. Failure on the part of the supplier to submit said requirements within the specified period shall not be used and acknowledge as a valid excuse or justification to warrant the extension of the contract.	
7	Warranty Period: <b>One (1) year</b> after final acceptance which includes full replacement of defective items free of charge.	
	PIDEDIO INDEPTACIONA	

#### **BIDDER'S UNDERTAKING**

I/WE, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above-described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting if the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)
Signature of Company Authorized Representative
Name and Designation
Date

Annex 6-C

By 2028, a world-class Army that is a source of national pride. PA SPECS NR ICT-03-04-2021

SPECS for ELECTRONIC DEVICES

#### HEADQUARTERS PHILIPPINE ARMY

#### OFFICE OF THE ASSISTANT CHIEF OF STAFF FOR COMMAND AND CONTROL, COMMUNICATIONS, AND CYBER SYSTEMS, G6

Fort Andres Bonifacio, Metro Manila

PA SPECS NR: ICT-03-04-2021

#### **TECHNICAL SPECIFICATIONS FOR ELECTRONIC DEVICES**

- 4. Night Fighting System (NFS)
  - 4.1 Night Vision Monocular (NVM)

APPLICATION:	Search and Rescue Security and Surveillance	
TECHNICAL DATA	REQUIREMENT	
Cathode Type:	Gallium Arsenide Photocathode or Multi-alkali	
FOM:	1600 minimum	
Signal to Noise	22.3 minimum	
Ratio(SNR):		
Resolution:	64lp/mm minimum	
	*Note: The product of SNR and Resolution must be	
	equal or higher than the stated FOM Value	
Phosphor Screen:	White Phosphor or P45 Phosphor	
Halo:	1 mm maximum	
Tube Certification:	With Factory Original Tube Data Sheet or OEM Tube	
	Certificate to be issued by IIT Manufacturer.	



Page 9 of 23 Procurement of Electronic Devices

Honor, Patriotism, Duty.

Conforme:
Bidder's Company Name
Signature of Authorized Representative
Designation
Date

By 2028, a world-class Army that is a source of national pride. SPECS for ELECTRONIC DEVICES PA SPECS NR ICT-03-04-2021

IIT Dlock Cnot:	Zono 1 Cont	tor of	onti	_	
IIT Black Spot:	Zone 1 – Center of optic Zone 2 – Annulus concentric with Z1				
	Zone 2 – Annulus concentric with Z1 Zone 3 – Annulus concentric with Z2				
	Spot size Zone				
	(in)	1	2	3	
	.009 or	0	0	0	
		U	U	U	
	.006 to .009	0	1	2	
	.003 to .006	0	2	2	
Battery:	Size/Type: AA	_	_	2	
battery.	Operating Hou			minimum	
Material Composition:				num Mil Specs Type III hard coat	
Material Composition.	anodized	ruit /	ii diiiii	num min opecs Type in num cour	
Focusing Range:	From 0.3mm	or low	er to	infinity	
Field of View:	At least 40 de				
Image Magnification:	1x minimum	9			
Gain Control:	Variable Manu	ıal G	ain		
Battery Supply:	3 volts star			rv supply	
Other Features:	System Dis				
				IR illuminator	
				sensor when mounted to PASGT	
	helmet/hea				
Safety Features:	Autogated				
		reve	rse p	olarity protection for battery	
				ery and IR-on indicator	
	Visual Security: On-Off switch				
				nan 400 grams without battery	
Color: Black/ Non-reflective					
Physical Features:	Dimension:				
	Length	– No	ot mo	ore than 15 cm	
	<ul> <li>Height</li> </ul>	- No	t mo	re than 9 cm	
	Width - Not m				
	<ul> <li>Includes U</li> </ul>	niver	sal P	ASGT Helmet Mount kit (includes	
				le shroud or ratchet strap shroud	
	and mount				
				t adjustable (Left and Right)	
				adapter can be adjusted	
Mounting Kit:				e or aft)	
				an be vertically flipped	
				Mount Assembly	
				rovisions to the following	
				ng adaptor in the	
				apons; SAW M249, SAW K3 and	
	M4. (MIL STD			(ID): Water Proof/Desistant (20	
	Ingress Protection (IP): Water Proof/Resistant (30 minutes in a F m deep water)				
Environmental:	minutes in a 5-m deep water)  • Vibration Proof : MIL STD 810F				
				e: -10°C to +70°C	
Warranty:	Two (2) years			: -10°C to +45°C	
Warranty:	Two (2) years	(IMIII)	mul	")	





Page 10 of 23 Procurement of Electronic Devices

Honor, Patriotism, Duty.

Conforme:	
Bidder's Company Name	
Signature of Authorized Representati	ve
Designation	
Date	

By 2028, a world-class Army that is a source of national pride.

SPECS for ELECTRONIC DEVICES PA SPECS NR ICT-03-04-2021

Compliance/ Certification:	Updated Manufacturers ISO Certificate 9001:2008 or equivalent
Other Accessories/ Manuals (per set):	Soft Carrying Case (padded) with shoulder strap     Waterproof Hard case, (Transport/ Storage) including IRAD & LZD provisions     Mounting adaptor (MIL STD 1913)     Tools (manufacturer's standard)     User's Manual for every unit     Eyecup     Lens Tissue     Neck cord     Demist Shield     Sacrificial Window     Objective Lens Cap     Eyepiece Cover Alkaline AA Battery (1 pc)
Manuals:	40 pcs maintenance Manual for Local technician and training reference
Proven Technology:	Used by Armed Forces of country of origin or at least two (2) Armed Forces of other countries

PREPARED BY	PR	EPA	RED	BY:
-------------	----	-----	-----	-----

NOTED BY:

GEREMEO VALLECERA JR Captain (SC) Chief SEIB, OG6, PA

NEIL Captain Chief, R\$B, QG6, PA

RECOMMENDED BY:

APPROVED BY:

Colonel sc AC of S for C4S, G6, PA

ANDRES C Major General Commanding General, PA

CENTINO

PA

Conforme: Bidder's Company Name pGs Signature of Authorized Representative Designation Date

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

### HEADQUARTERS PHILIPPINE ARMY

### OFFICE OF THE ASSISTANT CHIEF OF STAFF FOR COMMAND AND CONTROL, COMMUNICATIONS, AND CYBER SYSTEMS, G6

Fort Andres Bonifacio, Metro Manila

PA TAP ICT-03-04-2021

#### TEST ACCEPTANCE AND PROCEDURE FOR ELECTRONIC DEVICES

#### D. NIGHT FIGHTING SYSTEM

#### 1. GENERAL:

- 1.1 **SCOPE:** The Test Parameters and Procedures is applicable for both Post-Qualification and Product Delivery Acceptance of the sustainment of Night Fighting System.
  - 1.2 REFERENCE: Technical Specifications for Night Fighting System.

#### 1.3 OBJECTIVES:

- 1.3.1 The objective of this TAP is to determine the completeness of the Goods being delivered.
- 1.3.2 Compliance to the standards enumerated in the bidding documents.
- 1.3.3 To determine the 100% functionality of the Night fighting system of the Philippine Army.

#### 1.4 GUIDELINES:

- 1.4.1 The manufacturer/Supplier shall ensure that the complete quantity stated in the contract is packed prior to the inspection.
- 1.4.2 The rating system that will be involved in the Acceptance Test will be passed or failed only.
- 1.4.3 The acceptance test shall be composed of 100% visual inspection and 100% functional tests following the Test Parameters and Procedures for the Night fighting system the Philippine Army.
- 1.4.4 In case of failure of any Goods during installation/assembly procedure, the supplier shall be given forty-five to sixty (45-60) calendar days for correction of defects/replacement of defective spare parts.
- 1.4.5 The warranty period shall only take effect upon final acceptance by PA TIAC.
- 1.4.6 Failure to comply on this procedure shall entail the PROCURING ENTITY to reject the whole quantity during the Final Acceptance by PA TIAC.



Page 11 of 40
Procurement of Electronic Devices

Honor, Patriotism, Duty.

Conforme:
Bidder's Company Name
Signature of Authorized Representative
Designation
Date

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

1.4.7 In case one (1) requirement is missing during the visual inspection, the supplier shall be given fifteen (15) calendar days to complete the requirements, otherwise, the Philippine Army Technical Inspection and Acceptance Committee (PA TIAC) shall decline acceptance of the Goods and Services being delivered and thereafter shall inform the BAC in writing of the non-acceptance including the specific reasons for the same.

#### 1.5 TEST PARAMETERS AND PROCEDURES:

The "Test Parameters and Procedures" is applicable for both Post-Qualification and Final Delivery and Acceptance for the parts for Secured Mode VHF Repeater System (SMVRS) of the Philippine Army. It is divided in three (3) parts, for Completeness Inspection, Visual Inspection and for Functional Testing Parameters and Procedures.

#### 2. COMPLETENESS INSPECTION:

2.1. The goods to be delivered must coincide with the required quantity.

Item Nr	Particulars	Qty	Unit	Pass/ Fail
1	Night Vision Monocular			
2	Infra-Red Aiming Device			
3	Laser Zeroing Device			
4	Mounting Kit (Helmet and Weapon Mount)			
5	System Hard Case			
6	Individual Soft Case (NVM, IRAD and LZD)			
7	Manual			
8	Cleaning Kit			

### 2.2 Visual Inspection Parameters and Procedures (Night Fighting System):

#### 2.2.1 Overall workmanship and its physical parameters:

2.2.1.1 Equipment Needed: Caliper and Weighing Scale.

2.2.1.2 **Purpose:** To determine the required labeling/markings, color, physical durability, properties and overall workmanship of the Night Fighting

2.2.1.3 **Procedure:** Visually inspect the labels/markings, color, physical durability, size, weight and overall workmanship of the Night Fighting System.

#### 2.2.1.4 Standard:

2.2.1.4.1 There should be no dents, cracks and other surface defects on the NVM, IRAD and LZD including its mounting kit.

2.2.1.4.2 The NVM, LZD and IRAD should have visible guides such as label/markings (Serial Number, Polarity (engraved), Manufacturers Name, Date of Production, precaution (option) and model number) on its surface.

2.2.1.4.3 The color of Night Fighting System should be

Black.

System.

2.2.1.4.4 The surface finish should be non-reflective.



Page 12 of 40
Procurement of Electronic Devices

Honor, Patriotism, Duty.

monon, radiodom, Baty.
Conforme:
Bidder's Company Name
Signature of Authorized Representative
Designation
Date

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

2.2.1.4.5 The Seal of the Night Fighting System should

be intact.

2.2.1.4.6 Dimension as indicated in the product specifications.

2.2.1.4.7 Weight must be within the indicated in product specifications.

Nr	Visual Inspection Checklist for Night Fighting System	Pass	Fail
1	Color (Black)		
2	Labels and Markings		
3	Surface finish is non-reflective		
4	Dents or cracks are not present		
5	Weight		
6	Dimension		

### 2.3. Functional testing Parameters and Procedures for Night Vision Monocular (NVM):

#### 2.3.1. Operation:

Sealing

#### 2.3.1.1. Equipment Needed:

2.3.1.1.1.1. TS-4348/UV Test Set.

2.3.1.1.1.2. Standard Ballistic Helmet

2.3.1.2. **Purpose:** To determine the operation and function of the Night Vision Monocular.

#### 2.3.1.3. Procedures:

2.3.1.3.1. In a dark room or night setting, set up the NVM by inserting the battery and switch ON the selector switch of the Night Vision Monocular (NVM).

2.3.1.3.2. Test the low light and high light resolution of the IIT using TS-4348/UV Test Set (to be provided by Manufacturer for the purpose of test).

2.3.1.3.3. Mount the NVM at standard ballistic helmet

issue.

2.3.1.3.4. Switch the NVM to different resolution

settings.

2.3.1.3.5. Focus objective lens and then the eyepiece lens for best focus to obtain the sharpest image.

2.3.1.3.6. Turn the gain control fully clockwise, to turn


the gain all the way up.

2.3.1.3.7. Turn on the IR Illuminator and verify for any changes in the brightness of the area brought about by the illuminator.

2.3.1.3.8. Refocus objective lens and then the eyepiece lens for best focus to obtain the sharpest image.

2.3.1.3.9. On a dark room, turn on the lights and check if the auto gating feature is activated.

2.3.1.3.10. While the device is switched on, submerge the NVM at 5M deep water and recover after 30 minutes.



Designation

Date

Signature of Authorized Representative

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

#### 2.3.1.4. Standards:

2.3.1.4.1. The NVM should turn on.

2.3.1.4.2. Variable controls should improve the image and focus of the target up to 350 meters using starlight as a minimum source of ambient light.

2.3.1.4.3. Autogating must be present and functional.

2.3.1.4.4. NVM Mounting should snuggly fit the

standard ballistic helmet mount and head mount.

2.3.1.4.5. IIT must not exceed the allowable number and size of black spot as stated in the Technical Specifications.


2.3.1.4.6. AA Size Battery must fit in the battery

compartment.


2.3.1.4.7. For Low Light Tube Resolution Test, there should be no flashing, flickering, instability, emission points or edge glow, chicken wire and bright spots.

2.3.1.4.8. The device must maintain its operational state after water submersion test.

2.3.1.4.9. On the test pattern LOW LIGHT RESOLUTION, you must be able to distinguish all three horizontal lines and all three vertical lines to count seeing the element (Figure 1) you must be able to see Element 3 on bottom of the test pattern for monocular to pass.



2.3.1.4.10. On the test pattern HIGH LIGHT RESOLUTION, you must be able to distinguish all three horizontal lines and all three vertical lines to count seeing the element (Figure 2) you must be able to see Element 3 on top of the test pattern for monocular to pass.





Page 14 of 40
Procurement of Electronic Devices

Honor, Patriotism, Duty.

Conforme:

Bidder's Company Name

Signature of Authorized Representative

Designation

Date

Page **61** of **72** 

By 2028, a world class Army that is a source of national pride.

TAP for ELECTRONIC DEVICES PA TAP ICT-03-04-2021

Figure 2

Functional Testing Checklist for NVM	Pass	Fail
Optical Clarity of image		
IR Illumination		
Autogating feature		
Image is Black and White		
Battery compatibility		
Mounting stability and compatibility		
Reverse Polarity Protection		
Ingress Protection		
Gain Control		
Battery compatibility		
Black spot		

#### 3. PASS/FAIL CRITERIA

Procurement of 10 pcs Night

- 3.1. The rating will be applied for the evaluation of the delivered Night Fighting System shall either Pass (P) or Fail (F). Lacking requirements shall be provided. Night Fighting System with in-operational part/accessories or failed to pass any of the inspection and test parameters shall be corrected, repaired or replaced by supplier as per provisions of the contract.
- 3.2. In case one requirement is missing during the visual inspection, the Philippine Army Technical Inspection and Acceptance Committee (PA TIAC) shall decline acceptance of the Night Fighting System being delivered and thereafter shall inform the BAC in writing of the non-acceptance including the specific reasons for the same.
- 3.3. In case of failure of any item during functional tests, the supplier shall be given fifteen (15) calendar days for the correction of defects/replacement of defective repair parts. This however does not relieve the supplier of the required period of completion of the project as contained in the schedule of requirements.
- 3.4. The warranty period shall only take effect upon final acceptance by PA TIAC.
- 3.5. Failure to comply on this procedure shall entitle the PROCURING ENTITY to reject the whole quantity during the Final Acceptance by PA TIAC.
- 4. RESPONSIBILITIES: The PA TIAC shall be responsible for the conduct of the Final Acceptance Test and Evaluation.

the Final Acceptance Test and Evaluation.	
PREPARED BY:	NOTED BY:
GEREMEO GYALLECERA JR Captain (SC) PA Chief, SEIB, OG6, PA	NEIL R ESPINA Captain (SC) PA Chief, PRB, OG6, PA
RECOMMENDED BY:	APPROVED BY:
PATRIARCH ROBINSON P PEL Colonel SC (MNSA) PA AC of S for C4S, G6, PA	ANDRES C CENTINO Major General PA Commanding General, PA
Conforme:	do
Bidder's Company Nar	me
Signature of Authorized Repre	esentative
Designation	

Date

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	S
CITY/MUNICIPALITY OF	) S.S.

#### **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

#### 2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the

duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

at, Philippines.	ereunto set my nand this day of, 20
	[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant
atat himself/herself/themselves whom I was	to before me thisday of, Philippines, by the affiant/s able to personally identify through his/her/their cation card used], which he/she/they has/have
Witness my hand and seal this _	day of <i>[month] [year]</i> .
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc No: Page No: Book No:	

(Bidder's Company Letterhead)

### **WARRANTY UNDERTAKING**

Procurement of 10 pcs Night Fighting System
BID REF NO. SIG PABAC2-013-24
Approved Budget Contract: PhP3,040,000.00

I/We, (Name), (Title/Capacity), the duly authorized representative of (Company/Bidder), hereby commits that should we be awarded the contract we will issue a Warranty Certificate in favor of the Philippine Army (PA) valid for a least one (1) year from date of final acceptance and that the goods to be delivered are manufactured not more than one (1) year from the day of delivery.
This Undertaking shall form part of the Technical Requirements for the aforesaid procurement project
Signature of Company Representative
Name & Designation

#### **Bidder's Company Letterhead**

### **CERTIFICATE OF REPLACEMENT FOR DEFECTIVE ITEMS**

Procurement of 10 pcs Night Fighting System
BID REF NO. SIG PABAC2-013-24
Approved Budget Contract: PhP3,040,000.00

I/We, (Name) , (Title/Capacity) , the duly authorized representative of (Company/Bidder) , hereby commits that should we be awarded
the contract, we will replace all defective items within thirty (30) calendar days upon receipt of Notice of Defects from the Philippine Army.
This Certification shall form part of the Technical Requirements for the aforesaid procurement project.
Issued thisday of 2024 in, Philippines
Signature of Company Representative
Name & Designation
 Date

#### Annex 10-A

## Bid Form for the Procurement of Goods (Shall be submitted with the Bid)

	BID FORM
	Date: Project Identification No:
To: (name a	nd address of Procuring Entity)
Supplements duly acknow of the Good words and fi computations Schedules a the cost of a value added	g examined the Philippine Bidding Documents (PBDs) including the all or Bid Bulletin Numbers (insert numbers), the receipt of which is hereby ledge, we, the undersigned, offer to (supply/deliver/perform) (description in conformity with the said PBDs for the sum of (total Bid amount in igures) or the total calculated bid price, as evaluated and corrected for all errors, and other bid modifications in accordance with the Price ttached herewith and made part of this Bid. The total bid price includes all taxes, such as, but not limited to: (specify the applicable taxes, e.g. (i) tax (VAT). (ii) income tax, (iii) local taxes, and (iv) other fiscal levels and the are itemized herein or in the Price Schedules.
If our	Bid is accepted, we undertake:
a.	to deliver the goods in accordance with the delivery schedules specified in the Schedules of Requirements of the Philippine Bidding Documents (PBDs);
b.	to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
Comn	t this paragraph if Foreign-Assisted Project with the Development Partner: nissions or gratuities, if any, paid or to be paid by us to agents relating to to contract execution if we are awarded the contract, are listed below:
	ddress Amount and Purpose of rency Commission or gratuity

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

(if none, state "None")

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of (name of the bidder) as evidence by the attached (state the written authority.)

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly Authorized to sign the Bid for and behalf of:	
Date:	

Annex 10-B

#### (Bidder's Company Letterhead)

## Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24

Approved Budget Contract: PhP3,040,000.00

#### **Financial Bid Form**

Description	Qty	ABC	Price	Bidder's Proposal		
Description		U/P	Total Price	U/P	Total Price	
Night Fighting System	10 pcs	304,000.00	3,040,000.00			
TOTAL BID PRICE						

### Total Bid Price (Amount in Words):

#### **BIDDER'S UNDERTAKING**

I/We, the undersigned bidder, have examined the TOR, as applicable, hereby OFFER to (supply/deliver/perform) the above-described items.

I/We undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of Notice of Award.

Until a formal contract/order confirmation is prepared and signed, this Bid is binding on us.

Note: If the particular column is not applicable indicate N/A.

Name of Company (in print)
Signature of Company Representativ
Name & Designation (in print)
Date

Annex 11 FORM NO. 1

#### (Bidder's Company Letterhead)

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

#### For Goods Offered from Abroad

١	Name of Bi	dder				Page				
of										
1	2	3	4	5	6	7	8	9		
Item	Description	Country of origin	Qty	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered at Place (DAP)	Unit price Delivered Duty Paid (DDP)	Total Price -(if DAP col 4X7) -(If DDP col 4X8)		
Note: If the particular column is not applicable indicate dash (-) or zero (0), as applicable.										
[signature] [in the capacity of]										
Duly authorized to sign Bid for and on behalf of										

1 If ADB, JICA and WB funded projects, use IFB.

Annex 11 FORM NO. 2

#### (Bidder's Company Letterhead)

# Procurement of 10 pcs Night Fighting System BID REF NO. SIG PABAC2-013-24 Approved Budget Contract: PhP3,040,000.00

#### For Goods Offered From Within the Philippines

	Name of Bidder Invitation to Bid2 Number of								Page	
					01	•				
1	2	3	4	5	6	7	8	9	10	
Item	Descriptio n	Country of origin	Quantity	Unit price EXW per item	Transportati on and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)	
	Note: If the particular column is not applicable indicate dash (-) or zero (0), applicable.									
	[signature] [in the capacity of]							of]	-	
	Duly authorized to sign Bid for and on behalf of									

<sup>2</sup> If ADB, JICA and WB funded projects, use IFB.

